

# FUTURA HD I-11



The smart system



## // SPECIFICATIONS

- MOTOR** Bosch Performance CX Smart System, GEN4, 250 Watt, 85 Nm
- BATTERY** 750 Wh, Bosch PowerTube
- CHARGER** Bosch 4A
- FRAME** eTrekking R22-Series, AL6061
- FORK** SR Suntour MOBIE E-25, 63 mm travel, air suspension, lockout, steerer tube 1.1/8" - 1.5"
- DISPLAY** Bosch Intuvia 100
- SHIFTING** Shimano Cues RD-U8000, 11-speed
- SHIFTER** Shimano SL-U8000R
- GEAR RATIO** 44 / 11-50
- CRANKSET** FSA CK-220
- CHAIN** Shimano CN-LG500
- BRAKES** Shimano MT410 hydr. disc, f: 180 mm / r: 180 mm
- BRAKE LEVER** Shimano BL-MT401
- TIRES** Schwalbe G-One Allround, RaceGuard, Performance, 57-622

- FRONT HUB** Shimano HB-TC500, 15X100 mm, centerlock
- REAR HUB** Shimano FH-TC500, 12x142 mm, centerlock
- HANDLEBAR** Zecure, AL
- GRIPS** Ergo, integrated clamp
- STEM** Zecure UP2+, A-head, adjustable
- SADDLE** Selle Bassano Suprema 3Zone
- SEATPOST** BySchulz G2, Ø31.6 mm, 350 mm, 30 mm travel
- FRONT LIGHT** Hercules, FF-100, daylight sensor, high beam, up to 150 Lux
- REAR LIGHT** Comus RZ-100, COB-LED
- CARRIER** Monkey Load, carrier, spring clamp
- MUDGUARD** SKS EDGE AL 66 R, AL
- LOCK** ABUS IT3 battery lock, XPlus cylinder
- KICKSTAND** Pletscher Comp Flex 40



Diamond  
28 inch | 53, 57, 61 cm



Trapeze  
28 inch | 45, 49, 53 cm



Wave  
28 inch | 45, 49, 53, 57 cm

coral blue-glossy



Wheelsize	Form	FS cm	Colour	750 Wh
28 inch	Diamond	53	coral blue-glossy	225115000753
28 inch	Diamond	57	coral blue-glossy	225115000757
28 inch	Diamond	61	coral blue-glossy	225115000761
28 inch	Trapeze	45	coral blue-glossy	225115020745
28 inch	Trapeze	49	coral blue-glossy	225115020749
28 inch	Trapeze	53	coral blue-glossy	225115020753
28 inch	Wave	45	coral blue-glossy	225115050745
28 inch	Wave	49	coral blue-glossy	225115050749
28 inch	Wave	53	coral blue-glossy	225115050753
28 inch	Wave	57	coral blue-glossy	225115050757

# FUTURA I-10



Bluetooth

The smart system



## // SPECIFICATIONS

- MOTOR** Bosch Performance CX Smart System, GEN4, 250 Watt, 85 Nm
- BATTERY** 625 Wh, Bosch PowerTube
- CHARGER** Bosch 2A
- FRAME** eTrekking R7-Series, AL6061
- FORK** SR Suntour NEX-E25, 63 mm travel, lockout, adjustable, steerer tube 1.1/8"
- DISPLAY** Bosch Intuvia 100
- SHIFTING** Shimano Cues RD-U6000, 10-speed
- SHIFTER** Shimano SL-U6000R
- GEAR RATIO** 38 / 11-48
- CRANKSET** FSA CK-320
- CHAIN** Shimano CN-LG500
- BRAKES** Shimano MT200 hydr. disc, f: 180 mm / r: 160 mm
- BRAKE LEVER** Shimano BL-MT201
- TIRES** Schwalbe Marathon, GreenGuard, 50-622
- FRONT HUB** Shimano HB-QC300, 15x100 mm, centerlock
- REAR HUB** Shimano FH-QC300, 9x135 mm, centerlock
- HANDLEBAR** Zecure, AL
- GRIPS** Ergo, integrated clamp
- STEM** Zecure UP2+, A-head, adjustable
- SADDLE** Selle Royal Vivo Ergo Sport
- SEATPOST** Limotec S1, Ø30.9 mm, 350 mm, 50 mm travel
- FRONT LIGHT** Hercules, FS-50, up to 50 Lux
- REAR LIGHT** Busch & Müller, 2C, LED
- CARRIER** Monkey Load, carrier, spring clamp
- MUDGUARD** Curana Apollo 60, AL
- LOCK** ABUS IT3 battery lock, XPlus cylinder
- KICKSTAND** Pletscher Comp Flex 40



Diamond  
28 inch | 53, 57, 61 cm



Trapeze  
28 inch | 45, 49, 53 cm



Wave  
28 inch | 45, 49, 53, 57 cm



gold-matt  
black metallic-glossy



**BOSCH**

**ePowered**

Wheelsize	Form	FS cm	Colour	625 Wh
28 inch	Diamond	53	gold-matt	225015000653
28 inch	Diamond	57	gold-matt	225015000657
28 inch	Diamond	61	gold-matt	225015000661
28 inch	Trapeze	45	gold-matt	225015020645
28 inch	Trapeze	49	gold-matt	225015020649
28 inch	Trapeze	53	gold-matt	225015020653
28 inch	Wave	45	gold-matt	225015030645
28 inch	Wave	49	gold-matt	225015030649
28 inch	Wave	53	gold-matt	225015030653
28 inch	Wave	57	gold-matt	225015030657
28 inch	Diamond	53	black metallic-glossy	225015040653
28 inch	Diamond	57	black metallic-glossy	225015040657
28 inch	Diamond	61	black metallic-glossy	225015040661
28 inch	Trapeze	45	black metallic-glossy	225015050645
28 inch	Trapeze	49	black metallic-glossy	225015050649
28 inch	Trapeze	53	black metallic-glossy	225015050653
28 inch	Wave	45	black metallic-glossy	225015060645
28 inch	Wave	49	black metallic-glossy	225015060649
28 inch	Wave	53	black metallic-glossy	225015060653
28 inch	Wave	57	black metallic-glossy	225015060657

Technical changes and mistakes reserved.

Illustration may differ from the delivered product.

# FUTURA I-9



The smart system



## // SPECIFICATIONS

- MOTOR** Bosch Performance CX Smart System, GEN4, 250 Watt, 85 Nm
- BATTERY** 625 Wh, Bosch PowerTube
- CHARGER** Bosch 2A
- FRAME** eTrekking R7-Series, AL6061
- FORK** SR Suntour NEX-E25, 63 mm travel, lockout, adjustable, steerer tube 1.1/8"
- DISPLAY** Bosch Purion 200
- SHIFTING** Shimano Cues RD-U4000, 9-speed
- SHIFTER** Shimano SL-U4000R
- GEAR RATIO** 38 / 11-46
- CRANKSET** FSA CK-320
- CHAIN** Shimano CN-LG500
- BRAKES** Shimano MT200 hydr. disc, f: 180 mm / r: 160 mm
- BRAKE LEVER** Shimano BL-MT201
- TIRES** Schwalbe Energizer Active Plus, 50-622
- FRONT HUB** Shimano HB-QC300, 15x100 mm, centerlock
- REAR HUB** Shimano FH-QC300, 9x135 mm, centerlock
- HANDLEBAR** Zecure, AL
- GRIPS** Ergo, integrated clamp
- STEM** Zecure UP2+, A-head, adjustable
- SADDLE** Selle Royal Vivo Ergo Sport
- SEATPOST** Limotec S1, Ø30.9 mm, 350 mm, 50 mm travel
- FRONT LIGHT** Hercules, FS-50, up to 50 Lux
- REAR LIGHT** Busch & Müller, 2C, LED
- CARRIER** Monkey Load, carrier, spring clamp
- MUDGUARD** Curana Apollo 60, AL
- LOCK** ABUS IT3 battery lock, XPlus cylinder
- KICKSTAND** Pletscher Comp Flex 40



Diamond  
28 inch | 53, 57, 61 cm



red metallic-glossy

nutria gold-matt



Trapeze  
28 inch | 45, 49, 53 cm



Wave  
28 inch | 45, 49, 53, 57 cm



**BOSCH**

**ePowered**

Wheelsize	Form	FS cm	Colour	625 Wh
28 inch	Diamond	53	nutria gold-matt	225015070653
28 inch	Diamond	57	nutria gold-matt	225015070657
28 inch	Diamond	61	nutria gold-matt	225015070661
28 inch	Trapeze	45	nutria gold-matt	225015080645
28 inch	Trapeze	49	nutria gold-matt	225015080649
28 inch	Trapeze	53	nutria gold-matt	225015080653
28 inch	Wave	45	nutria gold-matt	225015090645
28 inch	Wave	49	nutria gold-matt	225015090649
28 inch	Wave	53	nutria gold-matt	225015090653
28 inch	Wave	57	nutria gold-matt	225015090657
28 inch	Diamond	53	red metallic-glossy	225015100653
28 inch	Diamond	57	red metallic-glossy	225015100657
28 inch	Diamond	61	red metallic-glossy	225015100661
28 inch	Trapeze	45	red metallic-glossy	225015110645
28 inch	Trapeze	49	red metallic-glossy	225015110649
28 inch	Trapeze	53	red metallic-glossy	225015110653
28 inch	Wave	45	red metallic-glossy	225015120645
28 inch	Wave	49	red metallic-glossy	225015120649
28 inch	Wave	53	red metallic-glossy	225015120653
28 inch	Wave	57	red metallic-glossy	225015120657



# FUTURA I-8



## // SPECIFICATIONS

- MOTOR** Bosch Performance Cruise Smart System, GEN3, 250 Watt, 75 Nm
- BATTERY** 625 Wh, Bosch PowerTube
- CHARGER** Bosch 2A
- FRAME** eTrekking R29b-Series, AL6061
- FORK** SR Suntour NEX-E25, 63 mm travel, lockout, adjustable, steerer tube 1.1/8"
- DISPLAY** Bosch Purion 200
- SHIFTING** Shimano Acera RD-M3020, 8-speed
- SHIFTER** Shimano SL-M3158R
- GEAR RATIO** 38 / 11-40
- CRANKSET** Hercules EC40
- CHAIN** KMC E8
- BRAKES** Shimano MT200 hydr. disc, f: 180 mm / r: 160 mm
- BRAKE LEVER** Shimano BL-MT201
- TIRES** Schwalbe Energizer Active Plus, 50-622
- FRONT HUB** Shimano HB-QC300, 15x100 mm, centerlock
- REAR HUB** Shimano FH-QC300, 9x135 mm, centerlock
- HANDLEBAR** Zecure, AL
- GRIPS** Ergo, integrated clamp
- STEM** Zecure UP2+, A-head, adjustable
- SADDLE** Selle Royal Vivo Ergo Sport
- SEATPOST** Limotec S1, Ø30.9 mm, 350 mm, 50 mm travel
- FRONT LIGHT** Hercules, FS-50, up to 50 Lux
- REAR LIGHT** Busch & Müller, 2C, LED
- CARRIER** Monkey Load, carrier, spring clamp
- MUDGUARD** Curana Apollo 60, AL
- LOCK** ABUS IT3 battery lock, XPlus cylinder
- KICKSTAND** Pletscher Comp Flex 40



Diamond  
28 inch | 53, 57, 61 cm

ultimacy bordeaux-glossy



Trapeze  
28 inch | 45, 49, 53 cm

brilliant silver-matt



Wave  
28 inch | 45, 49, 53, 57 cm




**ePowered**

Wheelsize	Form	FS cm	Colour	625 Wh
28 inch	Diamond	53	ultimacy bordeaux-glossy	225015130653
28 inch	Diamond	57	ultimacy bordeaux-glossy	225015130657
28 inch	Diamond	61	ultimacy bordeaux-glossy	225015130661
28 inch	Trapeze	45	ultimacy bordeaux-glossy	225015140645
28 inch	Trapeze	49	ultimacy bordeaux-glossy	225015140649
28 inch	Trapeze	53	ultimacy bordeaux-glossy	225015140653
28 inch	Wave	45	ultimacy bordeaux-glossy	225015150645
28 inch	Wave	49	ultimacy bordeaux-glossy	225015150649
28 inch	Wave	53	ultimacy bordeaux-glossy	225015150653
28 inch	Wave	57	ultimacy bordeaux-glossy	225015150657
28 inch	Diamond	53	brilliant silver-matt	225015160653
28 inch	Diamond	57	brilliant silver-matt	225015160657
28 inch	Diamond	61	brilliant silver-matt	225015160661
28 inch	Trapeze	45	brilliant silver-matt	225015170645
28 inch	Trapeze	49	brilliant silver-matt	225015170649
28 inch	Trapeze	53	brilliant silver-matt	225015170653
28 inch	Wave	45	brilliant silver-matt	225015180645
28 inch	Wave	49	brilliant silver-matt	225015180649
28 inch	Wave	53	brilliant silver-matt	225015180653
28 inch	Wave	57	brilliant silver-matt	225015180657



# ROBERT/A HD I-F5



The smart system



## // SPECIFICATIONS

- MOTOR** Bosch Performance CX Smart System, GEN4, 250 Watt, 85 Nm
- BATTERY** 750 Wh, Bosch PowerTube
- CHARGER** Bosch 4A
- FRAME** eTrekking R22-Series, AL6061
- FORK** SR Suntour MOBIE E-25, 63 mm travel, air suspension, lockout, steerer tube 1.1/8" - 1.5"
- DISPLAY** Bosch Intuvia 100
- SHIFTING** Shimano Nexus 5-speed, freewheel
- SHIFTER** Shimano SL-C7000-5
- GEAR RATIO** 39 / 30
- CRANKSET** FSA CK-220
- BELTDRIVE** Gates CDX
- BRAKES** Shimano MT410 hydr. disc, f: 180 mm / r: 180 mm
- BRAKE LEVER** Shimano BL-MT401
- TIRES** Schwalbe Marathon Efficiency, RaceGuard, Performance, 55-622

- FRONT HUB** Shimano HB-TC500, 15X100 mm, centerlock
- REAR HUB** Shimano SG-C7000-5D, 135 mm, centerlock
- HANDLEBAR** Zecure, AL
- GRIPS** Ergo, integrated clamp
- STEM** Zecure UP2+, A-head, adjustable
- SADDLE** Selle Bassano Suprema 3Zone
- SEATPOST** BySchulz G2, Ø31.6 mm, 350 mm, 30 mm travel
- FRONT LIGHT** Hercules, FF-100, daylight sensor, high beam, up to 150 Lux
- REAR LIGHT** Comus RZ-100, COB-LED
- CARRIER** Monkey Load, carrier, spring clamp
- MUDGUARD** SKS EDGE AL 66 R, AL
- LOCK** ABUS IT3 battery lock, XPlus cylinder
- KICKSTAND** Pletscher Comp Flex 40



Diamond  
28 inch | 53, 57, 61 cm




Wave  
28 inch | 45, 49, 53, 57 cm

ultimacy copper-glossy



Wheelsize	Form	FS cm	Colour	750 Wh
28 inch	Diamond	53	ultimacy copper-glossy	225115060753
28 inch	Diamond	57	ultimacy copper-glossy	225115060757
28 inch	Diamond	61	ultimacy copper-glossy	225115060761
28 inch	Wave	45	ultimacy copper-glossy	225115070745
28 inch	Wave	49	ultimacy copper-glossy	225115070749
28 inch	Wave	53	ultimacy copper-glossy	225115070753
28 inch	Wave	57	ultimacy copper-glossy	225115070757

# ROBERT/A I-R5



The smart system



## // SPECIFICATIONS

- MOTOR** Bosch Performance Cruise Smart System, GEN3, 250 Watt, 75 Nm
- BATTERY** 625 Wh, Bosch PowerTube
- CHARGER** Bosch 2A
- FRAME** eTrekking R29b-Series, AL6061
- FORK** SR Suntour NEX-E25, 63 mm travel, lockout, adjustable, steerer tube 1.1/8"
- DISPLAY** Bosch Intuvia 100
- SHIFTING** Shimano Nexus 5-speed, coaster brake
- SHIFTER** Shimano SL-C7000-5
- GEAR RATIO** 46 / 30
- CRANKSET** Hercules EC40
- BELTDRIVE** Gates CDX
- BRAKES** Tektro T-390 hydr. disc, f: 180 mm / r: 160 mm
- BRAKE LEVER** Tektro HD-T390
- TIRES** Schwalbe Marathon GreenGuard, 50-622
- FRONT HUB** Shimano HB-TC500, 9X100 mm, centerlock
- REAR HUB** Shimano SG-C7002-5CD, 135 mm, 5-bolt

- HANDLEBAR** Zecure, AL
- GRIPS** Ergo, integrated clamp
- STEM** Zecure UP2+, A-head, adjustable
- SADDLE** Selle Royal Vivo Ergo Sport
- SEATPOST** Limotec S1, Ø30.9 mm, 350 mm, 50 mm travel
- FRONT LIGHT** Hercules, FS-50, up to 50 Lux
- REAR LIGHT** Busch & Müller, 2C, LED
- CARRIER** Monkey Load, carrier, spring clamp
- MUDGUARD** Curana Apollo 60, AL
- LOCK** ABUS IT3 battery lock, XPlus cylinder
- KICKSTAND** Pletscher Comp Flex 40



Diamond  
28 inch | 53, 57, 61 cm



Wave  
28 inch | 45, 49, 53, 57 cm

- ultimacy bordeaux-glossy
- black metallic-glossy




Wheelsize	Form	FS cm	Colour	625 Wh
28 inch	Diamond	53	black metallic-glossy	225025000653
28 inch	Diamond	57	black metallic-glossy	225025000657
28 inch	Diamond	61	black metallic-glossy	225025000661
28 inch	Wave	45	black metallic-glossy	225025020645
28 inch	Wave	49	black metallic-glossy	225025020649
28 inch	Wave	53	black metallic-glossy	225025020653
28 inch	Wave	57	black metallic-glossy	225025020657
28 inch	Wave	45	ultimacy bordeaux-glossy	225025030645
28 inch	Wave	49	ultimacy bordeaux-glossy	225025030649
28 inch	Wave	53	ultimacy bordeaux-glossy	225025030653
28 inch	Wave	57	ultimacy bordeaux-glossy	225025030657

Technical changes and mistakes reserved.

Illustration may differ from the delivered product.

# ROBERT/A I-F5



The smart system



## // SPECIFICATIONS

- MOTOR** Bosch Performance Cruise Smart System, GEN3, 250 Watt, 75 Nm
- BATTERY** 625 Wh, Bosch PowerTube
- CHARGER** Bosch 2A
- FRAME** eTrekking R29b-Series, AL6061
- FORK** SR Suntour NEX-E25, 63 mm travel, lockout, adjustable, steerer tube 1.1/8"
- DISPLAY** Bosch Intuvia 100
- SHIFTING** Shimano Nexus 5-speed, freewheel
- SHIFTER** Shimano SL-C7000-5
- GEAR RATIO** 46 / 30
- CRANKSET** Hercules EC40
- BELTDRIVE** Gates CDX
- BRAKES** Tektro T-390 hydr. disc, f: 180 mm / r: 160 mm
- BRAKE LEVER** Tektro HD-T390
- TIRES** Schwalbe Marathon GreenGuard, 50-622
- FRONT HUB** Shimano HB-TC500, 9X100 mm, centerlock
- REAR HUB** Shimano SG-C7000-5D, 135 mm, centerlock



- HANDLEBAR** Zecure, AL
- GRIPS** Ergo, integrated clamp
- STEM** Zecure UP2+, A-head, adjustable
- SADDLE** Selle Royal Vivo Ergo Sport
- SEATPOST** Limotec S1, Ø30.9 mm, 350 mm, 50 mm travel
- FRONT LIGHT** Hercules, FS-50, up to 50 Lux
- REAR LIGHT** Busch & Müller, 2C, LED
- CARRIER** Monkey Load, carrier, spring clamp
- MUDGUARD** Curana Apollo 60, AL
- LOCK** ABUS IT3 battery lock, XPlus cylinder
- KICKSTAND** Pletscher Comp Flex 40



Diamond  
28 inch | 53, 57, 61 cm



Wave  
28 inch | 45, 49, 53, 57 cm

-  ultimacy bordeaux-glossy
-  black metallic-glossy



Wheelsize	Form	FS cm	Colour	625 Wh
28 inch	Diamond	53	black metallic-glossy	225025040653
28 inch	Diamond	57	black metallic-glossy	225025040657
28 inch	Diamond	61	black metallic-glossy	225025040661
28 inch	Wave	45	black metallic-glossy	225025050645
28 inch	Wave	49	black metallic-glossy	225025050649
28 inch	Wave	53	black metallic-glossy	225025050653
28 inch	Wave	57	black metallic-glossy	225025050657
28 inch	Wave	45	ultimacy bordeaux-glossy	225025060645
28 inch	Wave	49	ultimacy bordeaux-glossy	225025060649
28 inch	Wave	53	ultimacy bordeaux-glossy	225025060653
28 inch	Wave	57	ultimacy bordeaux-glossy	225025060657



# ROBERT/A I-R8



The smart system



## // SPECIFICATIONS


- MOTOR** Bosch Active Line Plus Smart System, GEN3, 250 Watt, 50 Nm
- BATTERY** 625 Wh, Bosch PowerTube
- CHARGER** Bosch 2A
- FRAME** eTrekking R29b-Series, AL6061
- FORK** SR Suntour NEX-E25, 63 mm travel, adjustable, steerer tube 1.1/8"
- DISPLAY** Bosch Intuvia 100
- SHIFTING** Shimano Nexus 8-speed, coaster brake
- SHIFTER** Shimano SL-C6000-8
- GEAR RATIO** 38 / 18
- CRANKSET** Hercules EC40
- CHAIN** KMC Z610
- BRAKES** Tektro T-280 hydr. disc, f: 180 mm / r: 160 mm
- BRAKE LEVER** Tektro HD-T280
- TIRES** Schwalbe Big Ben K-Guard, 50-622
- FRONT HUB** Shimano HB-QC300, 9X100 mm, centerlock
- REAR HUB** Shimano SG-C6001-8CD, 135 mm, 5-bolt
- HANDLEBAR** Zecure, AL
- GRIPS** Ergo, integrated clamp
- STEM** Zecure UP2+, A-head, adjustable
- SADDLE** Selle Royal Vivo Ergo Sport
- SEATPOST** Limotec S1, Ø30.9 mm, 350 mm, 50 mm travel
- FRONT LIGHT** Hercules, FS-50, up to 50 Lux
- REAR LIGHT** Busch & Müller, 2C, LED
- CARRIER** Monkey Load, carrier, spring clamp
- MUDGUARD** Curana Apollo 60, AL
- LOCK** ABUS IT3 battery lock, XPlus cylinder
- KICKSTAND** Pletscher Comp Flex 40



Diamond  
28 inch | 53, 57, 61 cm



Wave  
28 inch | 45, 49, 53, 57 cm

-  coral blue-glossy
-  coffee beige-glossy



Wheelsize	Form	FS cm	Colour	625 Wh
28 inch	Diamond	53	coral blue-glossy	225025070653
28 inch	Diamond	57	coral blue-glossy	225025070657
28 inch	Diamond	61	coral blue-glossy	225025070661
28 inch	Wave	45	coral blue-glossy	225025080645
28 inch	Wave	49	coral blue-glossy	225025080649
28 inch	Wave	53	coral blue-glossy	225025080653
28 inch	Wave	57	coral blue-glossy	225025080657
28 inch	Wave	45	coffee beige-glossy	225025090645
28 inch	Wave	49	coffee beige-glossy	225025090649
28 inch	Wave	53	coffee beige-glossy	225025090653
28 inch	Wave	57	coffee beige-glossy	225025090657

# ROBERT/A I-F8



The smart system



## // SPECIFICATIONS

- MOTOR** Bosch Active Line Plus Smart System, GEN3, 250 Watt, 50 Nm
- BATTERY** 625 Wh, Bosch PowerTube
- CHARGER** Bosch 2A
- FRAME** eTrekking R29b-Series, AL6061
- FORK** SR Suntour NEX-E25, 63 mm travel, adjustable, steerer tube 1.1/8"
- DISPLAY** Bosch Intuvia 100
- SHIFTING** Shimano Nexus 8-speed, freewheel
- SHIFTER** Shimano SL-C6000-8
- GEAR RATIO** 38 / 18
- CRANKSET** Hercules EC40
- CHAIN** KMC Z610
- BRAKES** Tektro T-280 hydr. disc, f: 180 mm / r: 160 mm
- BRAKE LEVER** Tektro HD-T280
- TIRES** Schwalbe Big Ben K-Guard, 50-622
- FRONT HUB** Shimano HB-QC300, 9X100 mm, centerlock
- REAR HUB** Shimano SG-C6001-8D, 135 mm, centerlock
- HANDLEBAR** Zecure, AL
- GRIPS** Ergo, integrated clamp
- STEM** Zecure UP2+, A-head, adjustable
- SADDLE** Selle Royal Vivo Ergo Sport
- SEATPOST** Limotec S1, Ø30.9 mm, 350 mm, 50 mm travel
- FRONT LIGHT** Hercules, FS-50, up to 50 Lux
- REAR LIGHT** Busch & Müller, 2C, LED
- CARRIER** Monkey Load, carrier, spring clamp
- MUDGUARD** Curana Apollo 60, AL
- LOCK** ABUS IT3 battery lock, XPlus cylinder
- KICKSTAND** Pletscher Comp Flex 40



Diamond  
28 inch | 53, 57, 61 cm



Wave  
28 inch | 45, 49, 53, 57 cm



coral blue-glossy



coffee beige-glossy



**BOSCH**

ePowered

Wheelsize	Form	FS cm	Colour	625 Wh
28 inch	Diamond	53	coral blue-glossy	225025100653
28 inch	Diamond	57	coral blue-glossy	225025100657
28 inch	Diamond	61	coral blue-glossy	225025100661
28 inch	Wave	45	coral blue-glossy	225025110645
28 inch	Wave	49	coral blue-glossy	225025110649
28 inch	Wave	53	coral blue-glossy	225025110653
28 inch	Wave	57	coral blue-glossy	225025110657
28 inch	Wave	45	coffee beige-glossy	225025120645
28 inch	Wave	49	coffee beige-glossy	225025120649
28 inch	Wave	53	coffee beige-glossy	225025120653
28 inch	Wave	57	coffee beige-glossy	225025120657

Technical changes and mistakes reserved.

Illustration may differ from the delivered product.

# ROBERT/A R7 ACTIVE PLUS



## // SPECIFICATIONS

- MOTOR** Bosch Active Plus, GEN3, 250 Watt, 50 Nm
- BATTERY** 500 Wh, 400 Wh, Bosch PowerPack
- CHARGER** Bosch 2A
- FRAME** eCity Series, AL 6061
- FORK** SR Suntour CR85-E25 P, 63 mm travel, adjustable / 26": NEX-P, steerer tube 1.1/8"
- DISPLAY** Bosch Intuvia
- SHIFTING** Shimano Nexus 7-speed, coaster brake
- SHIFTER** Shimano SG-C3001-7
- GEAR RATIO** 38 / 18
- CRANKSET** FSA CK-220
- CHAIN** KMC Z1EHX
- BRAKES** Magura HS11 hydr. rim brake
- BRAKE LEVER** Magura HS-11
- TIRES** Supero Optima safe, puncture-protection, 50-622 / 26": 50-559
- FRONT HUB** Formula OV-31, QR
- REAR HUB** Shimano Nexus 7-speed, coaster brake
- HANDLEBAR** Tour, AL
- GRIPS** Ergo, integrated clamp
- STEM** steerer tube 1 1/8", adjustable
- SADDLE** DDK City
- SEATPOST** Kalloy SP-F102, Ø34.9 mm, 350 mm
- FRONT LIGHT** Comus F16, LED, up to 20 Lux
- REAR LIGHT** Comus, R-232EB, LED
- CARRIER** Monkey Load, carrier, spring clamp
- MUDGUARD** plastic
- LOCK** AXA battery lock
- KICKSTAND** Standwell, rear kickstand



Wave  
26 inch | 43 cm  
28 inch | 45, 50, 55 cm

- darkred-glossy
- black-matt



Wheelsize	Form	FS cm	Colour	400 Wh	500 Wh
26 inch	Wave	43	black-matt	223130200443	223130200543
28 inch	Wave	45	black-matt	223130250445	223130250545
28 inch	Wave	50	black-matt	223130250450	223130250550
28 inch	Wave	55	black-matt	223130250455	223130250555
26 inch	Wave	43	darkred-glossy	223130300443	223130300543
28 inch	Wave	45	darkred-glossy	223130300445	223130300545
28 inch	Wave	50	darkred-glossy	223130300450	223130300550
28 inch	Wave	55	darkred-glossy	223130300455	223130300555



# ROBERT/A F7 ACTIVE PLUS



## // SPECIFICATIONS

- MOTOR** Bosch Active Plus, GEN3, 250 Watt, 50 Nm
- BATTERY** 500 Wh, 400 Wh, Bosch PowerPack
- CHARGER** Bosch 2A
- FRAME** eCity Series, AL 6061
- FORK** SR Suntour CR85-E25 P, 63 mm travel, adjustable / 26": NEX-P, steerer tube 1.1/8"
- DISPLAY** Bosch Intuvia
- SHIFTING** Shimano Nexus 7-speed, freewheel
- SHIFTER** Shimano SG-C3001-7
- GEAR RATIO** 38 / 18
- CRANKSET** FSA CK-220
- CHAIN** KMC Z1EHX
- BRAKES** Magura HS11 hydr. rim brake
- BRAKE LEVER** Magura HS-11
- TIRES** Supero Optima safe, puncture-protection, 50-622 / 26": 50-559
- FRONT HUB** Formula OV-31, QR
- REAR HUB** Shimano Nexus 7-speed, freewheel

- HANDLEBAR** Tour, AL
- GRIPS** Ergo, integrated clamp
- STEM** steerer tube 1 1/8", adjustable
- SADDLE** DDK City
- SEATPOST** Kalloy SP-F102, Ø34.9 mm, 350 mm
- FRONT LIGHT** Comus F16, LED, up to 20 Lux
- REAR LIGHT** Comus, R-232EB, LED
- CARRIER** Monkey Load, carrier, spring clamp
- MUDGUARD** plastic
- LOCK** AXA battery lock
- KICKSTAND** Standwell, rear kickstand



Wave  
26 inch | 43 cm  
28 inch | 45, 50, 55 cm

 black-matt



Wheelsize	Form	FS cm	Colour	400 Wh	500 Wh
26 inch	Wave	43	black-matt	223130400443	223130400543
28 inch	Wave	45	black-matt	223130450445	223130450545
28 inch	Wave	50	black-matt	223130450450	223130450550
28 inch	Wave	55	black-matt	223130450455	223130450555

# ROBERT/A R7



## // SPECIFICATIONS

- MOTOR** Bosch Active, GEN3, 250 Watt, 40 Nm
- BATTERY** 500 Wh, 400 Wh, Bosch PowerPack
- CHARGER** Bosch 2A
- FRAME** eCity Series, AL 6061
- FORK** SR Suntour CR85-E25 P, 63 mm travel, adjustable / 26": NEX-P, steerer tube 1.1/8"
- DISPLAY** Bosch Purion
- SHIFTING** Shimano Nexus 7-speed, coaster brake
- SHIFTER** Shimano SG-C3001-7
- GEAR RATIO** 38 / 18
- CRANKSET** FSA CK-220
- CHAIN** KMC Z1EHX
- BRAKES** Magura HS11 hydr. rim brake
- BRAKE LEVER** Magura HS-11
- TIRES** Supero Optima safe, puncture-protection, 50-622 / 26": 50-559
- FRONT HUB** Formula OV-31, QR
- REAR HUB** Shimano Nexus 7-speed, coaster brake
- HANDLEBAR** Tour, AL
- GRIPS** Ergo, integrated clamp
- STEM** steerer tube 1 1/8", adjustable
- SADDLE** DDK City
- SEATPOST** Kalloy SP-F102, Ø34.9 mm, 350 mm
- FRONT LIGHT** Comus F16, LED, up to 20 Lux
- REAR LIGHT** Comus, R-232EB, LED
- CARRIER** Monkey Load, carrier, spring clamp
- MUDGUARD** plastic
- LOCK** AXA battery lock
- KICKSTAND** Standwell, rear kickstand




Wave  
26 inch | 43 cm  
28 inch | 45, 50, 55 cm

- white-glossy
- black-matt



Wheelsize	Form	FS cm	Colour	400 Wh	500 Wh
26 inch	Wave	43	black-matt	223130500443	223130500543
28 inch	Wave	45	black-matt	223130550445	223130550545
28 inch	Wave	50	black-matt	223130550450	223130550550
28 inch	Wave	55	black-matt	223130550455	223130550555
26 inch	Wave	43	white-glossy	223130600443	223130600543
28 inch	Wave	45	white-glossy	223130650445	223130650545
28 inch	Wave	50	white-glossy	223130650450	223130650550
28 inch	Wave	55	white-glossy	223130650455	223130650555

# MONTFOORT F7 BELT



## // SPECIFICATIONS

- MOTOR** Bosch Active Line Plus Smart System, GEN3, 250 Watt, 50 Nm
- BATTERY** 400 Wh, Bosch PowerPack
- CHARGER** Bosch 2A
- FRAME** eCity Series, AL 6061
- FORK** SR Suntour NEX-E25, 63 mm travel, adjustable, steerer tube 1.1/8"
- DISPLAY** Bosch Intuvia 100
- SHIFTING** Shimano Nexus 7-speed, freewheel
- SHIFTER** Shimano SG-C3001-7
- GEAR RATIO** 46 / 22
- CRANKSET** FSA CK-220
- BELTDRIVE** Gates CDX
- BRAKES** Shimano MT200 hydr. disc, f: 180 mm / r: 160 mm
- BRAKE LEVER** Shimano MT201
- TIRES** Supero Optima Safe, 50-622
- FRONT HUB** Shimano HB-M4050, centerlock QR
- REAR HUB** Shimano SG-C3001-7D, 135 mm, centerlock
- HANDLEBAR** Tour, AL
- GRIPS** Ergo, integrated clamp
- STEM** Satori EZ-3, 180 mm steerer tube 1.1/8", 110 mm, tool-free adjustable
- SADDLE** Selle Royal Freeway City
- SEATPOST** Kalloy SP-383, MCU suspension, Ø30.9 mm, 300 mm
- FRONT LIGHT** Hercules, FS-50, up to 50 Lux
- REAR LIGHT** Comus R-232, COB-LED
- CARRIER** Monkey Load, carrier, fixed in frame
- MUDGUARD** SKS PET A60, plastic
- LOCK** AXA Solid Plus frame lock, one-key system
- KICKSTAND** Pletscher Comp Flex 40



Wave  
28 inch | 45, 50, 55 cm

denim blue-glossy



Wheelsize	Form	FS cm	Colour	400 Wh
28 inch	Wave	45	denim blue-glossy	225125050445
28 inch	Wave	50	denim blue-glossy	225125050450
28 inch	Wave	55	denim blue-glossy	225125050455



# MONTFOORT F7



Bluetooth



## // SPECIFICATIONS

- MOTOR** Bosch Active Line Plus Smart System, GEN3, 250 Watt, 50 Nm
- BATTERY** 400 Wh, Bosch PowerPack
- CHARGER** Bosch 2A
- FRAME** eCity Series, AL 6061
- FORK** SR Suntour NEX-E25, 63 mm travel, adjustable, steerer tube 1.1/8"
- DISPLAY** Bosch Intuvia 100
- SHIFTING** Shimano Nexus 7-speed, freewheel
- SHIFTER** Shimano SG-C3001-7
- GEAR RATIO** 38 / 19
- CRANKSET** FSA CK-220
- CHAIN** KMC Z610
- BRAKES** Shimano MT200 hydr. disc, f: 180 mm / r: 160 mm
- BRAKE LEVER** Shimano MT201
- TIRES** Supero Optima Safe, 50-622
- FRONT HUB** Shimano HB-M4050, centerlock QR
- REAR HUB** Shimano SG-C3001-7D, 135 mm, centerlock
- HANDLEBAR** Tour, AL
- GRIPS** Ergo, integrated clamp
- STEM** Kalloy AL-822, 180 mm steerer tube 1 1/8", 100 mm, adjustable
- SADDLE** Selle Royal Freeway City
- SEATPOST** Kalloy SP-383, MCU suspension, Ø30.9 mm, 300 mm
- FRONT LIGHT** Hercules, FS-50, up to 50 Lux
- REAR LIGHT** Comus R-232, COB-LED
- CARRIER** Monkey Load, carrier, fixed in frame
- MUDGUARD** SKS PET A60, plastic
- LOCK** AXA Solid Plus frame lock, one-key system
- KICKSTAND** Pletscher Comp Flex 40



Wave  
28 inch | 45, 50, 55 cm

- olive green-matt
- grey blue-matt



Wheelsize	Form	FS cm	Colour	400 Wh
28 inch	Wave	45	grey blue-matt	225125060445
28 inch	Wave	50	grey blue-matt	225125060450
28 inch	Wave	55	grey blue-matt	225125060455
28 inch	Wave	45	olive green-matt	225125070445
28 inch	Wave	50	olive green-matt	225125070450
28 inch	Wave	55	olive green-matt	225125070455

# LYON R7



The smart system



## // SPECIFICATIONS

- MOTOR** Bosch Active Line Smart System, GEN3, 250 Watt, 40Nm
- BATTERY** 545 Wh, 400 Wh, Bosch PowerPack
- CHARGER** Bosch 2A
- FRAME** eCity Series, AL 6061
- FORK** SR Suntour CR85, 63 mm travel, adjustable, steerer tube 1.1/8"
- DISPLAY** Bosch Purion 200
- SHIFTING** Shimano Nexus, 7-speed, coaster brake
- SHIFTER** Shimano SG-C3001-7
- GEAR RATIO** 38 / 19
- CRANKSET** FSA CK-220
- CHAIN** KMC Z610
- BRAKES** Magura HS11 hydr. rim brake
- BRAKE LEVER** Magura HS11
- TIRES** Supero Optima Safe, 50-622
- FRONT HUB** Formula OV-31, QR
- REAR HUB** Shimano SG-C3001-7C, 127 mm, coaster brake
- HANDLEBAR** Tour, AL
- GRIPS** Ergo 2K
- STEM** Kalloy AL-822, 180 mm steerer tube 1 1/8", 100 mm, adjustable
- SADDLE** DDK City
- SEATPOST** Kalloy SP-F102, Ø27.2 mm, 350 mm, 7 mm offset
- FRONT LIGHT** Comus FS-30, up to 30 Lux
- REAR LIGHT** Comus R-232, COB-LED
- CARRIER** Monkey Load, carrier, spring clamp
- MUDGUARD** Reinforce SP-60A, plastic
- LOCK** AXA battery lock
- KICKSTAND** Standwell SW-RA032J, 18 mm



Wave  
28 inch | 48, 52, 56 cm

- red-glossy
- mint-glossy
- beige-glossy



Wheelsize	Form	FS cm	Colour	400 Wh	545 Wh
28 inch	Wave	48	beige-glossy	225125000448	225125000548
28 inch	Wave	52	beige-glossy	225125000452	225125000552
28 inch	Wave	56	beige-glossy	225125000456	225125000556
28 inch	Wave	48	mint-glossy	225125010448	225125010548
28 inch	Wave	52	mint-glossy	225125010452	225125010552
28 inch	Wave	56	mint-glossy	225125010456	225125010556
28 inch	Wave	48	red-glossy	225125020448	225125020548
28 inch	Wave	52	red-glossy	225125020452	225125020552
28 inch	Wave	56	red-glossy	225125020456	225125020556

# LYON F7



The smart system



## // SPECIFICATIONS

- MOTOR** Bosch Active Line Smart System, GEN3, 250 Watt, 40Nm
- BATTERY** 545 Wh, 400 Wh, Bosch PowerPack
- CHARGER** Bosch 2A
- FRAME** eCity Series, AL 6061
- FORK** SR Suntour CR85, 63 mm travel, adjustable, steerer tube 1.1/8"
- DISPLAY** Bosch Purion 200
- SHIFTING** Shimano Nexus 7-speed, freewheel
- SHIFTER** Shimano SG-C3001-7
- GEAR RATIO** 38 / 19
- CRANKSET** FSA CK-220
- CHAIN** KMC Z610
- BRAKES** Tektro T-281 hydr. disc, f: 180 mm / r: 160 mm
- BRAKE LEVER** Tektro HD-T281
- TIRES** Supero Optima Safe, 50-622
- FRONT HUB** Formula CL-31, centerlock QR
- REAR HUB** Shimano SG-C3001-7D, 135 mm, centerlock
- HANDLEBAR** Tour, AL
- GRIPS** Ergo 2K
- STEM** Kalloy AL-822, 180 mm steerer tube 1 1/8", 100 mm, adjustable
- SADDLE** DDK City
- SEATPOST** Kalloy SP-F102, Ø27.2 mm, 350 mm, 7 mm offset
- FRONT LIGHT** Comus FS-30, up to 30 Lux
- REAR LIGHT** Comus R-232, COB-LED
- CARRIER** Monkey Load, carrier, spring clamp
- MUDGUARD** Reinforce SP-60A, plastic
- LOCK** AXA battery lock
- KICKSTAND** Standwell SW-RA032J, 18 mm



Wave  
28 inch | 48, 52, 56 cm

- red-glossy
- mint-glossy



Wheelsize	Form	FS cm	Colour	400 Wh	545 Wh
28 inch	Wave	48	mint-glossy	225125030448	225125030548
28 inch	Wave	52	mint-glossy	225125030452	225125030552
28 inch	Wave	56	mint-glossy	225125030456	225125030556
28 inch	Wave	48	red-glossy	225125040448	225125040548
28 inch	Wave	52	red-glossy	225125040452	225125040552
28 inch	Wave	56	red-glossy	225125040456	225125040556



# NIZZA F7 NL



Bluetooth

The smart system



## // SPECIFICATIONS

- MOTOR** Bosch Active Line Smart System, GEN3, 250 Watt, 40Nm
- BATTERY** 400 Wh, Bosch PowerPack
- CHARGER** Bosch 2A
- FRAME** eCity Series, AL 6061
- FORK** SR Suntour NEX-E25, 63 mm travel, adjustable, steerer tube 1.1/8"
- DISPLAY** Bosch Purion 200
- SHIFTING** Shimano Nexus 7-speed, freewheel
- SHIFTER** Shimano SG-C3001-7
- GEAR RATIO** 38 / 18
- CRANKSET** FSA CK-220
- CHAIN** KMC Z610
- BRAKES** Shimano MT200 hydr. disc, f: 180 mm / r: 160 mm
- BRAKE LEVER** Shimano MT201
- TIRES** Supero Optima Safe, 50-622
- FRONT HUB** Formular CL-51QR, centerlock, QR
- REAR HUB** Shimano SG-C3001-7D, 135 mm, centerlock
- HANDLEBAR** Tour, AL
- GRIPS** Ergo 2K
- STEM** Kalloy AL-822, 180 mm steerer tube 1 1/8", 90 mm, adjustable
- SADDLE** DDK City
- SEATPOST** Kalloy SP-F102, Ø30.9 mm, 350 mm, 7 mm offset
- FRONT LIGHT** Comus FS-30, up to 30 Lux
- REAR LIGHT** Comus R-232, COB-LED
- CARRIER** Monkey Load, carrier, fixed in frame
- MUDGUARD** Reinforce SP-60A, plastic
- LOCK** AXA Solid Plus frame lock, one-key system
- KICKSTAND** Standwell SW-RA060JD, 40 mm



Wave  
28 inch | 45, 50, 55 cm

■ silver-matt



Wheelsize	Form	FS cm	Colour	400 Wh
28 inch	Wave	45	silver-matt	225125080445
28 inch	Wave	50	silver-matt	225125080450
28 inch	Wave	55	silver-matt	225125080455

Technical changes and mistakes reserved.

Illustration may differ from the delivered product.

# E-JOY R7



## // SPECIFICATIONS

- MOTOR** Bosch Active, GEN3, 250 Watt, 40 Nm
- BATTERY** 400 Wh, Bosch PowerPack
- CHARGER** Bosch 2A
- FRAME** ISP Series, „Intelligent Seat Position“, AL 6061
- FORK** SR Suntour CR85, 63 mm travel, adjustable, steerer tube 1.1/8"
- DISPLAY** Bosch Intuvia
- SHIFTING** Shimano Nexus 7-speed, coaster brake
- SHIFTER** Shimano SG-C3001-7
- GEAR RATIO** 38 / 19
- CRANKSET** FSA CK-220
- CHAIN** KMC Z1EHX
- BRAKES** Magura HS22, hydraulic rim brake
- BRAKE LEVER** Magura HS22
- TIRES** Schwalbe Marathon Plus, SmartGuard, 40-622
- FRONT HUB** Shimano T3000, QR
- REAR HUB** Shimano Nexus 7-speed, coaster brake
- HANDLEBAR** Tour, AL
- GRIPS** Ergo, integrated clamp
- STEM** steerer tube 1 1/8", tool-free adjustable
- SADDLE** Selle Royal LookIn Relaxed
- SEATPOST** „ISP“, Ø31.6 mm, 350 mm
- FRONT LIGHT** Hercules, FH 40, LED, up to 40 Lux
- REAR LIGHT** Busch & Müller, 2C, LED
- CARRIER** i-Rack, carrier, with straps
- MUDGUARD** SKS, A46, plastic
- LOCK** AXA Solid Plus, one-key system
- KICKSTAND** Pletscher Comp Flex 40



Wave  
28 inch | 53 cm

- grey-matt
- green-glossy



Wheelsize	Form	FS cm	Colour	400 Wh
28 inch	Wave	53	grey-matt	225125100454
28 inch	Wave	53	green-glossy	225125110454

# E-JOY F7



## // SPECIFICATIONS

- MOTOR** Bosch Active, GEN3, 250 Watt, 40 Nm
- BATTERY** 400 Wh, Bosch PowerPack
- CHARGER** Bosch 2A
- FRAME** ISP Series, „Intelligent Seat Position“, AL 6061
- FORK** SR Suntour CR85, 63 mm travel, adjustable, steerer tube 1.1/8"
- DISPLAY** Bosch Intuvia
- SHIFTING** Shimano Nexus 7-speed, freewheel
- SHIFTER** Shimano SG-C3001-7
- GEAR RATIO** 38 / 19
- CRANKSET** FSA CK-220
- CHAIN** KMC Z1EHX
- BRAKES** Magura HS22, hydraulic rim brake
- BRAKE LEVER** Magura HS22
- TIRES** Schwalbe Marathon Plus, SmartGuard, 40-622
- FRONT HUB** Shimano T3000, QR
- REAR HUB** Shimano Nexus 7-speed, freewheel
- HANDLEBAR** Tour, AL
- GRIPS** Ergo, integrated clamp
- STEM** steerer tube 1 1/8", tool-free adjustable
- SADDLE** Selle Royal LookIn Relaxed
- SEATPOST** „ISP“, Ø31.6 mm, 350 mm
- FRONT LIGHT** Hercules, FH 40, LED, up to 40 Lux
- REAR LIGHT** Busch & Müller, 2C, LED
- CARRIER** i-Rack, carrier, with straps
- MUDGUARD** SKS, A46, plastic
- LOCK** AXA Solid Plus, one-key system
- KICKSTAND** Pletscher Comp Flex 40



Wave  
28 inch | 53 cm

- grey-matt
- green-glossy



Wheelsize	Form	FS cm	Colour	400 Wh
28 inch	Wave	53	grey-matt	225125120454
28 inch	Wave	53	green-glossy	225125130454

# CARGO 1000



Bluetooth

The smart system

ACCESSORIES ARE OPTIONALLY AVAILABLE



Cargo bike  
26 inch | 51 cm

## // SPECIFICATIONS

- MOTOR** Bosch Performance CX Cargo Smart System, GEN4, 250 Watt, 85 Nm
- BATTERY** 2x 545 Wh, Bosch PowerPack
- CHARGER** Bosch 4A
- FRAME** eCargo Series, AL 6061
- FORK** Spinner 300, 80 mm, tapered, stronger spring, steerer tube 1.1/8" - 1.5"
- DISPLAY** Bosch Intuvia 100
- SHIFTING** Enviolo Cargo, stepless
- SHIFTER** Enviolo, Multiturn, mechanic
- GEAR RATIO** 38 / 20
- CRANKSET** FSA CK-220
- CHAIN** KMC Z1EHX
- BRAKES** Magura MT-5N, hydr. disc, f: 180 mm / r: 180 mm
- BRAKE LEVER** Magura MT-5N
- TIRES** Schwalbe Pick up Super Defense f: 55-406 / r: 60-559

- FRONT HUB** Shimano HB-M525, QR, 6-bolt
- REAR HUB** Enviolo CA, disc
- HANDLEBAR** Trekking, AL
- GRIPS** Ergon GP 10
- STEM** A-Head, adjustable
- SADDLE** Selle Royal LookIn Relaxed
- SEATPOST** Kalloy SP-DC1, Ø27.2 mm, 350 mm
- FRONT LIGHT** Hercules FH-100, up to 100 Lux
- REAR LIGHT** Busch & Müller Toplight 2C, LED
- CARRIER** Monkey Load, carrier, spring clamp
- MUDGUARD** SKS, B65, plastic
- LOCK** ABUS Pro Shield, one-key system
- KICKSTAND** Double-leg stand

- i-blue
- grey-glossy
- green-glossy
- black-matt




Wheelsize	Form	FS cm	Colour	2x 545 Wh
26 inch	Cargo bike	51	black-matt	223150301051
26 inch	Cargo bike	51	grey-glossy	223150311051
26 inch	Cargo bike	51	i-blue	223150321051
26 inch	Cargo bike	51	green-glossy	223150331051



# ROB CARGO F5



200 kg  
max. permitted  
total weight



The smart  
system

ACCESSORIES ARE OPTIONALLY  
AVAILABLE



## // SPECIFICATIONS

- MOTOR** Bosch Performance Cruise Smart System, GEN3, 250 Watt, 75 Nm
- BATTERY** 545 Wh, Bosch PowerPack
- CHARGER** Bosch 2A
- FRAME** eCargo Compact Series, AL 6061
- FORK** AL, rigid, steerer tube 1.5"
- DISPLAY** Bosch Intuvia 100
- SHIFTING** Shimano Nexus 5-speed, freewheel
- SHIFTER** Shimano SL-C7000-5
- GEAR RATIO** 46 / 32
- CRANKSET** Hercules EC38
- BELTDRIVE** Gates CDX
- BRAKES** Shimano MT420 hydr. disc, f: 180 mm / r: 180 mm
- BRAKE LEVER** Shimano MT401
- TIRES** Schwalbe BigBen GreenGuard, 55-507
- FRONT HUB** Shimano HB-M8000, centerlock, QR
- REAR HUB** Shimano SG-C7000-5D, 135 mm, centerlock

- HANDLEBAR** Zecure, AL
- GRIPS** Ergo, integrated clamp
- STEM** Zecure AllUp + Up2+, adjustable, 150 mm height adjustable
- SADDLE** Selle Royal Nuvola
- SEATPOST** Kalloy, SP-F01, Ø34,9 mm, 350 mm
- FRONT LIGHT** Hercules FH-100, up to 100 Lux
- REAR LIGHT** Busch & Müller Toplight 2C, LED
- CARRIER** i-Rack, integrated in frame, VR & HR
- MUDGUARD** SKS, EDGE 66R, plastic
- LOCK** AXA Block XXL + chain lock + bag, one-key system
- KICKSTAND** Ursus Jumbo 80, double-leg stand



Cargo bike  
24 inch | 50 cm

- ultimacy moss-glossy
- red-matt



Wheelsize	Form	FS cm	Colour	545 Wh
24 inch	Cargo bike	50	ultimacy moss-glossy	225165000550
24 inch	Cargo bike	49	red-matt	223150400649

# ROB FAMILY F360



The smart system

ACCESSORIES ARE OPTIONALLY AVAILABLE



## // SPECIFICATIONS

- MOTOR** Bosch Performance Cruise Smart System, GEN3, 250 Watt, 75 Nm
- BATTERY** 2x 545 Wh, Bosch PowerPack
- CHARGER** Bosch 4A
- FRAME** eFamily Series, AL 6061
- FORK** AL, rigid, steerer tube 1.5"
- DISPLAY** Bosch Intuvia 100
- SHIFTING** Enviolo SP, stepless
- SHIFTER** Enviolo, Multiturn, mechanic
- GEAR RATIO** 55 / 22
- CRANKSET** Hercules EC38
- BELTDRIVE** Gates CDX
- BRAKES** Magura MT-5N, hydr. disc, f: 180 mm / r: 180 mm
- BRAKE LEVER** Magura MT-5N
- TIRES** Schwalbe Big Ben, RaceGuard, 55-507
- FRONT HUB** Shimano HB-M756, QR, 6-bolt
- REAR HUB** Enviolo SP, disc

- HANDLEBAR** Zecure, AL
- GRIPS** Ergo, integrated clamp
- STEM** Zecure AllUp + Up2+, adjustable, 150 mm height adjustable
- SADDLE** Selle Royal Nuvola
- SEATPOST** Kalloy, SP-F01, Ø34,9 mm, 350 mm
- FRONT LIGHT** Hercules FH-100, up to 100 Lux
- REAR LIGHT** Busch & Müller Toplight 2C, LED
- CARRIER** i-Rack, carrier, spring clamp, Child seat mount
- MUDGUARD** SKS, EDGE 66R, plastic
- LOCK** AXA Block XXL + chain lock + bag, one-key system
- KICKSTAND** Ursus Jumbo 80, double-leg stand



Cargo bike  
24 inch | 45 cm

- brown-matt
- bluemetallic-matt



Wheelsize	Form	FS cm	Colour	2x 545 Wh
24 inch	Cargo bike	45	bluemetallic-matt	223150501045
24 inch	Cargo bike	45	brown-matt	223150551045

# FUTURA COMPACT 10



135 kg  
max. permitted  
total weight



FRONT CARRIER  
INTERFACE



The smart  
system



## // SPECIFICATIONS

<b>MOTOR</b>	Bosch Performance Cruise Smart System, GEN3, 250 Watt, 75 Nm	<b>REAR HUB</b>	Shimano FH-QC400-HM, 135 mm, centerlock
<b>BATTERY</b>	545 Wh, Bosch PowerPack	<b>HANDLEBAR</b>	Zecure, AL
<b>CHARGER</b>	Bosch 2A	<b>GRIPS</b>	Ergo, integrated clamp
<b>FRAME</b>	eCompact Series, AL 6061	<b>STEM</b>	Zecure AllUp + Up2+, adjustable, 150 mm height adjustable
<b>FORK</b>	AL, rigid, steerer tube 1.5"	<b>SADDLE</b>	Selle Royal LookIn Relaxed
<b>DISPLAY</b>	Bosch Intuvia 100	<b>SEATPOST</b>	Limotec S1, Ø27.2 mm, 400 mm, 50 mm travel
<b>SHIFTING</b>	Shimano Cues RD-U6000, 10-speed	<b>FRONT LIGHT</b>	Hercules, FS-50, up to 50 Lux
<b>SHIFTER</b>	Shimano SL-U6000R	<b>REAR LIGHT</b>	Comus RZ-100, COB-LED
<b>GEAR RATIO</b>	38 / 11-48	<b>CARRIER</b>	Monkey Load, carrier, spring clamp
<b>CRANKSET</b>	FSA CK-220	<b>MUDGUARD</b>	Curana Apollo 65, AL
<b>CHAIN</b>	Shimano CN-LG500	<b>LOCK</b>	ABUS DR3 X-Plus, battery lock
<b>BRAKES</b>	Shimano MT200 hydr. disc, f: 180 mm / r: 160 mm	<b>KICKSTAND</b>	Standwell, rear kickstand
<b>BRAKE LEVER</b>	Shimano MT201		
<b>TIRES</b>	Schwalbe Big Ben Performance, RaceGuard, 55-507		
<b>FRONT HUB</b>	Shimano HB-QC400, centerlock, QR		




Wave  
24 inch | 50 cm

■ darkblue-glossy



<b>Wheelsize</b>	<b>Form</b>	<b>FS cm</b>	<b>Colour</b>	<b>545 Wh</b>
24 inch	Wave	50	darkblue-glossy	225150000550

# FUTURA COMPACT R5



The smart system



## // SPECIFICATIONS

- MOTOR** Bosch Performance Cruise Smart System, GEN3, 250 Watt, 75 Nm
- BATTERY** 545 Wh, Bosch PowerPack
- CHARGER** Bosch 2A
- FRAME** eCompact Series, AL 6061
- FORK** AL, rigid, steerer tube 1.5"
- DISPLAY** Bosch Intuvia 100
- SHIFTING** Shimano Nexus 5-speed, coaster brake
- SHIFTER** Shimano SL-C7000-5
- GEAR RATIO** 46 / 32
- CRANKSET** FSA CK-220
- BELTDRIVE** Gates CDX
- BRAKES** Tektro T-390 hydr. disc, f: 180 mm / r: 160 mm
- BRAKE LEVER** Tektro HD-T390
- TIRES** Schwalbe Big Ben Performance, RaceGuard, 20": 55-406 / 24": 55-507
- FRONT HUB** Shimano HB-RM35, QR, centerlock
- REAR HUB** Shimano Nexus 5-speed, coaster brake

- HANDLEBAR** Trekking, AL
- GRIPS** Ergo, integrated clamp
- STEM** Zecure AllUp + Up2+, adjustable, 150 mm height adjustable
- SADDLE** Selle Royal LookIn Relaxed
- SEATPOST** Limotec S1, Ø27.2 mm, 400 mm, 50 mm travel
- FRONT LIGHT** Hercules, FS-50, up to 50 Lux
- REAR LIGHT** Busch & Müller Toplight 2C, LED
- CARRIER** Monkey Load, carrier, spring clamp
- MUDGUARD** SKS, B60, plastic
- LOCK** ABUS battery lock, XPlus cylinder
- KICKSTAND** Standwell, rear kickstand



Wave  
24 inch | 49 cm  
20 inch | 49 cm


■ black-matt



Wheelsize	Form	FS cm	Colour	545 Wh
24 inch	Wave	49	black-matt	223180000549
20 inch	Wave	49	black-matt	223180050549



# FUTURA COMPACT F5



The smart system



## // SPECIFICATIONS

- MOTOR** Bosch Performance Cruise Smart System, GEN3, 250 Watt, 75 Nm
- BATTERY** 545 Wh, Bosch PowerPack
- CHARGER** Bosch 2A
- FRAME** eCompact Series, AL 6061
- FORK** AL, rigid, steerer tube 1.5"
- DISPLAY** Bosch Intuvia 100
- SHIFTING** Shimano Nexus 5-speed, freewheel
- SHIFTER** Shimano SL-C7000-5
- GEAR RATIO** 46 / 32
- CRANKSET** FSA CK-220
- BELTDRIVE** Gates CDX
- BRAKES** Tektro T-390 hydr. disc, f: 180 mm / r: 160 mm
- BRAKE LEVER** Tektro HD-T390
- TIRES** Schwalbe Big Ben Performance, RaceGuard, 20": 55-406 / 24": 55-507
- FRONT HUB** Shimano HB-RM35, QR, centerlock
- REAR HUB** Shimano Nexus 5-speed, freewheel

- HANDLEBAR** Trekking, AL
- GRIPS** Ergo, integrated clamp
- STEM** Zecure AllUp + Up2+, adjustable, 150 mm height adjustable
- SADDLE** Selle Royal LookIn Relaxed
- SEATPOST** Limotec S1, Ø27.2 mm, 400 mm, 50 mm travel
- FRONT LIGHT** Hercules, FS-50, up to 50 Lux
- REAR LIGHT** Busch & Müller Toplight 2C, LED
- CARRIER** Monkey Load, carrier, spring clamp
- MUDGUARD** SKS, B60, plastic
- LOCK** ABUS battery lock, XPlus cylinder
- KICKSTAND** Standwell, rear kickstand



Wave  
24 inch | 49 cm  
20 inch | 49 cm

■ black-matt



Wheelsize	Form	FS cm	Colour	545 Wh
24 inch	Wave	49	black-matt	223180100549
20 inch	Wave	49	black-matt	223180150549

# FUTURA COMPACT R8



## // SPECIFICATIONS

<b>MOTOR</b>	Bosch Active Plus, GEN3, 250 Watt, 50 Nm	<b>GRIPS</b>	Ergo, integrated clamp
<b>BATTERY</b>	500 Wh, 400 Wh, Bosch PowerPack	<b>STEM</b>	Zecure AllUp + Up2+, adjustable, 150 mm height adjustable
<b>CHARGER</b>	Bosch 2A	<b>SADDLE</b>	Selle Royal LookIn Relaxed
<b>FRAME</b>	eCompact Series, AL 6061	<b>SEATPOST</b>	Limotec S1, Ø27.2 mm, 400 mm, 50 mm travel
<b>FORK</b>	AL, rigid, steerer tube 1.5"	<b>FRONT LIGHT</b>	Hercules, FS-50, up to 50 Lux
<b>DISPLAY</b>	Bosch Intuvia	<b>REAR LIGHT</b>	Busch & Müller Toplight 2C, LED
<b>SHIFTING</b>	Shimano Nexus 8-speed, coaster brake	<b>CARRIER</b>	Monkey Load, carrier, spring clamp
<b>SHIFTER</b>	Shimano SL-C6000-8	<b>MUDGUARD</b>	SKS, B60, plastic
<b>GEAR RATIO</b>	44 / 18 (20")   38 / 20 (24")	<b>LOCK</b>	ABUS battery lock, XPlus cylinder
<b>CRANKSET</b>	FSA CK-220	<b>KICKSTAND</b>	Standwell, rear kickstand
<b>CHAIN</b>	KMC Z1EHX		
<b>BRAKES</b>	Tektro T-280 hydr. disc, f: 180 mm / r: 160 mm		
<b>BRAKE LEVER</b>	Tektro HD-T280		
<b>TIRES</b>	Schwalbe Big Ben Performance, RaceGuard, 20": 55-406 / 24": 55-507		
<b>FRONT HUB</b>	Shimano HB-RM35, QR, centerlock		
<b>REAR HUB</b>	Shimano Nexus 8-speed, coaster brake		
<b>HANDLEBAR</b>	Trekking, AL		



Wave  
24 inch | 47 cm  
20 inch | 47 cm

bluemetalllic-matt



Wheelsize	Form	FS cm	Colour	400 Wh	500 Wh
24 inch	Wave	47	bluemetalllic-matt	223180200447	223180200547
20 inch	Wave	47	bluemetalllic-matt	223180250447	223180250547

Technical changes and mistakes reserved.

Illustration may differ from the delivered product.

# FUTURA COMPACT F8



## // SPECIFICATIONS

- MOTOR** Bosch Active Plus, GEN3, 250 Watt, 50 Nm
- BATTERY** 500 Wh, 400 Wh, Bosch PowerPack
- CHARGER** Bosch 2A
- FRAME** eCompact Series, AL 6061
- FORK** AL, rigid, steerer tube 1.5"
- DISPLAY** Bosch Intuvia
- SHIFTING** Shimano Nexus 8-speed, freewheel
- SHIFTER** Shimano SL-C6000-8
- GEAR RATIO** 44 / 18 (20") | 38 / 20 (24")
- CRANKSET** FSA CK-220
- CHAIN** KMC Z1EHX
- BRAKES** Tektro T-280 hydr. disc, f: 180 mm / r: 160 mm
- BRAKE LEVER** Tektro HD-T280
- TIRES** Schwalbe Big Ben Performance, RaceGuard, 20": 55-406 / 24": 55-507
- FRONT HUB** Shimano HB-RM35, QR, centerlock
- REAR HUB** Shimano Nexus 8-speed, freewheel
- HANDLEBAR** Trekking, AL

- GRIPS** Ergo, integrated clamp
- STEM** Zecure AllUp + Up2+, adjustable, 150 mm height adjustable
- SADDLE** Selle Royal LookIn Relaxed
- SEATPOST** Limotec S1, Ø27.2 mm, 400 mm, 50 mm travel
- FRONT LIGHT** Hercules, FS-50, up to 50 Lux
- REAR LIGHT** Busch & Müller Toplight 2C, LED
- CARRIER** Monkey Load, carrier, spring clamp
- MUDGUARD** SKS, B60, plastic
- LOCK** ABUS battery lock, XPlus cylinder
- KICKSTAND** Standwell, rear kickstand



Wave  
24 inch | 47 cm  
20 inch | 47 cm

bluemetalllic-matt



Wheelsize	Form	FS cm	Colour	400 Wh	500 Wh
24 inch	Wave	47	bluemetalllic-matt	223180300447	223180300547
20 inch	Wave	47	bluemetalllic-matt	223180350447	223180350547

# ROB FOLD 10



135 kg  
max. permitted  
total weight



FRONT CARRIER  
INTERFACE



The smart  
system



## // SPECIFICATIONS

<b>MOTOR</b>	Bosch Performance Cruise Smart System, GEN3, 250 Watt, 75 Nm	<b>REAR HUB</b>	Shimano FH-QC400-HM, 135 mm, centerlock
<b>BATTERY</b>	545 Wh, Bosch PowerPack	<b>HANDLEBAR</b>	Tour, AL
<b>CHARGER</b>	Bosch 2A	<b>GRIPS</b>	Ergo, integrated clamp
<b>FRAME</b>	eFold Series, AL 6061	<b>STEM</b>	Satori UP2+, A-head, adjustable
<b>FORK</b>	AL, rigid, steerer tube 1.5"	<b>SADDLE</b>	Selle Royal Nuvola
<b>DISPLAY</b>	Bosch Intuvia 100	<b>SEATPOST</b>	Limotec S1, Ø27.2 mm, 400 mm, 50 mm travel
<b>SHIFTING</b>	Shimano Cues RD-U6000, 10-speed	<b>FRONT LIGHT</b>	Hercules, FS-50, up to 50 Lux
<b>SHIFTER</b>	Shimano SL-U6000R	<b>REAR LIGHT</b>	Comus RZ-100, COB-LED
<b>GEAR RATIO</b>	44 / 11-39	<b>CARRIER</b>	Monkey Load, carrier, spring clamp
<b>CRANKSET</b>	FSA CK-220	<b>MUDGUARD</b>	Curana Apollo 65, AL
<b>CHAIN</b>	Shimano CN-LG500	<b>LOCK</b>	ABUS DR3 X-Plus, battery lock
<b>BRAKES</b>	Shimano MT200 hydr. disc, f: 180 mm / r: 160 mm	<b>KICKSTAND</b>	Massload CL-KA88, double-leg stand
<b>BRAKE LEVER</b>	Shimano MT201	<b>FOLDING SIZE</b>	80 x 32 x 107 cm
<b>TIRES</b>	Schwalbe Big Ben Performance, RaceGuard, 55-406		
<b>FRONT HUB</b>	Shimano HB-QC400, centerlock, QR		



Fold  
20 inch | 50 cm


■ darkblue-glossy



<b>Wheelsize</b>	<b>Form</b>	<b>FS cm</b>	<b>Colour</b>	<b>545 Wh</b>
20 inch	Fold	50	darkblue-glossy	225155000550



# ROB FOLD R5



The smart system



## // SPECIFICATIONS

- MOTOR** Bosch Performance Cruise Smart System, GEN3, 250 Watt, 75 Nm
- BATTERY** 545 Wh, Bosch PowerPack
- CHARGER** Bosch 2A
- FRAME** eFold Series, AL 6061
- FORK** AL, rigid, steerer tube 1.5"
- DISPLAY** Bosch Intuvia 100
- SHIFTING** Shimano Nexus 5-speed, coaster brake
- SHIFTER** Shimano SL-C7000-5
- GEAR RATIO** 46 / 28
- CRANKSET** FSA CK-220
- BELTDRIVE** Gates CDX
- BRAKES** Tektro T-390 hydr. disc, f: 180 mm / r: 160 mm
- BRAKE LEVER** Tektro HD-T390
- TIRES** Schwalbe Big Ben Performance, RaceGuard, 55-406
- FRONT HUB** Shimano HB-QC400, centerlock, QR
- REAR HUB** Shimano SG-C7002-5CD, 135 mm, 5-bolt
- HANDLEBAR** Tour, AL
- GRIPS** Ergo, integrated clamp
- STEM** Satori UP2+, A-head, adjustable
- SADDLE** Selle Royal LookIn Relaxed
- SEATPOST** Limotec S1, Ø27.2 mm, 400 mm, 50 mm travel
- FRONT LIGHT** Hercules, FS-50, up to 50 Lux
- REAR LIGHT** Comus RZ-100, COB-LED
- CARRIER** Monkey Load, carrier, spring clamp
- MUDGUARD** Curana Apollo 65, AL
- LOCK** ABUS DR3 X-Plus, battery lock
- KICKSTAND** Massload CL-KA88, double-leg stand
- FOLDING SIZE** 80 x 32 x 107 cm



Fold  
20 inch | 50 cm

- silver blue-glossy
- anthracite-matt



Wheelsize	Form	FS cm	Colour	545 Wh
20 inch	Fold	50	anthracite-matt	225155010550
20 inch	Fold	50	silver blue-glossy	225155020550

# ROB FOLD F5



The smart system



## // SPECIFICATIONS

- MOTOR** Bosch Performance Cruise Smart System, GEN3, 250 Watt, 75 Nm
- BATTERY** 545 Wh, Bosch PowerPack
- CHARGER** Bosch 2A
- FRAME** eFold Series, AL 6061
- FORK** AL, rigid, steerer tube 1.5"
- DISPLAY** Bosch Intuvia 100
- SHIFTING** Shimano Nexus 5-speed, freewheel
- SHIFTER** Shimano SL-C7000-5
- GEAR RATIO** 46 / 28
- CRANKSET** FSA CK-220
- BELTDRIVE** Gates CDX
- BRAKES** Tektro T-390 hydr. disc, f: 180 mm / r: 160 mm
- BRAKE LEVER** Tektro HD-T390
- TIRES** Schwalbe Big Ben Performance, RaceGuard, 55-406
- FRONT HUB** Shimano HB-QC400, centerlock, QR
- REAR HUB** Shimano SG-C7000-5D, 135 mm, centerlock
- HANDLEBAR** Tour, AL
- GRIPS** Ergo, integrated clamp
- STEM** Satori UP2+, A-head, adjustable
- SADDLE** Selle Royal LookIn Relaxed
- SEATPOST** Limotec S1, Ø27.2 mm, 400 mm, 50 mm travel
- FRONT LIGHT** Hercules, FS-50, up to 50 Lux
- REAR LIGHT** Comus RZ-100, COB-LED
- CARRIER** Monkey Load, carrier, spring clamp
- MUDGUARD** Curana Apollo 65, AL
- LOCK** ABUS DR3 X-Plus, battery lock
- KICKSTAND** Massload CL-KA88, double-leg stand
- FOLDING SIZE** 80 x 32 x 107 cm



Fold  
20 inch | 50 cm

- silver blue-glossy
- anthracite-matt



Wheelsize	Form	FS cm	Colour	545 Wh
20 inch	Fold	50	anthracite-matt	225155030550
20 inch	Fold	50	silver blue-glossy	225155040550

# ROB FOLD R8-t



The smart system



## // SPECIFICATIONS

- MOTOR** Bosch Active Line Plus Smart System, GEN3, 250 Watt, 50 Nm
- BATTERY** 545 Wh, Bosch PowerPack
- CHARGER** Bosch 2A
- FRAME** eFold Series, AL 6061
- FORK** AL, rigid, steerer tube 1.5"
- DISPLAY** Bosch Intuvia 100
- SHIFTING** Shimano Nexus 8-speed, coaster brake
- SHIFTER** Shimano SL-C6000-8
- GEAR RATIO** 44 / 18
- CRANKSET** FSA CK-220
- CHAIN** KMC Z610
- BRAKES** Tektro T-280 hydr. disc, f: 180 mm / r: 160 mm
- BRAKE LEVER** Tektro HD-T280
- TIRES** Schwalbe Big Ben Performance, RaceGuard, 55-406
- FRONT HUB** Shimano HB-QC400, centerlock, QR
- REAR HUB** Shimano SG-C6001-8CD, 135 mm, 5-bolt
- HANDLEBAR** Tour, AL
- GRIPS** Ergo, integrated clamp
- STEM** Satori UP2+, A-head, adjustable
- SADDLE** Selle Royal LookIn Relaxed
- SEATPOST** Kalloy SP-DC1, Ø27.2 mm, 400 mm
- FRONT LIGHT** Hercules, FS-50, up to 50 Lux
- REAR LIGHT** Comus RZ-100, COB-LED
- CARRIER** Monkey Load, carrier, spring clamp
- MUDGUARD** Curana Apollo 65, AL
- LOCK** ABUS DR3 X-Plus, battery lock
- KICKSTAND** Massload CL-KA88, double-leg stand
- FOLDING SIZE** 80 x 32 x 107 cm



Fold  
20 inch | 50 cm

white-glossy

ultimacy bordeaux-glossy



Wheelsize	Form	FS cm	Colour	545 Wh
20 inch	Fold	50	ultimacy bordeaux-glossy	225155050550
20 inch	Fold	50	white-glossy	225155060550

# ROB FOLD F8-i



The smart system



## // SPECIFICATIONS

- MOTOR** Bosch Active Line Plus Smart System, GEN3, 250 Watt, 50 Nm
- BATTERY** 545 Wh, Bosch PowerPack
- CHARGER** Bosch 2A
- FRAME** eFold Series, AL 6061
- FORK** AL, rigid, steerer tube 1.5"
- DISPLAY** Bosch Intuvia 100
- SHIFTING** Shimano Nexus 8-speed, freewheel
- SHIFTER** Shimano SL-C6000-8
- GEAR RATIO** 44 / 18
- CRANKSET** FSA CK-220
- CHAIN** KMC Z610
- BRAKES** Tektro T-280 hydr. disc, f: 180 mm / r: 160 mm
- BRAKE LEVER** Tektro HD-T280
- TIRES** Schwalbe Big Ben Performance, RaceGuard, 55-406
- FRONT HUB** Shimano HB-QC400, centerlock, QR
- REAR HUB** Shimano SG-C6001-8D, 135 mm, centerlock
- HANDLEBAR** Tour, AL
- GRIPS** Ergo, integrated clamp
- STEM** Satori UP2+, A-head, adjustable
- SADDLE** Selle Royal LookIn Relaxed
- SEATPOST** Kalloy SP-DC1, Ø27.2 mm, 400 mm
- FRONT LIGHT** Hercules, FS-50, up to 50 Lux
- REAR LIGHT** Comus RZ-100, COB-LED
- CARRIER** Monkey Load, carrier, spring clamp
- MUDGUARD** Curana Apollo 65, AL
- LOCK** ABUS DR3 X-Plus, battery lock
- KICKSTAND** Massload CL-KA88, double-leg stand
- FOLDING SIZE** 80 x 32 x 107 cm



Fold  
20 inch | 50 cm

white-glossy

ultimacy bordeaux-glossy



Wheelsize	Form	FS cm	Colour	545 Wh
20 inch	Fold	50	ultimacy bordeaux-glossy	225155070550
20 inch	Fold	50	white-glossy	225155080550



# ROB FOLD R8



The smart system



## // SPECIFICATIONS

- MOTOR** Bosch Active Line Smart System, GEN3, 250 Watt, 40Nm
- BATTERY** 400 Wh, Bosch PowerPack
- CHARGER** Bosch 2A
- FRAME** eFold Series, AL 6061
- FORK** AL, rigid, steerer tube 1.5"
- DISPLAY** Bosch Purion 200
- SHIFTING** Shimano Nexus 8-speed, coaster brake
- SHIFTER** Shimano SL-C6000-8
- GEAR RATIO** 44 / 18
- CRANKSET** FSA CK-220
- CHAIN** KMC Z610
- BRAKES** Tektro T-280 hydr. disc, f: 180 mm / r: 160 mm
- BRAKE LEVER** Tektro HD-T280
- TIRES** Schwalbe Big Ben Performance, RaceGuard, 55-406
- FRONT HUB** Shimano HB-QC400, centerlock, QR
- REAR HUB** Shimano SG-C6001-8CD, 135 mm, 5-bolt
- HANDLEBAR** Tour, AL
- GRIPS** Ergo, integrated clamp
- STEM** Satori UP2+, A-head, adjustable
- SADDLE** Selle Royal LookIn Relaxed
- SEATPOST** Kalloy SP-DC1, Ø27.2 mm, 400 mm
- FRONT LIGHT** Hercules, FS-50, up to 50 Lux
- REAR LIGHT** Comus RZ-100, COB-LED
- CARRIER** Monkey Load, carrier, spring clamp
- MUDGUARD** Curana Apollo 65, AL
- LOCK** ABUS DR3 X-Plus, battery lock
- KICKSTAND** Massload CL-KA88, double-leg stand
- FOLDING SIZE** 80 x 32 x 107 cm



Fold  
20 inch | 50 cm

- red metallic-glossy
- coral blue-glossy



Wheelsize	Form	FS cm	Colour	400 Wh
20 inch	Fold	50	coral blue-glossy	225155090450
20 inch	Fold	50	red metallic-glossy	225155100450

# ROB FOLD F7



The smart system



## // SPECIFICATIONS

- MOTOR** Bosch Active Line Smart System, GEN3, 250 Watt, 40Nm
- BATTERY** 400 Wh, Bosch PowerPack
- CHARGER** Bosch 2A
- FRAME** eFold Series, AL 6061
- FORK** AL, rigid, steerer tube 1.5"
- DISPLAY** Bosch Purion 200
- SHIFTING** Shimano Nexus 7-speed, freewheel
- SHIFTER** Shimano SG-C3001-7
- GEAR RATIO** 44 / 18
- CRANKSET** FSA CK-220
- CHAIN** KMC Z610
- BRAKES** Tektro T-280 hydr. disc, f: 180 mm / r: 160 mm
- BRAKE LEVER** Tektro HD-T280
- TIRES** Schwalbe Big Ben Performance RaceGuard, 55-406
- FRONT HUB** Formular CL-51QR, centerlock, QR
- REAR HUB** Shimano SG-C3001-7D, 135 mm, centerlock
- HANDLEBAR** Tour, AL
- GRIPS** Ergo, integrated clamp
- STEM** Satori UP2+, A-head, adjustable
- SADDLE** Selle Royal LookIn Relaxed
- SEATPOST** Kalloy SP-DC1, Ø27.2 mm, 400 mm
- FRONT LIGHT** Hercules, FS-50, up to 50 Lux
- REAR LIGHT** Comus RZ-100, COB-LED
- CARRIER** Monkey Load, carrier, spring clamp
- MUDGUARD** Curana Apollo 65, AL
- LOCK** ABUS DR3 X-Plus, battery lock
- KICKSTAND** Massload CL-KA88, double-leg stand
- FOLDING SIZE** 80 x 32 x 107 cm



Fold  
20 inch | 50 cm

- red metallic-glossy
- coral blue-glossy



Wheelsize	Form	FS cm	Colour	400 Wh
20 inch	Fold	50	coral blue-glossy	225155110450
20 inch	Fold	50	red metallic-glossy	225155120450

# ROB FOLD R7



## // SPECIFICATIONS

- MOTOR** Bosch Active, GEN3, 250 Watt, 40 Nm
- BATTERY** 400 Wh, Bosch PowerPack
- CHARGER** Bosch 2A
- FRAME** eFold Series, AL 6061
- FORK** Steel fork, rigid, steerer tube 1.5"
- DISPLAY** Bosch Purion
- SHIFTING** Shimano Nexus 7-speed, coaster brake
- SHIFTER** Shimano Revoshifter
- GEAR RATIO** 44 / 18
- CRANKSET** FSA CK-220
- CHAIN** KMC Z1EHX
- BRAKES** Magura HS11 hydr. rim brake
- BRAKE LEVER** Magura HS11
- TIRES** Schwalbe Big Apple, RaceGuard, 50-406
- FRONT HUB** Formula OV-31, QR
- REAR HUB** Shimano Nexus 7-speed, coaster brake
- HANDLEBAR** Trekking, AL
- GRIPS** Ergo, integrated clamp
- STEM** Zecure AllUp + Up2+, adjustable, 150 mm height adjustable
- SADDLE** Selle Royal Nuvola
- SEATPOST** Kalloy SP-DC1, Ø27.2 mm, 400 mm
- FRONT LIGHT** Hercules, FS-50, up to 50 Lux
- REAR LIGHT** Busch & Müller Toplight 2C, LED
- CARRIER** Monkey Load, carrier, spring clamp
- MUDGUARD** SKS B55, plastic
- LOCK** ABUS battery lock, XPlus cylinder
- KICKSTAND** Massload CL-KA88, double-leg stand
- FOLDING SIZE** 85 x 35 x 100 cm



Fold  
20 inch | 46 cm

■ black-glossy



Wheelsize	Form	FS cm	Colour	400 Wh
20 inch	Fold	46	black-glossy	223181000446

Technical changes and mistakes reserved.

Illustration may differ from the delivered product.

