



**2024**

**WE ARE ePERFORMANCE**

**HAIBIKE**





**WE ARE ePERFORMANCE  
2024**



**HAIBIKE**



# WE ARE *e*PERFORMANCE



*"I like to say that I was born on a bike! I started cycling when I was three years old, inspired by the passion of my grandfather and father for two wheels, and I never abandoned that! Over the last ten years, I have always found the time for riding every day. Bikes for me were, and are, everything. My way of transport, my sport, my passion!"*

*- Andrea Garibbo*



**HAIBIKE LINEUP 2024 OVERVIEW** PAGE 4

**HYBE 2.0 – OWN ANY GROUND** PAGE 6

**LYKE – THE FREEDOM OF LIGHT** PAGE 10

**HAIBIKE LINEUP 2024** PAGE 15

NDURO | HYBE | ALLMTN  
LYKE | ALLTRAIL | ALLTRACK  
ADVENTR | TREKKING | TREKKING S

**FAHRZEUGKATEGORIEN** PAGE 128  
**CATEGORIES OF VEHICLES**

**MOTORS** PAGE 130  
**BOSCH – YAMAHA – FAZUA**

**MRS – MODULAR RAIL SYSTEM** PAGE 134

**XLG BIKE PARTS** PAGE 136

**GEOMETRIEN** PAGE 139  
**GEOMETRY TABLES**

**IMPRESSUM** PAGE 146  
**IMPRINT**



# HAIBIKE LINEUP 2024

*SE*

*11*

*10*

*9*

*8*

**NDURO**

PAGE 16



**HYBE**

PAGE 22



**ALLMTN**

PAGE 30



**LYKE**

PAGE 48



**ALLTRAIL**

PAGE 58



**ALLTRACK**

PAGE 74




**ADVENTRFS**

PAGE 90



**TREK KING**

PAGE 98



**TREK KING S**

PAGE 124



# INHALT / CONTENT

7

6

5

4

3

2



\* ON

HYBE 2.0


# OWN ANY





**OWN ANY GROUND**

# **OWN ANY GROUND**



**HYBE 2.0**

# **HYBE**

## **THE POWER SPORTS CATEGORY**

**KRAFTVOLL. SCHNELL. KEINE KOMPROMISSE.**

HYBE ist unsere „Power Sports“ Kategorie und für all diejenigen Rennfahrer unter uns, denen das Beste und Stärkste gerade gut genug ist.

Der Fokus liegt auf Geschwindigkeit, Integration und Performance. 170 mm Federweg sorgen für Komfort, auch wenn das Terrain rough wird.

**POWERFUL. FAST. UNCOMPROMISED.**

*Our "Power Sports" category HYBE is designed for those who want the most powerful and race-ready eMTBs. This is what the future holds.*

*Focused on speed, integration and big mountain performance. With 170 mm of travel for big hit comfort.*



**THE NEW YAMAHA PW-XM**

OWN ANY GROUND



## THE ALL NEW HYBE 10.5

1 YAMAHA PW-XM 85 NM  
720 WH

2 SRAM GX EAGLE AXS, 12-SPEED

3 ROCKSHOX SUPER DELUXE ULTIMATE, AIR 160 MM

4 HAIBIKE ALUMINIUM FRAME  
29" FRONT / 27,5" REAR  
CLOSED DOWNTUBE

5 MAGURA MT7

6 ROCKSHOX ZEB ULTIMATE DUAL POSITION 170 MM

**LYKE**

# **THE FREEDOM**



**THE FREEDOM OF LIGHT**



# **OF LIGHT**

# LYKE

## THE FREEDOM OF LIGHT

### **SUPER. LIGHT. WEIGHT.**

Das bisher leichteste Haibike eMTB mit klarem Fokus auf anspruchsvollen Haibike Trailridern und deren Anforderungen.

*The lightest Haibike eMTB ever. Focusing on ambitious Haibike trail riders and their needs.*

### **SPORTIVE. CONTROLLED. FAST.**

Ein komplett neues Konzept, das dich auf dem schnellsten und besten Weg hoch und runter bringt. Und einfach nur Spaß macht.

*A complete new concept that gets you up and down, the fastest and funnest, and most capable way possible.*

### **SEXY. NEW. HAIBIKE.**

Das schärfste Haibike in der Geschichte. Der Start einer neuen Ära.

*The sharpest Haibike in history. The beginning of a new era.*



## INTRODUCING THE NEW LYKE 11

### **FEATURES**

- Carbon frame, alloy rocker
- Getrennte Batterie & Motor  
*Decoupled battery & motor*
- FAZUA SUPER LIGHT RIDE 60/430 Wh
- Geschlossenes Unterrohr  
*Closed downtube*

### **HANDLING**

- Neue Dämpferposition & Kinematik  
*New shock position & kinematic*
- Full 29"
- 140/140 mm Federweg/travel
- Super ausbalancierte Geometrie  
*Well balanced geometry*

# THE FREEDOM OF LIGHT



1 FAZUA ENERGY 430 FIX

2 FAZUA RING CONTROL

3 FAZUA LED HUB

## FAZUA RIDE 60/430

- Gesamtgewicht System/Weight total system, inkl. 430 Wh Akku: 4,5 kg
- Features Tuptube HMI, App (with Custom Tuning), LED Remote, Walk-Assist







***HAIBIKE  
LINEUP  
2024***









# *NDURO*

## ***ePERFORMANCE OVER ROUGH TERRAIN: HAIBIKE NDURO eBIKES***

180 MM LONG TRAVEL COMFORT, TO TACKLE ANY AND ALL TERRAIN.  
COMPACT, FAST AND SLEEK.



# NDURO 8 FREERIDE

-  MATTE
-  TITAN
-  BLACK INK
-  DARK CHROME



AL	180/180	MIXED	YAMAHA PW-X3	720	MRS	RANGE EXTENDER
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE 29"/27.5"	DRIVE UNIT	BATTERY CAPACITY (WH)		Yamaha OPTIONAL

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h	Bremse vorne / Brake front	Magura MT7, 220mm
Display	Yamaha Interface - X	Bremse hinten / Brake rear	Magura MT7, 203mm
Akku / Battery	InTube 720Wh	Reifen vorne / Tyres front	Schwalbe Magic Mary Evo TLE, 62-622
Ladegerät / Charger	Fast Charger 4A	Reifen hinten / Tyres rear	Schwalbe Big Betty Evo Gravity, 65-584
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Laufnrad / Wheel set	Mavic E-Deemax
Gabel / Fork	Öhlins DH38 M.2, air, aluminium steerer tube 1 1/8", thru-axle	Lenker / Handlebar	Raceface Atlas Alu 820mm
Dämpfer / Damper	Öhlins TTX 22 M, Coil	Griffe / Grips	XLC MTB Griffe
Schaltwerk / Rear derailleur	Sram GX Eagle, 12-speed	Vorbau / Stem	Raceface Chester 35, direct mount, Bar bore: 35mm
Schalthebel / Shift lever	Sram GX Eagle, trigger switch	Steuersatz / Headset	A-Head Alloy 1 1/8"
Zahnkranz (hinten) / Sprocket	Sram GX 1275 Eagle, 10-50 teeth	Sattel / Saddle	fi'zi:k Terra Aidon X5-160
Kette / Chain	Sram GX Eagle	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Kettenblatt / Chainring	Sram X-Sync 2, 38	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Kettenführung / Chain guide	Nylon directmount	Zul. Gesamtgewicht / Permitted total weight	120kg
Bremshebel / Brake lever	Magura MT7 HC-lever, aluminium	Fahrradtyp / Bicycle type	MTB Enduro

## NDURO 8 FREERIDE



S	45708430	titan / black / chrome - matt
M	45708440	titan / black / chrome - matt
L	45708450	titan / black / chrome - matt
XL	45708460	titan / black / chrome - matt

ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION. FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



# NDURO 7



MATTE-GLOSSY

NEU



METALLIC TUSCAN



BLACK INK



NEON RED



AL	180/180	MIXED	YAMAHA PW-X3	720	MRS	RANGE EXTENDER
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE 29"/27.5"	DRIVE UNIT	BATTERY CAPACITY (WH)		Yamaha OPTIONAL

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h
Display	Yamaha Interface - X
Akku / Battery	InTube 720Wh
Ladegerät / Charger	Fast Charger 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	FOX Performance 38, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	FOX Performance Float X2, air
Schaltwerk / Rear derailleur	Shimano SLX M7100, 12-speed
Schalthebel / Shift lever	Shimano Deore SLX M7100
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth
Kette / Chain	Shimano M6100
Kettenblatt / Chainring	aluminium, Haibike Components, 36
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Magura MT5 HC-lever, aluminium

Bremse vorne / Brake front	Magura MT5, 203mm
Bremse hinten / Brake rear	Magura MT5, 203mm
Reifen vorne / Tyres front	Schwalbe Magic Mary Evo TLE, 62-622
Reifen hinten / Tyres rear	Schwalbe Big Betty Evo Gravity, 65-584
Laufbandsatz / Wheel set	Mavic E-Deemax
Lenker / Handlebar	Haibike Components TheBar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Fahrradtyp / Bicycle type	MTB Enduro

## NDURO 7



S	45704430	tuscan / black - matt&gloss
M	45704440	tuscan / black - matt&gloss
L	45704450	tuscan / black - matt&gloss
XL	45704460	tuscan / black - matt&gloss



**NDURO 6**



ZUR FARB- UND GRAFISCHVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



# NDURO 6



MATTE



WARM URBAN GREY



BLACK INK



AL	180/180	MIXED	YAMAHA PW-X3	720	MRS	RANGE EXTENDER
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE 29"/27.5"	DRIVE UNIT	BATTERY CAPACITY (WH)		Yamaha OPTIONAL



Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 720Wh
Ladegerät / Charger	Fast Charger 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox Domain R, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Super Deluxe Select, air
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync 2, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	TRP Slate T4, aluminium
Bremse vorne / Brake front	TRP Slate T4, aluminium, 203mm
Bremse hinten / Brake rear	TRP Slate T4, aluminium, 203mm
Reifen vorne / Tyres front	Continental Argototal Trail Endurance, 60-622

Reifen hinten / Tyres rear	Continental Argototal Trail Endurance, 65-584
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Felgen hinten / Rims rear	WTB ST i35 TCS, double-walled rim
Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Speichen / Spokes	Sapim Race, black
Lenker / Handlebar	Haibike Components TheBar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem 2, A-head, Bar bore: 31.8mm
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Fahrradtyp / Bicycle type	MTB Enduro

## NDURO 6



S	45700430	urban grey / black - matt
M	45700440	urban grey / black - matt
L	45700450	urban grey / black - matt
XL	45700460	urban grey / black - matt







# *HYBE*

***THE POWER SPORTS CATEGORY. BELIEVE THE HYBE.***

170 MM OF TRAVEL FOR BIG HIT COMFORT. AVAILABLE WITH TWO DIFFERENT NEW GENERATION eMTB SYSTEMS FOCUSED ON SPEED, INTEGRATION AND BIG MOUNTAIN PERFORMANCE.



**HYBE 11**



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



# HYBE 11



GLOSSY

NEW



PEARL BLUE



DEEP MAGENTA



NEON PINK



CF/AL

FRAME MATERIAL

170/160

TRAVEL (mm) FRONT/REAR

MIXED

WHEEL SIZE 29"/27.5"

BOSCH PERF. CX RACE EDITION

DRIVE UNIT

750

BATTERY CAPACITY (WH)

MRS

Motor	Bosch Performance CX Race Edition, 250W, 85Nm, 25km/h
Display	Bosch Kiox 300 + LED Remote
Akku / Battery	Bosch PowerTube 750Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	Carbon/Aluminium, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	FOX 38 Factory Kashima, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	FOX Float X Factory, air
Schaltwerk / Rear derailleur	Sram GX Eagle AXS, 12-speed
Schalthebel / Shift lever	Sram GX Eagle AXS
Zahnkranz (hinten) / Sprocket	Sram GX 1275 Eagle, 10-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	aluminium, Sram X-Sync II, 36
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Magura MT5 HC-lever, aluminium

Bremse vorne / Brake front	Magura MT5, 203mm
Bremse hinten / Brake rear	Magura MT5, 203mm
Reifen vorne / Tyres front	Maxxis Minion DHF, 65-622
Reifen hinten / Tyres rear	Maxxis Minion DHR II, 66-584
Laufbandsatz / Wheel set	Mavic E-Deemax
Lenker / Handlebar	Raceface Atlas 785mm
Griffe / Grips	MTB Griffe
Vorbau / Stem	Raceface Chester, A-head, Bar bore: 31.8mm
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Fahrradtyp / Bicycle type	MTB All Mountain

## HYBE 11



S	45920330	blue / magenta / pink - gloss
M	45920340	blue / magenta / pink - gloss
L	45920350	blue / magenta / pink - gloss
XL	45920360	blue / magenta / pink - gloss



**HYBE 10.5**



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



# HYBE 10.5



MATTE



BLACK CHOCOLATE



CANARY



SLAB GREY



AL	170/160	MIXED	YAMAHA PW-XM	720	MRS
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE 29"/27.5"	DRIVE UNIT	BATTERY CAPACITY (WH)	

Motor	Yamaha PW-XM
Display	Yamaha Interface - X
Akku / Battery	InTube 720Wh
Ladegerät / Charger	Fast Charger 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox ZEB Ultimate Dual Position, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Super Deluxe Ultimate, air
Schaltwerk / Rear derailleur	Sram GX Eagle AXS, 12-speed
Schalthebel / Shift lever	Sram AXS Paddle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram XS-1275 Eagle, 10-52 teeth
Kette / Chain	Sram T- Type GX Eagle
Kettenblatt / Chainring	aluminium, Sram Eagle T- Type, 36
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Magura MT7 HC-lever, aluminium

Bremse vorne / Brake front	Magura MT7, 203mm
Bremse hinten / Brake rear	Magura MT7, 203mm
Reifen vorne / Tyres front	Maxxis Assegai MaxxTerra/Exo+/TR, 63-622
Reifen hinten / Tyres rear	Maxxis Minion DHR II, 66-584
Laufwheelsatz / Wheel set	DT Swiss H1900
Lenker / Handlebar	Haibike Components TheBar +++ 780mm
Griffe / Grips	XLC MTB Griffe
Vorbau / Stem	Haibike Components TheStem +++, Bar bore: 31.8mm
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Prologo Proxim W400
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Fahrradtyp / Bicycle type	MTB All Mountain

## HYBE 10.5



S	45904430	choco / canary / grey - matt
M	45904440	choco / canary / grey - matt
L	45904450	choco / canary / grey - matt
XL	45904460	choco / canary / grey - matt

TREKKINGS TREKING ADVENTRS ALLTRACK ALLTRAIL LYKE ALLMTN HYBE NDURO



**HYBE 9**



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



# HYBE 9



MATTE-GLOSSY



LIGHT WARM GREY



LUSCIOUS RED



BLACK INK



METALLIC CARAMEL STREET



CF/AL

FRAME MATERIAL

170/160

TRAVEL (mm) FRONT/REAR

MIXED

WHEEL SIZE 29"/27.5"

BOSCH PERF. CX SMART SYSTEM

DRIVE UNIT

750

BATTERY CAPACITY (WH)

MRS

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h
Display	Bosch LED Remote
Akku / Battery	Bosch PowerTube 750Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	Carbon/Aluminium, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox ZEB Select RC, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air
Schaltwerk / Rear derailleur	Sram NX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	aluminium, Sram X-Sync II, 36
Kettenführung / Chain guide	Nylon directmount
Bremsehebel / Brake lever	Shimano SLX M7100, aluminium
Bremse vorne / Brake front	Shimano SLX M7120, aluminium, 203mm
Bremse hinten / Brake rear	Shimano SLX M7120, aluminium, 203mm

Reifen vorne / Tyres front	Maxxis Minion DHF, 65-622
Reifen hinten / Tyres rear	Maxxis Minion DHR II, 66-584
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Felgen hinten / Rims rear	WTB ST i30 TCS, double-walled rim
Vorderradnabe / Front wheel hub	Alunabe
Hinterradnabe / Rear wheel hub	Alunabe
Speichen / Spokes	Sapim Race, black
Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	fi'zi:k Terra Aidon X5-160
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Fahrradtyp / Bicycle type	MTB All Mountain

## HYBE 9



S	45912330	grey / red / blk - matt&gloss
M	45912340	grey / red / blk - matt&gloss
L	45912350	grey / red / blk - matt&gloss
XL	45912360	grey / red / blk - matt&gloss

TREKKINGS TREKING ADVENTRS ALLTRACK ALLTRAIL LYKE ALLMTN HYBE NDURO







# *ALLMTN*

## ***SCALING THE HEIGHTS: HAIBIKE ALL MOUNTAIN eMTBS***

THE DO IT ALL SHREDDERS.  
160 MM OF PLUSH TRAVEL WITH A 50 / 50 GEOMETRY CONCEPT BASED AROUND AN  
EQUAL FOCUS ON BALANCING BOTH UPHILL AND DOWNHILL ePERFORMANCE.



**ALLMTN 10**



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



# ALLMTN 10



GLOSSY



PLATINUM BLUE



SILVER



AL	160/160	MIXED	YAMAHA PW-X3	720	MRS	RANGE EXTENDER
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE 29"/27.5"	DRIVE UNIT	BATTERY CAPACITY (WH)		Yamaha OPTIONAL

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h	Bremse vorne / Brake front	Shimano Deore XT M8120, 203mm
Display	Yamaha Interface - X	Bremse hinten / Brake rear	Shimano Deore XT M8120, 203mm
Akku / Battery	InTube 720Wh	Reifen vorne / Tyres front	Maxxis Minion DHF, 65-622
Ladegerät / Charger	Fast Charger 4A	Reifen hinten / Tyres rear	Maxxis Minion DHR II, 66-584
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Laufnradset / Wheel set	Mavic E-Deemax
Gabel / Fork	FOX 38 Factory Kashima, air,	Lenker / Handlebar	Haibike Components TheBar +++ 780mm
Dämpfer / Damper	FOX Float X Factory EVOL LV, air	Griffe / Grips	XLC MTB Griffe
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed	Vorbau / Stem	Haibike Components TheStem +++, Bar bore: 31.8mm
Schalthebel / Shift lever	Shimano Deore XT M8100, trigger switch	Steuersatz / Headset	Acros BlockLock
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth	Sattel / Saddle	fi'zi:k Terra Aidon X5-160
Kette / Chain	Shimano SLX M7100	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Kettenblatt / Chainring	aluminium, Haibike Components, 36	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Kettenführung / Chain guide	Nylon directmount	Zul. Gesamtgewicht / Permitted total weight	120kg
Bremshebel / Brake lever	Shimano Deore XT M8100, aluminium	Fahrradtyp / Bicycle type	MTB All Mountain

## ALLMTN 10



S	45632430	blue / silver - gloss
M	45632440	blue / silver - gloss
L	45632450	blue / silver - gloss
XL	45632460	blue / silver - gloss



**ALLMTN CF 8 / C1**



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



# ALLMTN CF 8 / C1



GLOSSY



SPARKLING BLACK



GOLD



<b>CF/AL</b> FRAME MATERIAL	<b>160/160</b> TRAVEL (mm) FRONT/REAR	<b>MIXED</b> WHEEL SIZE 29"/27.5"	<b>BOSCH PERF. CX SMART SYSTEM</b> DRIVE UNIT	<b>750</b> BATTERY CAPACITY (WH)	<b>MRS</b>
--------------------------------	---	---	--	--	------------

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Reifen vorne / Tyres front	Maxxis Minion DHF, 65-622
Display	Bosch Kiox 300 + LED Remote	Reifen hinten / Tyres rear	Maxxis Minion DHR II, 71-584
Akku / Battery	Bosch PowerTube 750Wh	Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium
Ladegerät / Charger	Bosch Standard Charger 4A	Felgen hinten / Rims rear	Rodi Tryp 35, eyed, double-walled rim, aluminium
Rahmen / Frame	Carbon/Aluminium, thru-axle M12 (1.75) x 148mm, disc brake Post Mount	Vorderradnabe / Front wheel hub	Shimano MT400-B
Gabel / Fork	RockShox Yari RC, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Hinterradnabe / Rear wheel hub	Shimano MT400-B
Dämpfer / Damper	RockShox Deluxe Select Plus, air, 150mm	Speichen / Spokes	Sapim Leader, black
Schaltwerk / Rear derailleur	Sram NX Eagle, 12-speed	Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Schalthebel / Shift lever	Sram SX Eagle, trigger switch	Griffe / Grips	Haibike MTB grips
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth	Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Kette / Chain	Sram SX Eagle	Steuersatz / Headset	Acros Cable integration
Kettenblatt / Chainring	aluminium, Sram X-Sync II, 36	Sattel / Saddle	Selle Royal Vivo
Kettenführung / Chain guide	Nylon directmount	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 31.6mm, aluminium
Bremsehebel / Brake lever	Shimano MT401, aluminium	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm	Zul. Gesamtgewicht / Permitted total weight	120kg
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm	Fahrradtyp / Bicycle type	MTB All Mountain

## ALLMTN CF 8



S	45716330	black / gold - gloss
M	45716340	black / gold - gloss
L	45716350	black / gold - gloss
XL	45716360	black / gold - gloss



**ALLMTN CF 8 / C2**



ZUR FARB- UND GRAFISCHVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



# ALLMTN CF 8 / G2



GLOSSY

NEW



COFFEE CHOCOLATE



NEBULAR MIDNIGHT BLUE



CF/AL	160/160	MIXED	BOSCH PERF. CX SMART SYSTEM	750	MRS
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE 29"/27.5"	DRIVE UNIT	BATTERY CAPACITY (WH)	

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Reifen vorne / Tyres front	Maxxis Minion DHF, 65-622
Display	Bosch Kiox 300 + LED Remote	Reifen hinten / Tyres rear	Maxxis Minion DHR II, 66-584
Akku / Battery	Bosch PowerTube 750Wh	Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium
Ladegerät / Charger	Bosch Standard Charger 4A	Felgen hinten / Rims rear	Rodi Tryp 35, eyed, double-walled rim, aluminium
Rahmen / Frame	Carbon/Aluminium, thru-axle M12 (1.75) x 148mm, disc brake Post Mount	Vorderradnabe / Front wheel hub	Shimano MT400-B
Gabel / Fork	RockShox Yari RC, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Hinterradnabe / Rear wheel hub	Shimano MT400-B
Dämpfer / Damper	RockShox Deluxe Select Plus, air, 150mm	Speichen / Spokes	Sapim Leader, black
Schaltwerk / Rear derailleur	Sram NX Eagle, 12-speed	Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Schalthebel / Shift lever	Sram SX Eagle, trigger switch	Griffe / Grips	Haibike MTB grips
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth	Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Kette / Chain	Sram SX Eagle	Steuersatz / Headset	Acros Cable integration
Kettenblatt / Chainring	aluminium, Sram X-Sync II, 36	Sattel / Saddle	Selle Royal Vivo
Kettenführung / Chain guide	Nylon directmount	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 31.6mm, aluminium
Bremshebel / Brake lever	Magura MT5 HC-lever, aluminium	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremse vorne / Brake front	Magura MT5, 203mm	Zul. Gesamtgewicht / Permitted total weight	120kg
Bremse hinten / Brake rear	Magura MT5, 203mm	Fahrradtyp / Bicycle type	MTB All Mountain

## ALLMTN CF 8



S	45628430	choco / midnight - matt
M	45628440	choco / midnight - matt
L	45628450	choco / midnight - matt
XL	45628460	choco / midnight - matt



**ALLMTN 7 | C1**



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.





# ALLMTN 7 / G1



GLOSSY



INFINITY BLUE



COOL GREY LIGHT



NEON RED



AL	160/160	MIXED	YAMAHA PW-X3	720	MRS	RANGE EXTENDER
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE 29"/27.5"	DRIVE UNIT	BATTERY CAPACITY (WH)		Yamaha OPTIONAL

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h
Display	Yamaha Interface - X
Akku / Battery	InTube 720Wh
Ladegerät / Charger	Fast Charger 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox Yari RC, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe select plus, air
Schaltwerk / Rear derailleur	Shimano SLX M7100, 12-speed
Schalthebel / Shift lever	Shimano Deore SLX M7100
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth
Kette / Chain	Shimano M6100
Kettenblatt / Chainring	aluminium, Haibike Components, 36
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Magura MT5 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT5, 203mm
Bremse hinten / Brake rear	Magura MT5, 203mm
Reifen vorne / Tyres front	Maxxis Minion DHF, 65-622

Reifen hinten / Tyres rear	Maxxis Minion DHR II, 66-584
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Felgen hinten / Rims rear	WTB ST i35 TCS, double-walled rim
Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	Sapim Race, black
Lenker / Handlebar	Haibike Components TheBar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem +++, Bar bore: 31.8mm
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Fahrradtyp / Bicycle type	MTB All Mountain

## ALLMTN 7



S	45620430	grey / blue / red - gloss
M	45620440	grey / blue / red - gloss
L	45620450	grey / blue / red - gloss
XL	45620460	grey / blue / red - gloss



**ALLMTN 7 | C2**



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



# ALLMTN 7 / G2



GLOSSY

NEW



OCEAN



SPARKLING BLACK



ORANGE



AL	160/160	MIXED	YAMAHA PW-X3	720	MRS	RANGE EXTENDER
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE 29"/27.5"	DRIVE UNIT	BATTERY CAPACITY (WH)		Yamaha OPTIONAL

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h
Display	Yamaha Interface - X
Akku / Battery	InTube 720Wh
Ladegerät / Charger	Fast Charger 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox Yari RC, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe select plus, air
Schaltwerk / Rear derailleur	Shimano SLX M7100, 12-speed
Schalthebel / Shift lever	Shimano Deore SLX M7100
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth
Kette / Chain	Shimano M6100
Kettenblatt / Chainring	aluminium, Haibike Components, 36
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Magura MT5 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT5, 203mm
Bremse hinten / Brake rear	Magura MT5, 203mm
Reifen vorne / Tyres front	Maxxis Minion DHF, 65-622

Reifen hinten / Tyres rear	Maxxis Minion DHR II, 66-584
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Felgen hinten / Rims rear	WTB ST i35 TCS, double-walled rim
Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	Sapim Race, black
Lenker / Handlebar	Haibike Components TheBar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem +++, Bar bore: 31.8mm
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Fahrradtyp / Bicycle type	MTB All Mountain

## ALLMTN 7



S	45624430	ocean / blk / orange - gloss
M	45624440	ocean / blk / orange - gloss
L	45624450	ocean / blk / orange - gloss
XL	45624460	ocean / blk / orange - gloss



## ALLMTN 5



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



# ALLMTN 5



GLOSSY



PLATINUM CHROME



BLACK INK



AL	160/160	MIXED	BOSCH PERF. CX SMART SYSTEM	750	MRS	150
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE 29"/27.5"	DRIVE UNIT	BATTERY CAPACITY (WH)		PER. TOTAL WEIGHT (KG)

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h
Display	Bosch Kiox 300 + LED Remote
Akku / Battery	Bosch PowerTube 750Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium, thru-axle M12 (1.75) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox Yari RC, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air
Schaltwerk / Rear derailleur	Sram NX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	aluminium, Sram X-Sync II, 36
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm

Reifen vorne / Tyres front	Maxxis Minion DHF, 63-622
Reifen hinten / Tyres rear	Maxxis Minion DHR II, 66-584
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Felgen hinten / Rims rear	WTB ST i35 TCS, double-walled rim
Vorderradnabe / Front wheel hub	Alunabe
Hinterradnabe / Rear wheel hub	Alunabe
Speichen / Spokes	Sapim Race, black
Lenker / Handlebar	Haibike Components TheBar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	150kg
Fahrradtyp / Bicycle type	MTB All Mountain

## ALLMTN 5



S	45157241	platinum / black - gloss
M	45157244	platinum / black - gloss
L	45157247	platinum / black - gloss
XL	45157250	platinum / black - gloss



# ALLMTN 3 / G1



GLOSSY

NEW



SILVER SURF



SPARKLING WHITE



AL	160/160	MIXED	YAMAHA PW-X3	720	MRS	RANGE EXTENDER
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE 29"/27.5"	DRIVE UNIT	BATTERY CAPACITY (WH)		Yamaha OPTIONAL

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 720Wh
Ladegerät / Charger	Fast Charger 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox 35 Gold RL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe select, air
Schaltwerk / Rear derailleur	Shimano Deore M6100, 12-speed
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth
Kette / Chain	Shimano M6100
Kettenblatt / Chainring	aluminium, Haibike Components, 36
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm

Reifen vorne / Tyres front	Continental Kryptotal- F, 60-622
Reifen hinten / Tyres rear	Continental Kryptotal- R, 65-584
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Felgen hinten / Rims rear	WTB ST i35 TCS, double-walled rim
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT410-B
Speichen / Spokes	Sapim Race, black
Lenker / Handlebar	Haibike Components TheBar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem +++, Bar bore: 31.8mm
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Fahrradtyp / Bicycle type	MTB All Mountain

## ALLMTN 3



S	45608430	silver surf / white - gloss
M	45608440	silver surf / white - gloss
L	45608450	silver surf / white - gloss
XL	45608460	silver surf / white - gloss



# ALLMTN 3 / G2



GLOSSY



ICED COFFEE



CANARY



SPACE BLUE



AL	160/160	MIXED	YAMAHA PW-X3	720	MRS	RANGE EXTENDER
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE 29"/27.5"	DRIVE UNIT	BATTERY CAPACITY (WH)		Yamaha OPTIONAL

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h	Reifen vorne / Tyres front	Continental Kryptotal- F, 60-622
Display	Yamaha Side Switch	Reifen hinten / Tyres rear	Continental Kryptotal- R, 65-584
Akku / Battery	InTube 720Wh	Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Ladegerät / Charger	Fast Charger 4A	Felgen hinten / Rims rear	WTB ST i35 TCS, double-walled rim
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Vorderradnabe / Front wheel hub	Shimano MT400-B
Gabel / Fork	RockShox 35 Gold RL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Hinterradnabe / Rear wheel hub	Shimano MT410-B
Dämpfer / Damper	RockShox Deluxe select, air	Speichen / Spokes	Sapim Race, black
Schaltwerk / Rear derailleur	Shimano Deore M6100, 12-speed	Lenker / Handlebar	Haibike Components TheBar +++ 780mm
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch	Griffe / Grips	Haibike MTB grips
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth	Vorbau / Stem	Haibike Components TheStem +++, Bar bore: 31.8mm
Kette / Chain	Shimano M6100	Steuersatz / Headset	Acros BlockLock
Kettenblatt / Chainring	aluminium, Haibike Components, 36	Sattel / Saddle	Selle Royal Vivo
Kettenführung / Chain guide	Nylon directmount	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Bremshebel / Brake lever	Shimano MT401, aluminium	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm	Zul. Gesamtgewicht / Permitted total weight	120kg
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm	Fahrradtyp / Bicycle type	MTB All Mountain

## ALLMTN 3



S	45612430	coffee / green / blue - gloss
M	45612440	coffee / green / blue - gloss
L	45612450	coffee / green / blue - gloss
XL	45612460	coffee / green / blue - gloss



# ALLMTN 2 / G1



MATTE



BLACK INK



PEBBLE GREY



NEON RED



AL	160/160	MIXED	YAMAHA PW-X3	720	MRS	RANGE EXTENDER
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE 29"/27.5"	DRIVE UNIT	BATTERY CAPACITY (WH)		Yamaha OPTIONAL

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 720Wh
Ladegerät / Charger	Fast Charger 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox 35 Gold RL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe select, air
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync 2, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	TRP Slate T4, aluminium
Bremse vorne / Brake front	TRP Slate T4, aluminium, 203mm
Bremse hinten / Brake rear	TRP Slate T4, aluminium, 203mm
Reifen vorne / Tyres front	Continental Kryptotal- F, 60-622

Reifen hinten / Tyres rear	Continental Kryptotal- R, 65-584
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Felgen hinten / Rims rear	WTB ST i35 TCS, double-walled rim
Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Speichen / Spokes	Sapim Race, black
Lenker / Handlebar	Haibike Components TheBar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem +++, Bar bore: 31.8mm
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Fahrradtyp / Bicycle type	MTB All Mountain

## ALLMTN 2



S	45600430	pebble / black / red - matt
M	45600440	pebble / black / red - matt
L	45600450	pebble / black / red - matt
XL	45600460	pebble / black / red - matt





# ALLMTN 2 / G2



GLOSSY



NEBULAR ROYAL BLUE



ELECTRIC BLUE



METALLIC CARAMEL STREET



AL	160/160	MIXED	YAMAHA PW-X3	720	MRS	RANGE EXTENDER
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE 29"/27.5"	DRIVE UNIT	BATTERY CAPACITY (WH)		Yamaha OPTIONAL

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 720Wh
Ladegerät / Charger	Fast Charger 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox 35 Gold RL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe select, air
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync 2, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	TRP Slate T4, aluminium
Bremse vorne / Brake front	TRP Slate T4, aluminium, 203mm
Bremse hinten / Brake rear	TRP Slate T4, aluminium, 203mm
Reifen vorne / Tyres front	Continental Kryptotal- F, 60-622

Reifen hinten / Tyres rear	Continental Kryptotal- R, 65-584
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Felgen hinten / Rims rear	WTB ST i35 TCS, double-walled rim
Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Speichen / Spokes	Sapim Race, black
Lenker / Handlebar	Haibike Components TheBar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem +++, Bar bore: 31.8mm
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Fahrradtyp / Bicycle type	MTB All Mountain

## ALLMTN 2



S	45604430	blue / cyan / caramel - gloss
M	45604440	blue / cyan / caramel - gloss
L	45604450	blue / cyan / caramel - gloss
XL	45604460	blue / cyan / caramel - gloss

TREKKINGS TREKING ADVENTRES ALLTRACK ALLTRAIL LYKE ALLMTN HYBE NDURO





# *LYKE*

***THE FREEDOM OF LIGHT. LYKE NO OTHER.***

GAME CHANGING AGILITY AND LIGHTWEIGHT ePERFORMANCE.  
THE LYKE OFFERS A NATURAL, PLAYFUL RIDE, OPTIMIZED FOR  
THOSE WITH AN ACTIVE RIDING STYLE.



## LYKE CF SE



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



# LYKE CF SE



GLOSSY



BLUE UD CARBON



BRONZE



BLUE CARBON METALLIC



CF	140/140	29"	FAZUA RIDE60	430	RANGE EXTENDER
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)	Fazua OPTIONAL

Motor	Fazua Ride60, 250W, 60Nm, 25km/h
Display	Fazua Straight bar Ring control
Akku / Battery	Fazua Energy InTube 430Wh
Ladegerät / Charger	Fazua 3A
Rahmen / Frame	carbon, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	FOX 36 Float Factory, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	FOX Float X Factory, air
Schaltwerk / Rear derailleur	Shimano XTR M9100, 12-speed
Schalthebel / Shift lever	Shimano XTR M9100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano XT M8100, 10-51 teeth
Kette / Chain	Shimano XT M8100
Kettenblatt / Chainring	aluminium, Rotor CNC, 32
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano XTR M9120, adjustable grip width, aluminium

Bremse vorne / Brake front	Shimano XTR M9120, 203mm
Bremse hinten / Brake rear	Shimano XTR M9120, 180mm
Reifen vorne / Tyres front	Maxxis Dissector MaxTerra EX0, 62-622
Reifen hinten / Tyres rear	Maxxis Dissector MaxTerra EX0+, 62-622
Laufnradatz / Wheel set	Mavic E- Crossmax XL R Carbon
Lenker / Handlebar	Raceface Next Carbon 760mm
Griffe / Grips	Raceface Half Nelson
Vorbau / Stem	Raceface Turbine SL, A-head, Bar bore: 35mm
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	fi'zi:k Terra Aidon X1-145 Carbon
Sattelstütze / Seat post	FOX Transfer FACTORY, telescope, 31.6mm
Pedale / Pedals	XLC Freeridepedal Aluminium CNC
Zul. Gesamtgewicht / Permitted total weight	120kg
Fahrradtyp / Bicycle type	MTB All Mountain

## LYKE CF SE



S	45808330	navy / bronze - gloss
M	45808340	navy / bronze - gloss
L	45808350	navy / bronze - gloss
XL	45808360	navy / bronze - gloss

TREKKINGS TREKKING ADVENTRES ALLTRACK ALLTRAIL LYKE ALLMTN HYBE NDURO



**LYKE CF 11 / C1**



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



# LYKE CF 11 / C1



GLOSSY

NEW



UD CARBON



METALLIC SAND



NEBULAR LIME



LIGHT CHROME



<b>CF</b>	<b>140/140</b>	<b>29"</b>	<b>FAZUA RIDE60</b>	<b>430</b>	<b>RANGE EXTENDER</b>
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)	Fazua OPTIONAL

Motor	Fazua Ride60, 250W, 60Nm, 25km/h
Display	Fazua Straight bar Ring control
Akku / Battery	Fazua Energy InTube 430Wh
Ladegerät / Charger	Fazua 3A
Rahmen / Frame	carbon, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	FOX 36 Float Performance, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	FOX Float Performance DPS EVOL, air
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed
Schalthebel / Shift lever	Shimano Deore XT M8100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano M7100, 10-51 teeth
Kette / Chain	Shimano SLX M7100
Kettenblatt / Chainring	aluminium, Rotor CNC, 32
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano Deore XT M8100, aluminium

Bremse vorne / Brake front	Shimano Deore XT M8120, 203mm
Bremse hinten / Brake rear	Shimano Deore XT M8120, 180mm
Reifen vorne / Tyres front	Maxxis Dissector MaxxTerra EX0, 62-622
Reifen hinten / Tyres rear	Maxxis Dissector MaxTerra EX0+, 62-622
Laufnrad / Wheel set	Mavic E- Crossmax XL S
Lenker / Handlebar	XLC FlowBy 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	XLC FlowBy, A-head, Bar bore: 31.8mm
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Selle Italia Model X
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Fahrradtyp / Bicycle type	MTB All Mountain

## LYKE CF 11



S	45804330	carbon / sand / lime - gloss
M	45804340	carbon / sand / lime - gloss
L	45804350	carbon / sand / lime - gloss
XL	45804360	carbon / sand / lime - gloss



**LYKE CF 11 / C2**



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.





# LYKE CF 11 / C2



MATTE



NEON RED

NEW



METALLIC TUSCAN



NEBULAR ROYAL BLUE



<b>CF</b>	<b>140/140</b>	<b>29"</b>	<b>FAZUA RIDE60</b>	<b>430</b>	<b>RANGE EXTENDER</b>
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)	Fazua OPTIONAL

Motor	Fazua Ride60, 250W, 60Nm, 25km/h
Display	Fazua Straight bar Ring control
Akku / Battery	Fazua Energy InTube 430Wh
Ladegerät / Charger	Fazua 3A
Rahmen / Frame	carbon, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	FOX 36 Float Performance, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	FOX Float Performance DPS EVOL, air
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed
Schalthebel / Shift lever	Shimano Deore XT M8100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano M7100, 10-51 teeth
Kette / Chain	Shimano SLX M7100
Kettenblatt / Chainring	aluminium, Rotor CNC, 32
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano Deore XT M8100, aluminium

Bremse vorne / Brake front	Shimano Deore XT M8120, 203mm
Bremse hinten / Brake rear	Shimano Deore XT M8120, 180mm
Reifen vorne / Tyres front	Maxxis Dissector MaxTerra EX0+, 62-622
Reifen hinten / Tyres rear	Maxxis Dissector MaxTerra EX0, 62-622
Laufnrad / Wheel set	Mavic E- Crossmax XL S
Lenker / Handlebar	XLC FlowBy 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	XLC FlowBy, A-head, Bar bore: 31.8mm
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Selle Italia Model X
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Fahrradtyp / Bicycle type	MTB All Mountain

## LYKE CF 11



S	45812430	royal / red / tuscan - matt
M	45812440	royal / red / tuscan - matt
L	45812450	royal / red / tuscan - matt
XL	45812460	royal / red / tuscan - matt



# LYKE CF 10



GLOSSY

NEW



NEON ORANGE



WARM GREY

NEW



LEATHER



BLACK INK




<b>CF</b> FRAME MATERIAL	<b>140/140</b> TRAVEL (mm) FRONT/REAR	<b>29"</b> WHEEL SIZE	<b>FAZUA RIDE60</b> DRIVE UNIT	<b>430</b> BATTERY CAPACITY (WH)	<b>RANGE EXTENDER</b> Fazua OPTIONAL
Motor	Fazua Ride60, 250W, 60Nm, 25km/h	Reifen vorne / Tyres front	Schwalbe Wicked Will Evo Super Ground, 62-622	Reifen hinten / Tyres rear	Schwalbe Wicked Will Evo Super Trail, 62-622
Display	Fazua Straight bar Ring control	Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim	Felgen hinten / Rims rear	WTB ST i30 TCS, double-walled rim
Akku / Battery	Fazua Energy InTube 430Wh	Vorderradnabe / Front wheel hub	Alunabe	Hinterradnabe / Rear wheel hub	Alunabe
Ladegerät / Charger	Fazua 3A	Speichen / Spokes	Sapim Race, black	Lenker / Handlebar	XLC FlowBy 780mm
Rahmen / Frame	carbon, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Griffe / Grips	Haibike MTB grips	Vorbau / Stem	XLC FlowBy, A-head, Bar bore: 31.8mm
Gabel / Fork	RockShox Lyrik Select, air/oil, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Steuersatz / Headset	Acros BlockLock	Sattel / Saddle	Selle Italia Model X
Dämpfer / Damper	RockShox Deluxe Select Plus, air	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 31.6mm, aluminium	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Schaltwerk / Rear derailleur	Sram NX Eagle, 12-speed	Zul. Gesamtgewicht / Permitted total weight	120kg	Fahrradtyp / Bicycle type	MTB All Mountain
Schalthebel / Shift lever	Sram SX Eagle, trigger switch				
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth				
Kette / Chain	Sram SX Eagle				
Kettenblatt / Chainring	aluminium, Rotor CNC, 32				
Kettenführung / Chain guide	Nylon directmount				
Bremshebel / Brake lever	Shimano Deore M6100, aluminium				
Bremse vorne / Brake front	Shimano Deore M6120, aluminium, 203mm				
Bremse hinten / Brake rear	Shimano Deore M6120, aluminium, 180mm				

## LYKE CF 10



S	45800330	leather / orange - gloss
M	45800340	leather / orange - gloss
L	45800350	leather / orange - gloss
XL	45800360	leather / orange - gloss







# *ALLTRAIL*

## ***THERE ARE NO LIMITS TO YOUR TRAIL ADVENTURES***

RELIABLE eMTBS FOR LONG RIDES AND COMFORTABLE OFF-ROAD ePERFORMANCE, AVAILABLE IN A RANGE OF DIFFERENT WHEEL, BATTERY AND MOTOR SIZE MODELS.

GEOMETRY TABLES PAGE 142



## ALLTRAIL 10



ZUR FARB- UND GRAFISCHVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES. SEE SIDE SHOT FOR CORRECT SPEC.



# ALLTRAIL 10



GLOSSY

NEW



PEBBLE GREY



BLACK INK



AL	140/140 150/150	29" 27.5"	BOSCH PERF. CX SMART SYSTEM	750	MRS	150
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)		PER. TOTAL WEIGHT (KG)

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h
Display	Bosch Kiox 300 + LED Remote
Akku / Battery	Bosch PowerTube 750Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox 35 Gold RL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost 27.5"; RockShox 35 Gold RL, air, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air, 150mm
Schaltwerk / Rear derailleur	Sram GX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync 2, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm

Reifen vorne / Tyres front	Schwalbe Magic Mary Evo TLE, 65-622 27.5"; Schwalbe Magic Mary Evo TLE, 65-584
Reifen hinten / Tyres rear	Schwalbe Hans Dampf Evo TLE, 65-622 27.5"; Schwalbe Hans Dampf Evo TLE, 65-584
Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium
Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Alunabe
Hinterradnabe / Rear wheel hub	Alunabe
Speichen / Spokes	Sapim Race, black
Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Alu, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	150kg
Fahrradtyp / Bicycle type	MTB Cross Country & Marathon

## ALLTRAIL 10 29



M	45424340	pebble grey / black - gloss
L	45424350	pebble grey / black - gloss
XL	45424360	pebble grey / black - gloss

## ALLTRAIL 10 27.5



S	45324330	pebble grey / black - gloss
M	45324340	pebble grey / black - gloss
L	45324350	pebble grey / black - gloss

TREKKINGS TREKING ADVENTRS ALLTRACK ALLTRAIL LYKE ALLMTN HYBE NDURO



**ALLTRAIL 9**



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.





# ALLTRAIL 9



MATTE



NEBULAR LIME



BLACK INK



TITAN



AL	140/140	MIXED	YAMAHA PW-X3	720	MRS	RANGE EXTENDER	150
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE 29"/27.5"	DRIVE UNIT	BATTERY CAPACITY (WH)		Yamaha OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 720Wh
Ladegerät / Charger	Fast Charger 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox 35 Gold RL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe select plus, air
Schaltwerk / Rear derailleur	Sram NX Eagle, 12-speed
Schalthebel / Shift lever	Sram NX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync 2, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Magura MT5 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT5, 203mm
Bremse hinten / Brake rear	Magura MT5, 203mm

Reifen vorne / Tyres front	Schwalbe Magic Mary Evo TLE, 65-622
Reifen hinten / Tyres rear	Schwalbe Hans Dampf Evo TLE, 65-584
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Felgen hinten / Rims rear	WTB ST i35 TCS, double-walled rim
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Race, black
Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	150kg
Fahrradtyp / Bicycle type	MTB All Mountain

## ALLTRAIL 9



S	45212430	titan / lime / black - matt
M	45212440	titan / lime / black - matt
L	45212450	titan / lime / black - matt
XL	45212460	titan / lime / black - matt



## ALLTRAIL 8



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



# ALLTRAIL 8



GLOSSY

NEW



METALLIC TUSCAN



NEON RED



AL	140/140 150/150	29" 27.5"	BOSCH PERF. CX SMART SYSTEM	625	MRS	150
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)		PER. TOTAL WEIGHT (KG)

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h
Display	Bosch Kiox 300 + LED Remote
Akku / Battery	Bosch PowerTube 625Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox 35 Gold RL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost 27.5"; RockShox 35 Gold RL, air, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air, 150mm
Schaltwerk / Rear derailleur	Shimano SLX M7100, 12-speed
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth
Kette / Chain	Shimano M6100
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm

Reifen vorne / Tyres front	Schwalbe Nobby Nic Performance, 62-622 27.5"; Schwalbe Nobby Nic Performance, 65-584
Reifen hinten / Tyres rear	Schwalbe Nobby Nic Performance, 62-622 27.5"; Schwalbe Nobby Nic Performance, 65-584
Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium
Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT410-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Alu, A-head
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	150kg
Fahrradtyp / Bicycle type	MTB Cross Country & Marathon

## ALLTRAIL 8 29



M	45420340	tuscan / neon red - gloss
L	45420350	tuscan / neon red - gloss
XL	45420360	tuscan / neon red - gloss

## ALLTRAIL 8 27.5



S	45320330	tuscan / neon red - gloss
M	45320340	tuscan / neon red - gloss
L	45320350	tuscan / neon red - gloss



**ALLTRAIL 7 / C1**



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



# ALLTRAIL 7 / G1



GLOSSY



PLATINUM CHROME



BLACK INK



AL	140	MIXED	YAMAHA PW-S2	720	MRS	RANGE EXTENDER	150
FRAME MATERIAL	TRAVEL (mm) FRONT	WHEEL SIZE 29"/27.5"	DRIVE UNIT	BATTERY CAPACITY (WH)		Yamaha OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 720Wh
Ladegerät / Charger	Fast Charger 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox 35 Gold RL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe select plus, air
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync 2, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	TRP Slate T4, aluminium
Bremse vorne / Brake front	TRP Slate T4, aluminium, 203mm
Bremse hinten / Brake rear	TRP Slate T4, aluminium, 203mm
Reifen vorne / Tyres front	Schwalbe Nobby Nic Evo Super Ground, 62-622

Reifen hinten / Tyres rear	Schwalbe Nobby Nic Evo, 65-584
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Felgen hinten / Rims rear	WTB ST i35 TCS, double-walled rim
Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Speichen / Spokes	Sapim Race, black
Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Alu, A-head
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	150kg
Fahrradtyp / Bicycle type	MTB All Mountain

## ALLTRAIL 7



S	45204430	platinum / black - gloss
M	45204440	platinum / black - gloss
L	45204450	platinum / black - gloss
XL	45204460	platinum / black - gloss

TREKKINGS TREKING ADVENTRFS ALLTRACK ALLTRAIL LYKE ALLMTN HYBE NDURO



**ALLTRAIL 7 | C2**



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



# ALLTRAIL 7 / G2



GLOSSY

NEW



COPPER METALLIC



BLACK INK



AL	140	MIXED	YAMAHA PW-S2	720	MRS	RANGE EXTENDER	150
FRAME MATERIAL	TRAVEL (mm) FRONT	WHEEL SIZE 29"/27.5"	DRIVE UNIT	BATTERY CAPACITY (WH)		Yamaha OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 720Wh
Ladegerät / Charger	Fast Charger 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox 35 Gold RL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe select plus, air
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync 2, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	TRP Slate T4, aluminium
Bremse vorne / Brake front	TRP Slate T4, aluminium, 203mm
Bremse hinten / Brake rear	TRP Slate T4, aluminium, 203mm
Reifen vorne / Tyres front	Schwalbe Nobby Nic Evo Super Ground, 62-622

Reifen hinten / Tyres rear	Schwalbe Nobby Nic Evo, 65-584
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Felgen hinten / Rims rear	WTB ST i35 TCS, double-walled rim
Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Speichen / Spokes	Sapim Race, black
Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Alu, A-head
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	150kg
Fahrradtyp / Bicycle type	MTB All Mountain

## ALLTRAIL 7



S	45208430	copper / black - gloss
M	45208440	copper / black - gloss
L	45208450	copper / black - gloss
XL	45208460	copper / black - gloss

TREKKINGS TREKING ADVENTRS ALLTRACK ALLTRAIL LYKE ALLMTN HYBE NDURO



# ALLTRAIL 5



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.





# ALLTRAIL 5



GLOSSY

NEW



OCEAN



BLACK INK



DARK CHROME



AL	140	MIXED	YAMAHA PW-S2	720	MRS	RANGE EXTENDER	150
FRAME MATERIAL	TRAVEL (mm) FRONT	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)		Yamaha OPTIONAL	PER. TOTAL WEIGHT (KG)
		29"/27.5"					

Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 720Wh
Ladegerät / Charger	Fast Charger 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox 35 Silver, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe select plus, air
Schaltwerk / Rear derailleur	Sram NX, 11-speed
Schalthebel / Shift lever	Sram NX, trigger switch
Zahnkranz (hinten) / Sprocket	Sram PG1130, 11-42 teeth
Kette / Chain	Sram NX
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	TRP Slate T4, aluminium
Bremse vorne / Brake front	TRP Slate T4, aluminium, 203mm
Bremse hinten / Brake rear	TRP Slate T4, aluminium, 203mm
Reifen vorne / Tyres front	Schwalbe Nobby Nic Performance, 62-622

Reifen hinten / Tyres rear	Schwalbe Nobby Nic Performance, 65-584
Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium
Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Speichen / Spokes	Sapim Race, black
Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Alu, A-head
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Dropper-Post Remote, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	150kg
Fahrradtyp / Bicycle type	MTB All Mountain

## ALLTRAIL 5



S	45200430	ocean / blk / chrome - gloss
M	45200440	ocean / blk / chrome - gloss
L	45200450	ocean / blk / chrome - gloss
XL	45200460	ocean / blk / chrome - gloss



# ALLTRAIL 3 / G1



MATTE



STEALTH BLACK



TITAN



AL	140	MIXED	YAMAHA PW-S2	720	MRS	RANGE EXTENDER	150
FRAME MATERIAL	TRAVEL (mm) FRONT	WHEEL SIZE 29"/27.5"	DRIVE UNIT	BATTERY CAPACITY (WH)		Yamaha OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 720Wh
Ladegerät / Charger	Fast Charger 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCR34 Air LO-R Boost, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe select plus, air
Schaltwerk / Rear derailleur	Shimano Deore M5120, 10-speed
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano M4100, 11-46 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm

Reifen vorne / Tyres front	Schwalbe Nobby Nic Performance, 60-622
Reifen hinten / Tyres rear	Schwalbe Nobby Nic Performance, 65-584
Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium
Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Race, black
Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Alu, A-head
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	150kg
Fahrradtyp / Bicycle type	MTB Cross Country & Marathon

## ALLTRAIL 3



S	45300330	black / titan - matt
M	45300340	black / titan - matt
L	45300350	black / titan - matt
XL	45300360	black / titan - matt



# ALLTRAIL 3 / C2



GLOSSY



LIGHT WARM GREY



\* NEON YELLOW



AL	140	MIXED	YAMAHA PW-S2	720	MRS	RANGE EXTENDER	150
FRAME MATERIAL	TRAVEL (mm) FRONT	WHEEL SIZE 29"/27.5"	DRIVE UNIT	BATTERY CAPACITY (WH)		Yamaha OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 720Wh
Ladegerät / Charger	Fast Charger 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCR34 Air LO-R Boost, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe select plus, air
Schaltwerk / Rear derailleur	Shimano Deore M5120, 10-speed
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano M4100, 11-46 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm

Reifen vorne / Tyres front	Schwalbe Nobby Nic Performance, 60-622
Reifen hinten / Tyres rear	Schwalbe Nobby Nic Performance, 65-584
Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium
Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Race, black
Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Alu, A-head
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, 31.6mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	150kg
Fahrradtyp / Bicycle type	MTB Cross Country & Marathon

## ALLTRAIL 3



S	45304330	grey / neon yellow - gloss
M	45304340	grey / neon yellow - gloss
L	45304350	grey / neon yellow - gloss
XL	45304360	grey / neon yellow - gloss





# *ALLTRACK*

***FUN ON THE ROAD AND IN LIGHT TERRAIN***

OUR HARDTAIL eMTBS ARE THE IDEAL COMPANION FOR THE STREET AND LIGHT OFF-ROAD RIDING.





# ALLTRACK 9



MATTE



SILVER



BLACK INK



AL	120	29" 27.5"	BOSCH PERF. CX SMART SYSTEM	750	MRS
FRAME MATERIAL	TRAVEL (mm) FRONT	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)	

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h
Display	Bosch LED Remote
Akku / Battery	Bosch PowerTube 750Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox 35 Silver, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync 2, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Tektro Orion M745, aluminium
Bremse vorne / Brake front	Tektro Orion M745, 203mm
Bremse hinten / Brake rear	Tektro Orion M745, 180mm
Reifen vorne / Tyres front	Schwalbe Nobby Nic Performance, 65-622 27.5": Schwalbe Nobby Nic Performance, 65-584

Reifen hinten / Tyres rear	Schwalbe Nobby Nic Performance, 65-622 27.5": Schwalbe Nobby Nic Performance, 65-584
Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium
Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 7°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	XLC MTB
Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Fahrradtyp / Bicycle type	MTB Hardtail

## ALLTRACK 9 29



M	45001844	matt / gloss / silver / blk
L	45001848	matt / gloss / silver / blk
XL	45001852	matt / gloss / silver / blk

## ALLTRACK 9 27.5



S	45001241	matt / gloss / silver / blk
---	----------	-----------------------------



# ALLTRACK 8.5



GLOSS

NEW



COPPER METALLIC



BLACK INK



RED



AL	120	29" 27.5"	BOSCH PERF. CX SMART SYSTEM	750	MRS
FRAME MATERIAL	TRAVEL (mm) FRONT	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)	

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Reifen hinten / Tyres rear	Schwalbe Nobby Nic Performance, 65-622 27.5": Schwalbe Nobby Nic Performance, 65-584
Display	Bosch Intuvia	Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Akku / Battery	Bosch PowerTube 750Wh	Felgen hinten / Rims rear	WTB ST i30 TCS, double-walled rim
Ladegerät / Charger	Bosch Standard Charger 4A	Vorderradnabe / Front wheel hub	Shimano MT400-B
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Hinterradnabe / Rear wheel hub	Shimano MT410-B
Gabel / Fork	RockShox 35 Silver, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Speichen / Spokes	Sapim Leader, black
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed	Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Schalthebel / Shift lever	Sram SX Eagle, trigger switch	Griffe / Grips	MTB Griffe
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth	Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Kette / Chain	Sram SX Eagle	Steuersatz / Headset	Acros BlockLock
Kettenblatt / Chainring	aluminium, Sram X-Sync II, 36	Sattel / Saddle	Selle Royal Vivo Unitech
Bremshebel / Brake lever	Shimano M4100, aluminium	Sattelstütze / Seat post	patent, 34.9mm, aluminium
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremse hinten / Brake rear	Shimano MT420, aluminium, 180mm	Zul. Gesamtgewicht / Permitted total weight	120kg
Reifen vorne / Tyres front	Schwalbe Nobby Nic Performance, 65-622 27.5": Schwalbe Nobby Nic Performance, 65-584	Fahrradtyp / Bicycle type	MTB Hardtail

## ALLTRACK 8.5 29



M	45116440	copper / black / red - gloss
L	45116450	copper / black / red - gloss
XL	45116460	copper / black / red - gloss

## ALLTRACK 8.5 27.5



S	45016430	copper / black / red - gloss
M	45016440	copper / black / red - gloss



## **ALLTRACK 7 / C1**



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.





# ALLTRACK 7 / C1



GLOSSY



URBAN GREY



WHITE



AL	130	29" 27.5"	YAMAHA PW-X3	720	MRS	150
FRAME MATERIAL	TRAVEL (mm) FRONT	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)		PER. TOTAL WEIGHT (KG)

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 720Wh
Ladegerät / Charger	Fast Charger 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox 35 Silver TK, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano Deore M6100, 12-speed
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth
Kette / Chain	Shimano M6100
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm
Bremse hinten / Brake rear	Shimano MT420, aluminium, 180mm
Reifen vorne / Tyres front	Schwalbe Nobby Nic Performance, 65-622 27.5": Schwalbe Nobby Nic Performance, 65-584

Reifen hinten / Tyres rear	Schwalbe Nobby Nic Performance, 65-622 27.5": Schwalbe Nobby Nic Performance, 65-584
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Felgen hinten / Rims rear	WTB ST i30 TCS, double-walled rim
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT410-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Griffe / Grips	XLC MTB grips
Vorbau / Stem	Alu, A-head
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Selle Royal Vivo Unitech
Sattelstütze / Seat post	patent, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	150kg
Fahrradtyp / Bicycle type	MTB Hardtail

## ALLTRACK 7 29



M	45108440	urban grey / white - gloss
L	45108450	urban grey / white - gloss
XL	45108460	urban grey / white - gloss

## ALLTRACK 7 27.5



S	45008430	urban grey / white - gloss
M	45008440	urban grey / white - gloss



**ALLTRACK 7 / C2**



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



# ALLTRACK 7 / G2



MATTE

NEW



LAVENDER



BLACK INK



AL	130	29" 27.5"	YAMAHA PW-X3	720	MRS	150
FRAME MATERIAL	TRAVEL (mm) FRONT	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)		PER. TOTAL WEIGHT (KG)

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 720Wh
Ladegerät / Charger	Fast Charger 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox 35 Silver TK, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano Deore M6100, 12-speed
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth
Kette / Chain	Shimano M6100
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm
Bremse hinten / Brake rear	Shimano MT420, aluminium, 180mm
Reifen vorne / Tyres front	Schwalbe Nobby Nic Performance, 65-622 27.5": Schwalbe Nobby Nic Performance, 65-584

Reifen hinten / Tyres rear	Schwalbe Nobby Nic Performance, 65-622 27.5": Schwalbe Nobby Nic Performance, 65-584
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Felgen hinten / Rims rear	WTB ST i30 TCS, double-walled rim
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT410-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Griffe / Grips	XLC MTB grips
Vorbau / Stem	Alu, A-head
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Selle Royal Vivo Unitech
Sattelstütze / Seat post	patent, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	150kg
Fahrradtyp / Bicycle type	MTB Hardtail

## ALLTRACK 7 29



M	45112440	lavender / black - matt
L	45112450	lavender / black - matt
XL	45112460	lavender / black - matt

## ALLTRACK 7 27.5



S	45012430	lavender / black - matt
M	45012440	lavender / black - matt

TREKKINGS TREKING ADVENTRS ALLTRACK ALLTRAIL LYKE ALLMTN HYBE NDURO



**ALLTRACK 6 / C1**



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



# ALLTRACK 6 / G1



GLOSSY

NEW



OCEAN



BLACK INK



ORANGE



AL	120	29" 27.5"	YAMAHA PW-S2	720	MRS
FRAME MATERIAL	TRAVEL (mm) FRONT	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)	

Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h	Reifen hinten / Tyres rear	Schwalbe Nobby Nic Performance, 65-622 27.5": Schwalbe Nobby Nic Performance, 65-584
Display	Yamaha Side Switch	Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium
Akku / Battery	InTube 720Wh	Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Ladegerät / Charger	Fast Charger 4A	Vorderradnabe / Front wheel hub	Haibike Alu Nabe
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Hinterradnabe / Rear wheel hub	Haibike Alu Nabe
Gabel / Fork	SR Suntour XCM34 NLO DS, steel spring/oil, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Speichen / Spokes	Sapim Leader, black
Schaltwerk / Rear derailleur	Sram NX, 11-speed	Lenker / Handlebar	XLC 720mm
Schalthebel / Shift lever	Sram NX, trigger switch	Griffe / Grips	XLC MTB grips
Zahnkranz (hinten) / Sprocket	Sram PG1130, 11-42 teeth	Vorbau / Stem	XLC A-Head, A-head, Bar bore: 31.8mm
Kette / Chain	Sram NX	Steuersatz / Headset	Acros BlockLock
Kettenblatt / Chainring	steel, 38	Sattel / Saddle	Selle Royal Vivo Unitech
Bremshebel / Brake lever	Shimano MT401, aluminium	Sattelstütze / Seat post	patent, 34.9mm, aluminium
Bremse vorne / Brake front	Shimano MT410, aluminium, 180mm	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremse hinten / Brake rear	Shimano MT410, aluminium, 180mm	Zul. Gesamtgewicht / Permitted total weight	120kg
Reifen vorne / Tyres front	Schwalbe Nobby Nic Performance, 65-622 27.5": Schwalbe Nobby Nic Performance, 65-584	Fahrradtyp / Bicycle type	MTB Hardtail

## ALLTRACK 6 29



M	45104440	ocean / orange / black - gloss
L	45104450	ocean / orange / black - gloss
XL	45104460	ocean / orange / black - gloss

## ALLTRACK 6 27.5



S	45004430	ocean / orange / black - gloss
M	45004440	ocean / orange / black - gloss



# ALLTRACK 6 / G2



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



# ALLTRACK 6 / G2



GLOSSY

NEW



PAPAYA METALLIC



TITAN



AL	120	29" 27.5"	YAMAHA PW-S2	720	MRS
FRAME MATERIAL	TRAVEL (mm) FRONT	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)	

Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h	Reifen hinten / Tyres rear	Schwalbe Nobby Nic Performance, 65-622 27.5"; Schwalbe Nobby Nic Performance, 65-584
Display	Yamaha Side Switch	Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium
Akku / Battery	InTube 720Wh	Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Ladegerät / Charger	Fast Charger 4A	Vorderradnabe / Front wheel hub	Haibike Alu Nabe
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Hinterradnabe / Rear wheel hub	Haibike Alu Nabe
Gabel / Fork	SR Suntour XCM34 NLO DS, steel spring/oil, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Speichen / Spokes	Sapim Leader, black
Schaltwerk / Rear derailleur	Sram NX, 11-speed	Lenker / Handlebar	XLC 720mm
Schalthebel / Shift lever	Sram NX, trigger switch	Griffe / Grips	XLC MTB grips
Zahnkranz (hinten) / Sprocket	Sram PG1130, 11-42 teeth	Vorbau / Stem	XLC A-Head, A-head, Bar bore: 31.8mm
Kette / Chain	Sram NX	Steuersatz / Headset	Acros BlockLock
Kettenblatt / Chainring	steel, 38	Sattel / Saddle	Selle Royal Vivo Unitech
Bremshebel / Brake lever	Shimano MT401, aluminium	Sattelstütze / Seat post	patent, 34.9mm, aluminium
Bremse vorne / Brake front	Shimano MT410, aluminium, 180mm	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremse hinten / Brake rear	Shimano MT410, aluminium, 180mm	Zul. Gesamtgewicht / Permitted total weight	120kg
Reifen vorne / Tyres front	Schwalbe Nobby Nic Performance, 65-622 27.5"; Schwalbe Nobby Nic Performance, 65-584	Fahrradtyp / Bicycle type	MTB Hardtail

## ALLTRACK 6 29



M	45100440	papaya / titan - gloss
L	45100450	papaya / titan - gloss
XL	45100460	papaya / titan - gloss

## ALLTRACK 6 27.5



S	45000430	papaya / titan - gloss
M	45000440	papaya / titan - gloss



# ALLTRACK 5



GLOSSY



ANTHRACITE



MET. SLATE BLUE



AL	120	29" 27.5"	YAMAHA PW-S2	720	MRS	RANGE EXTENDER
FRAME MATERIAL	TRAVEL (mm) FRONT	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)		Yamaha OPTIONAL

Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 720Wh
Ladegerät / Charger	Fast Charger 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCM32 Boost DS, steel spring/oil, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Schaltwerk / Rear derailleur	Shimano Deore M4120, 10-speed
Schalthebel / Shift lever	Shimano Deore M4100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano M4100, 11-46 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Shimano MT201, aluminium
Bremse vorne / Brake front	Shimano MT200, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT200, aluminium, 180mm
Reifen vorne / Tyres front	Schwalbe Nobby Nic Performance, 65-622 27.5": Schwalbe Nobby Nic Performance, 65-584

Reifen hinten / Tyres rear	Schwalbe Nobby Nic Performance, 65-622 27.5": Schwalbe Nobby Nic Performance, 65-584
Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium
Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	XLC 720mm
Griffe / Grips	XLC MTB grips
Vorbau / Stem	XLC A-Head, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	XLC MTB
Sattelstütze / Seat post	patent, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	120kg
Fahrradtyp / Bicycle type	MTB Hardtail

## ALLTRACK 5 29



M	45204340	anthracite / slate - gloss
L	45204350	anthracite / slate - gloss
XL	45204360	anthracite / slate - gloss

## ALLTRACK 5 27.5



S	45104330	anthracite / slate - gloss
M	45104340	anthracite / slate - gloss





# ALLTRACK 4



GLOSSY



COOL BLUE



LEATHER



AL	120	29" 27.5"	BOSCH PERF. LINE SMART SYSTEM	500
FRAME MATERIAL	TRAVEL (mm) FRONT	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)

Motor	Bosch Performance Line Smart System, 250W, 75Nm, 25km/h	Reifen hinten / Tyres rear	WTB Ranger Comp, 55-622 27.5": WTB Ranger Comp, 55-584
Display	Bosch LED Remote	Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium
Akku / Battery	Bosch PowerTube 500Wh	Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium
Ladegerät / Charger	Bosch Standard Charger 4A	Vorderradnabe / Front wheel hub	Alunabe
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Hinterradnabe / Rear wheel hub	Alunabe
Gabel / Fork	SR Suntour XCM32 Boost DS, steel spring/oil, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Speichen / Spokes	Sapim Leader, black
Schaltwerk / Rear derailleur	Shimano Alivio M3100, 9-speed	Lenker / Handlebar	XLC 720mm
Schalthebel / Shift lever	Shimano Alivio M3100, trigger switch	Griffe / Grips	XLC MTB grips
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-36 teeth	Vorbau / Stem	XLC A-Head, A-head, Bar bore: 31.8mm
Kette / Chain	KMC e9S	Steuersatz / Headset	A-Head Tapered
Kettenblatt / Chainring	steel, 38	Sattel / Saddle	XLC MTB
Bremshebel / Brake lever	Alhonga HT472, aluminium	Sattelstütze / Seat post	XLC, patent, 31.6mm, aluminium
Bremse vorne / Brake front	Alhonga HT472, aluminium, 180mm	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremse hinten / Brake rear	Alhonga HT472, aluminium, 180mm	Zul. Gesamtgewicht / Permitted total weight	120kg
Reifen vorne / Tyres front	WTB Ranger Comp, 55-622 27.5": WTB Ranger Comp, 55-584	Fahrradtyp / Bicycle type	MTB Hardtail

## ALLTRACK 4 29



M	45200340	cool blue / leather - gloss
L	45200350	cool blue / leather - gloss
XL	45200360	cool blue / leather - gloss

## ALLTRACK 4 27.5



S	45100330	cool blue / leather - gloss
M	45100340	cool blue / leather - gloss

TREKKINGS TREKING ADVENTRS ALLTRACK ALLTRAIL LYKE ALLMTN HYBE NDURO



# ALLTRACK



MATTE



OLIVE



ORANGE RED




<b>AL</b> FRAME MATERIAL	<b>120</b> TRAVEL (mm) FRONT	<b>27.5"</b> WHEEL SIZE	<b>BOSCH PERF. LINE SMART SYSTEM</b> DRIVE UNIT	<b>500</b> BATTERY CAPACITY (WH)
-----------------------------	---------------------------------	----------------------------	--	-------------------------------------

Motor	Bosch Performance Line Smart System, 250W, 75Nm, 25km/h	Reifen hinten / Tyres rear	WTB Ranger Comp, 55-584
Display	Bosch LED Remote	Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium
Akku / Battery	Bosch PowerTube 500Wh	Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium
Ladegerät / Charger	Bosch compact charger 2A	Vorderradnabe / Front wheel hub	Alunabe
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Hinterradnabe / Rear wheel hub	Alunabe
Gabel / Fork	SR Suntour XCM32 Boost DS, steel spring/oil, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Speichen / Spokes	Sapim Leader, black
Schaltwerk / Rear derailleur	Shimano Alivio M3100, 9-speed	Lenker / Handlebar	XLC 720mm
Schalthebel / Shift lever	Shimano Alivio M3100, trigger switch	Griffe / Grips	XLC MTB grips
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-36 teeth	Vorbau / Stem	XLC A-Head, A-head, Bar bore: 31.8mm
Kette / Chain	KMC X9	Steuersatz / Headset	A-Head Tapered
Kettenblatt / Chainring	aluminium, 34	Sattel / Saddle	XLC MTB
Bremshebel / Brake lever	Alhonga HT472, aluminium	Sattelstütze / Seat post	XLC, patent, 31.6mm, aluminium
Bremse vorne / Brake front	Alhonga HT472, aluminium, 180mm	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Bremse hinten / Brake rear	Alhonga HT472, aluminium, 180mm	Zul. Gesamtgewicht / Permitted total weight	120kg
Reifen vorne / Tyres front	WTB Ranger Comp, 55-584	Fahrradtyp / Bicycle type	bikes for kids and teenagers

## ALLTRACK



S 45000330 olive / orange - matt








# *ADVENT*

***RIDING TO WORK OR HEADING OUT ON YOUR NEXT ADVENTURE***

FULL TRAVEL, PRACTICAL eMTBS FOR A RANGE OF OUTDOOR EXPERIENCES, FULLY EQUIPPED FOR DAILY AND WEEKEND ADVENTURES WITH A MAXIMUM OF POWER AND COMFORT.



# ADVENTR SE



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



# ADVENTR SE



GLOSSY



NEBULAR PURPLE

NEW



COGNAC



AL	140/140	29"	YAMAHA PW-X3	720	MRS	RANGE EXTENDER	150
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)		Yamaha OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 720Wh
Ladegerät / Charger	Fast Charger 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	FOX 34 Float AWL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	FOX Float DPS Performance EVOL LV Trunnion, air
Schaltwerk / Rear derailleur	Sram GX Eagle, 12-speed
Schalthebel / Shift lever	Sram GX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1230, 11-50 teeth
Kette / Chain	Sram NX Eagle
Kettenblatt / Chainring	Sram X-Sync 2, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Magura MT5 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT5, 203mm
Bremse hinten / Brake rear	Magura MT5, 203mm
Reifen vorne / Tyres front	Schwalbe Johnny Watts Performance, 60-622

Reifen hinten / Tyres rear	Schwalbe Johnny Watts Performance, 60-622
Laufbandsatz / Wheel set	DT Swiss HU 1900
Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Griffe / Grips	Ergogriffe
Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Prologo Proxim W400
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Scheinwerfer / Headlight	LiteMove AE-130, 130 lux
Rücklicht / Rear light	AXA Juno Ebike
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	EasyLife Lowrider Gepäckträger Adventr FS
Schutzbleche / Fenders	Curana Apollo 75, aluminium
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	150kg
Fahrradtyp / Bicycle type	City, Trekking, Cross

## ADVENTR SE



S	45508430	purple / cognac - gloss
M	45508440	purple / cognac - gloss
L	45508450	purple / cognac - gloss
XL	45508460	purple / cognac - gloss



# ADVENTR FS 11



GLOSSY



NEBULAR MIDNIGHT  
BLUE



LIGHT COPPER



AL	140/140	27.5"	BOSCH PERF. CX SMART SYSTEM	750	MRS	150
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)		PER. TOTAL WEIGHT (KG)

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Felgen hinten / Rims rear	WTB ST 130 TCS, double-walled rim
Display	Bosch Kiox 300 + LED Remote	Vorderradnabe / Front wheel hub	Shimano MT400-B
Akku / Battery	Bosch PowerTube 750Wh	Hinterradnabe / Rear wheel hub	Shimano MT410-B
Ladegerät / Charger	Bosch Standard Charger 4A	Speichen / Spokes	Sapim Race, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Gabel / Fork	RockShox 35 Gold RL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost	Griffe / Grips	XLC Sport bo2 screw grips
Dämpfer / Damper	RockShox Deluxe Select, air	Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed	Steuersatz / Headset	A-Head Tapered
Schalthebel / Shift lever	Shimano Deore SLX M7100	Sattel / Saddle	Selle Royal Vivo
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth	Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Kette / Chain	Shimano M6100	Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Kettenblatt / Chainring	Sram X-Sync 2, 38	Scheinwerfer / Headlight	LiteMove AE-130, 130 lux
Bremshebel / Brake lever	Shimano MT401, aluminium	Rücklicht / Rear light	AXA Juno Ebike
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm	Dynamo / Dynamo	via system battery
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm	Gepäckträger / Carrier	system carrier, XLC Carrymore
Reifen vorne / Tyres front	Schwalbe Johnny Watts, 60-584, reflex	Schutzbleche / Fenders	Curana Apollo 75, aluminium
Reifen hinten / Tyres rear	Schwalbe Johnny Watts, 60-584, reflex	Ständer / Stand	Ursus Mooi, adjustable
Felgen vorne / Rims front	WTB ST 130 TCS, double-walled rim	Zul. Gesamtgewicht / Permitted total weight	150kg
		Fahrradtyp / Bicycle type	City, Trekking, Cross

## ADVENTR FS 11



M	45604340	midnight / copper - gloss
L	45604350	midnight / copper - gloss
XL	45604360	midnight / copper - gloss





# ADVENTR 9



MATTE



SILVER



DARK BLUE



AL	140/140	29"	YAMAHA PW-S2	720	MRS	RANGE EXTENDER	150
FRAME MATERIAL	TRAVEL (mm) FRONT/REAR	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)		Yamaha OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 720Wh
Ladegerät / Charger	Fast Charger 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox 35 Gold RL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe select, air
Schaltwerk / Rear derailleur	Sram NX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync 2, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Magura MT5 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT5, 203mm
Bremse hinten / Brake rear	Magura MT5, 203mm
Reifen vorne / Tyres front	Continental Ruban Reflex, 58-622, reflex
Reifen hinten / Tyres rear	Continental Ruban Reflex, 58-622, reflex
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim

Felgen hinten / Rims rear	WTB ST i30 TCS, double-walled rim
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Race, black
Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Griffe / Grips	Ergogriffe
Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Scheinwerfer / Headlight	Herrmans H-Black MR8 E, 50 lux
Rücklicht / Rear light	AXA Juno Ebike
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Easylife Systemgepäckträger Adventr FS, MIK
Schutzbleche / Fenders	Curana Apollo 75, aluminium
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	150kg
Fahrradtyp / Bicycle type	City, Trekking, Cross

## ADVENTR 9



S	45504430	silver / dark blue - matt
M	45504440	silver / dark blue - matt
L	45504450	silver / dark blue - matt
XL	45504460	silver / dark blue - matt

TREKKINGS TREKING ADVENTR FS ALLTRACK ALLTRAIL LYKE ALLEMTN HYBE NDURO



## ADVENTR 8



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



# ADVENTR 8



MATTE

NEW



COGNAC



OLIVE



AL	140	27.5"	YAMAHA PW-S2	720	RANGE EXTENDER	150
FRAME MATERIAL	TRAVEL (mm) FRONT	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)	Yamaha OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 720Wh
Ladegerät / Charger	Fast Charger 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCR34 Air LO-R Boost, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe select plus, air
Schaltwerk / Rear derailleur	Sram NX, 11-speed
Schalthebel / Shift lever	Sram NX, trigger switch
Zahnkranz (hinten) / Sprocket	Sram PG1130, 11-42 teeth
Kette / Chain	Sram NX
Kettenblatt / Chainring	steel, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Tektro Orion M745, aluminium
Bremse vorne / Brake front	Tektro Orion M745, 203mm
Bremse hinten / Brake rear	Tektro Orion M745, 180mm
Reifen vorne / Tyres front	Continental Ruban Reflex, 58-584, reflex
Reifen hinten / Tyres rear	Continental Ruban Reflex, 58-584, reflex
Felgen vorne / Rims front	Ryde 30, aluminium

Felgen hinten / Rims rear	Ryde 30, aluminium
Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Griffe / Grips	Ergogriffe
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 7°
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Dropper-Post Remote, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Scheinwerfer / Headlight	Herrmans H-Black MR8 E, 50 lux
Rücklicht / Rear light	AXA Juno Ebike
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Easylife Systemgepäckträger Adventr FS, MIK
Schutzbleche / Fenders	Curana Apollo 75, aluminium
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	150kg
Fahrradtyp / Bicycle type	City, Trekking, Cross

## ADVENTR 8



S	45500430	cognac / olive - matt
M	45500440	cognac / olive - matt
L	45500450	cognac / olive - matt
XL	45500460	cognac / olive - matt

TREKKINGS TREKING ADVENTR FS ALLTRACK ALLTRAIL LYKE ALLEMTN HYBE NDURO





# *TREKKING*

## ***OUTDOORS IS ANYWHERE***

HARDTAIL TREKKING MODELS FOR PRACTICAL EVERY DAY USE. A RELAXED BIKE RIDE TO WORK, OFF SHOPPING IN TOWN, A RIDE THROUGH THE WOODS AFTER WORK OR A TOUR THAT SPANS SEVERAL DAYS, NO MATTER THE JOURNEY, OUR eTREKKING BIKES ARE READY FOR ANY ADVENTURE.



# TREKKING 11 HIGH



GLOSSY

NEU



METALLIC TUSCAN



NEON RED



AL FRAME MATERIAL	100 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	BOSCH PERF. CX SMART SYSTEM DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS
-------------------------	-----------------------------	---------------------	---	---------------------------------	-----

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Display	Bosch Kiox 300 + LED Remote	Vorderradnabe / Front wheel hub	Alunabe
Akku / Battery	Bosch PowerTube 750Wh	Hinterradnabe / Rear wheel hub	Alunabe
Ladegerät / Charger	Bosch Standard Charger 4A	Speichen / Spokes	Sapim Leader, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Gabel / Fork	RockShox Recon RL Remote Lockout, air, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle	Griffe / Grips	Ergogriffe
Schaltwerk / Rear derailleur	Sram GX Eagle, 12-speed	Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12°
Schalthebel / Shift lever	Sram SX Eagle, trigger switch	Steuersatz / Headset	A-Head Tapered
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth	Sattel / Saddle	Haibike Components TheSaddle
Kette / Chain	Sram SX Eagle	Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 34.9mm, aluminium
Kettenblatt / Chainring	steel, 40	Pedale / Pedals	VP E461 aluminium, mit Reflektor
Bremshebel / Brake lever	Shimano Deore M6100, aluminium	Scheinwerfer / Headlight	Haibike Skybeamer 300, 100 lux
Bremse vorne / Brake front	Shimano Deore M6120, aluminium, 203mm	Rücklicht / Rear light	AXA Juno Ebike
Bremse hinten / Brake rear	Shimano Deore M6120, aluminium, 180mm	Dynamo / Dynamo	via system battery
Reifen vorne / Tyres front	Schwalbe Johnny Watts, 60-584, reflex	Gepäckträger / Carrier	StandWell system carrier, XLC Carrymore
Reifen hinten / Tyres rear	Schwalbe Johnny Watts, 60-584, reflex	Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium	Ständer / Stand	Ursus Mooi, adjustable
		Zul. Gesamtgewicht / Permitted total weight	130kg
		Fahrradtyp / Bicycle type	City, Trekking, Cross

## TREKKING 11 HIGH



S	45568330	tuscan / neon red - gloss
M	45568340	tuscan / neon red - gloss
L	45568350	tuscan / neon red - gloss
XL	45568360	tuscan / neon red - gloss



# TREKKING 11 LOW



GLOSSY

NEW



METALLIC TUSCAN



NEON RED



AL FRAME MATERIAL	100 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	BOSCH PERF. CX SMART SYSTEM DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS
-------------------------	-----------------------------	---------------------	---	---------------------------------	-----

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Display	Bosch Kiox 300 + LED Remote	Vorderradnabe / Front wheel hub	Alunabe
Akku / Battery	Bosch PowerTube 750Wh	Hinterradnabe / Rear wheel hub	Alunabe
Ladegerät / Charger	Bosch Standard Charger 4A	Speichen / Spokes	Sapim Leader, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Gabel / Fork	RockShox Recon RL Remote Lockout, air, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle	Griffe / Grips	Ergogriffe
Schaltwerk / Rear derailleur	Sram GX Eagle, 12-speed	Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12°
Schalthebel / Shift lever	Sram SX Eagle, trigger switch	Steuersatz / Headset	A-Head Tapered
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth	Sattel / Saddle	Haibike Components TheSaddle
Kette / Chain	Sram SX Eagle	Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 34.9mm, aluminium
Kettenblatt / Chainring	steel, 40	Pedale / Pedals	VP E461 aluminium, mit Reflektor
Bremshebel / Brake lever	Shimano Deore M6100, aluminium	Scheinwerfer / Headlight	Haibike Skybeamer 300, 100 lux
Bremse vorne / Brake front	Shimano Deore M6120, aluminium, 203mm	Rücklicht / Rear light	AXA Juno Ebike
Bremse hinten / Brake rear	Shimano Deore M6120, aluminium, 180mm	Dynamo / Dynamo	via system battery
Reifen vorne / Tyres front	Schwalbe Johnny Watts, 60-584, reflex	Gepäckträger / Carrier	StandWell system carrier, XLC Carrymore
Reifen hinten / Tyres rear	Schwalbe Johnny Watts, 60-584, reflex	Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium	Ständer / Stand	Ursus Mooi, adjustable
		Zul. Gesamtgewicht / Permitted total weight	130kg
		Fahrradtyp / Bicycle type	City, Trekking, Cross

## TREKKING 11 LOW



S	45572330	tuscan / neon red - gloss
M	45572340	tuscan / neon red - gloss
L	45572350	tuscan / neon red - gloss



# TREKKING 8 HIGH / C1



GLOSSY



ICED COFFEE



NEON RED



SPACE BLUE



AL FRAME MATERIAL	100 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	BOSCH PERF. CX SMART SYSTEM DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS
-------------------------	-----------------------------	---------------------	---	---------------------------------	-----

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium
Display	Bosch Kiox 300 + LED Remote	Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Akku / Battery	Bosch PowerTube 750Wh	Vorderradnabe / Front wheel hub	Shimano MT400-B
Ladegerät / Charger	Bosch Standard Charger 4A	Hinterradnabe / Rear wheel hub	Shimano MT400-B
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Speichen / Spokes	Sapim Leader, black
Gabel / Fork	SR Suntour Mobie 25 LOR Lockout, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle	Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Schaltwerk / Rear derailleur	Shimano Cues U6000, 11-speed	Griffe / Grips	Ergogriffe
Schalthebel / Shift lever	Shimano Cues U6000, rapidfire	Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12°
Zahnkranz (hinten) / Sprocket	Shimano Cues LG400, 11-50 teeth	Steuersatz / Headset	A-Head Tapered
Kette / Chain	Shimano Cues LG500	Sattel / Saddle	XLC Trekking
Kettenblatt / Chainring	steel, 38	Sattelstütze / Seat post	patent, 34.9mm, aluminium
Kettenführung / Chain guide	Nylon directmount	Pedale / Pedals	VP E461 aluminium, mit Reflektor
Bremshebel / Brake lever	Shimano MT402, aluminium	Scheinwerfer / Headlight	Lezyne Ebike Mini
Bremse vorne / Brake front	Shimano MT410, aluminium, 180mm	Rücklicht / Rear light	AXA Juno Ebike
Bremse hinten / Brake rear	Shimano MT410, aluminium, 180mm	Dynamo / Dynamo	via system battery
Reifen vorne / Tyres front	Schwalbe Al Grounder Performance, 60-584, reflex	Gepäckträger / Carrier	StandWell system carrier, XLC Carrymore
Reifen hinten / Tyres rear	Schwalbe Al Grounder Performance, 60-584, reflex	Schutzbleche / Fenders	SKS, chromoplastics
		Ständer / Stand	Ursus Mooi, adjustable
		Zul. Gesamtgewicht / Permitted total weight	130kg
		Fahrradtyp / Bicycle type	City, Trekking, Cross

## TREKKING 8 HIGH



S	45432430	coffee / red / blue - gloss
M	45432440	coffee / red / blue - gloss
L	45432450	coffee / red / blue - gloss
XL	45432460	coffee / red / blue - gloss





# TREKKING 8 LOW / C1



GLOSSY



ICED COFFEE



NEON RED



SPACE BLUE



AL FRAME MATERIAL	100 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	BOSCH PERF. CX SMART SYSTEM DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS
-------------------------	-----------------------------	---------------------	---	---------------------------------	-----

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium
Display	Bosch Kiox 300 + LED Remote	Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Akku / Battery	Bosch PowerTube 750Wh	Vorderradnabe / Front wheel hub	Shimano MT400-B
Ladegerät / Charger	Bosch Standard Charger 4A	Hinterradnabe / Rear wheel hub	Shimano MT400-B
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Speichen / Spokes	Sapim Leader, black
Gabel / Fork	SR Suntour Mobie 25 LOR Lockout, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle	Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Schaltwerk / Rear derailleur	Shimano Cues U6000, 11-speed	Griffe / Grips	Ergogriffe
Schalthebel / Shift lever	Shimano Cues U6000, rapidfire	Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12°
Zahnkranz (hinten) / Sprocket	Shimano Cues LG400, 11-50 teeth	Steuersatz / Headset	A-Head Tapered
Kette / Chain	Shimano Cues LG500	Sattel / Saddle	XLC Trekking
Kettenblatt / Chainring	steel, 38	Sattelstütze / Seat post	patent, 34.9mm, aluminium
Kettenführung / Chain guide	Nylon directmount	Pedale / Pedals	VP E461 aluminium, mit Reflektor
Bremshebel / Brake lever	Shimano MT402, aluminium	Scheinwerfer / Headlight	Lezyne Ebike Mini
Bremse vorne / Brake front	Shimano MT410, aluminium, 180mm	Rücklicht / Rear light	AXA Juno Ebike
Bremse hinten / Brake rear	Shimano MT410, aluminium, 180mm	Dynamo / Dynamo	via system battery
Reifen vorne / Tyres front	Schwalbe Al Grounder Performance, 60-584, reflex	Gepäckträger / Carrier	StandWell system carrier, XLC Carrymore
Reifen hinten / Tyres rear	Schwalbe Al Grounder Performance, 60-584, reflex	Schutzbleche / Fenders	SKS, chromoplastics
		Ständer / Stand	Ursus Mooi, adjustable
		Zul. Gesamtgewicht / Permitted total weight	130kg
		Fahrradtyp / Bicycle type	City, Trekking, Cross

## TREKKING 8 LOW



S	45436430	coffee / red / blue - gloss
M	45436440	coffee / red / blue - gloss
L	45436450	coffee / red / blue - gloss

TREKKINGS TREKKING ADVENTRFS ALLTRACK ALLTRAIL LYKE ALLMTN HYBE NDURO



# TREKKING 8 HIGH / C2



GLOSSY



METALLIC LAVA



SPARKLING YELLOW



BLACK INK



AL FRAME MATERIAL	100 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	BOSCH PERF. CX SMART SYSTEM DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS
-------------------------	-----------------------------	---------------------	---	---------------------------------	-----

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Display	Bosch Kiox 300 + LED Remote	Vorderradnabe / Front wheel hub	Shimano MT400-B
Akku / Battery	Bosch PowerTube 750Wh	Hinterradnabe / Rear wheel hub	Shimano MT400-B
Ladegerät / Charger	Bosch Standard Charger 4A	Speichen / Spokes	Sapim Leader, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Gabel / Fork	SR Suntour Mobie 25 LOR Lockout, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle	Griffe / Grips	Ergogriffe
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed	Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12°
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch	Steuersatz / Headset	A-Head Tapered
Zahnkranz (hinten) / Sprocket	Shimano Cues LG400, 11-50 teeth	Sattel / Saddle	Haibike Components TheSaddle
Kette / Chain	KMC e11S	Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 34.9mm, aluminium
Kettenblatt / Chainring	steel, 38	Pedale / Pedals	VP E461 aluminium, mit Reflektor
Bremshebel / Brake lever	Shimano MT402, aluminium	Scheinwerfer / Headlight	Haibike Skybeamer 300, 100 lux
Bremse vorne / Brake front	Shimano MT410, aluminium, 180mm	Rücklicht / Rear light	AXA Juno Ebike
Bremse hinten / Brake rear	Shimano MT410, aluminium, 180mm	Dynamo / Dynamo	via system battery
Reifen vorne / Tyres front	Schwalbe Al Grounder Performance, 60-584, reflex	Gepäckträger / Carrier	StandWell system carrier, XLC Carrymore
Reifen hinten / Tyres rear	Schwalbe Al Grounder Performance, 60-584, reflex	Schutzbleche / Fenders	SKS, chromoplastics
Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium	Ständer / Stand	Ursus Mooi, adjustable
		Zul. Gesamtgewicht / Permitted total weight	130kg
		Fahrradtyp / Bicycle type	City, Trekking, Cross

## TREKKING 8 HIGH



S	45552330	metal lava / yellow - gloss
M	45552340	metal lava / yellow - gloss
L	45552350	metal lava / yellow - gloss
XL	45552360	metal lava / yellow - gloss



# TREKKING 8 LOW / G2



GLOSSY



METALLIC LAVA



SPARKLING YELLOW



BLACK INK



AL FRAME MATERIAL	100 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	BOSCH PERF. CX SMART SYSTEM DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS
-------------------------	-----------------------------	---------------------	---	---------------------------------	-----

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Felgen hinten / Rims rear	Rodi Tryp 30, eyed, double-walled rim, aluminium
Display	Bosch Kiox 300 + LED Remote	Vorderradnabe / Front wheel hub	Shimano MT400-B
Akku / Battery	Bosch PowerTube 750Wh	Hinterradnabe / Rear wheel hub	Shimano MT400-B
Ladegerät / Charger	Bosch Standard Charger 4A	Speichen / Spokes	Sapim Leader, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	Haibike Components TheBar ++ 740mm
Gabel / Fork	SR Suntour Mobie 25 LOR Lockout, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle	Griffe / Grips	Ergogriffe
Schaltwerk / Rear derailleur	Shimano Deore M5100, 11-speed	Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12°
Schalthebel / Shift lever	Shimano Deore M5100, trigger switch	Steuersatz / Headset	A-Head Tapered
Zahnkranz (hinten) / Sprocket	Shimano Cues LG400, 11-50 teeth	Sattel / Saddle	Haibike Components TheSaddle
Kette / Chain	KMC e11S	Sattelstütze / Seat post	Haibike Components TheSeatpost ++, patent, 34.9mm, aluminium
Kettenblatt / Chainring	steel, 38	Pedale / Pedals	VP E461 aluminium, mit Reflektor
Bremshebel / Brake lever	Shimano MT402, aluminium	Scheinwerfer / Headlight	Haibike Skybeamer 300, 100 lux
Bremse vorne / Brake front	Shimano MT410, aluminium, 180mm	Rücklicht / Rear light	AXA Juno Ebike
Bremse hinten / Brake rear	Shimano MT410, aluminium, 180mm	Dynamo / Dynamo	via system battery
Reifen vorne / Tyres front	Schwalbe Al Grounder Performance, 60-584, reflex	Gepäckträger / Carrier	StandWell system carrier, XLC Carrymore
Reifen hinten / Tyres rear	Schwalbe Al Grounder Performance, 60-584, reflex	Schutzbleche / Fenders	SKS, chromoplastics
Felgen vorne / Rims front	Rodi Tryp 30, eyed, double-walled rim, aluminium	Ständer / Stand	Ursus Mooi, adjustable
		Zul. Gesamtgewicht / Permitted total weight	130kg
		Fahrradtyp / Bicycle type	City, Trekking, Cross

## TREKKING 8 LOW



S	45556330	metal lava / yellow - gloss
M	45556340	metal lava / yellow - gloss
L	45556350	metal lava / yellow - gloss



# TREKKING 7.5 HIGH



GLOSSY



BLUE SLATE



\* YELLOW NEON



AL FRAME MATERIAL	100 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	YAMAHA PW-X3 DRIVE UNIT	720 BATTERY CAPACITY (WH)	MRS
Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h		Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium	
Display	Yamaha Side Switch		Vorderradnabe / Front wheel hub	Shimano MT400-B	
Akku / Battery	InTube 720Wh		Hinterradnabe / Rear wheel hub	Shimano MT410-B	
Ladegerät / Charger	Fast Charger 4A		Speichen / Spokes	Sapim Leader, black	
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount		Lenker / Handlebar	Ergoriser, oversize 720mm	
Gabel / Fork	RockShox Recon RL Remote Lockout, air, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle		Griffe / Grips	Ergogriffe	
Schaltwerk / Rear derailleur	Shimano M8100, 12-speed		Vorbau / Stem	XLC A-Head verstellbar, A-head, Bar bore: 31.8mm	
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch		Steuersatz / Headset	A-Head Tapered	
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth		Sattel / Saddle	Selle Royal Essenza	
Kette / Chain	Shimano M6100		Sattelstütze / Seat post	Dropper-Post Remote, 34.9mm, aluminium	
Kettenblatt / Chainring	steel, 38		Pedale / Pedals	VP E461 aluminium, mit Reflektor	
Kettenführung / Chain guide	Nylon directmount		Rücklicht / Rear light	Spanninga Aerline 2.0 Brake	
Bremshebel / Brake lever	Shimano MT401, aluminium		Dynamo / Dynamo	via system battery	
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm		Gepäckträger / Carrier	Easylife Systemgepäckträger, MIK	
Bremse hinten / Brake rear	Shimano MT420, aluminium, 180mm		Schutzbleche / Fenders	Curana Apollo 70, aluminium	
Reifen vorne / Tyres front	Schwalbe Johnny Watts, 60-584, reflex		Ständer / Stand	Ursus Mooi, adjustable	
Reifen hinten / Tyres rear	Schwalbe Johnny Watts, 60-584, reflex		Zul. Gesamtgewicht / Permitted total weight	130kg	
Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium		Fahrradtyp / Bicycle type	City, Trekking, Cross	

## TREKKING 7.5 HIGH



S	45424430	blue slate / yellow - gloss
M	45424440	blue slate / yellow - gloss
L	45424450	blue slate / yellow - gloss
XL	45424460	blue slate / yellow - gloss
XXL	45424470	blue slate / yellow - gloss



# TREKKING 7.5 LOW



GLOSSY



BLUE SLATE



\* YELLOW NEON



AL FRAME MATERIAL	100 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	YAMAHA PW-X3 DRIVE UNIT	720 BATTERY CAPACITY (WH)	MRS
Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h		Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium	
Display	Yamaha Side Switch		Vorderradnabe / Front wheel hub	Shimano MT400-B	
Akku / Battery	InTube 720Wh		Hinterradnabe / Rear wheel hub	Shimano MT410-B	
Ladegerät / Charger	Fast Charger 4A		Speichen / Spokes	Sapim Leader, black	
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount		Lenker / Handlebar	Ergoriser, oversize 720mm	
Gabel / Fork	RockShox Recon RL Remote Lockout, air, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle		Griffe / Grips	Ergogriffe	
Schaltwerk / Rear derailleur	Shimano M8100, 12-speed		Vorbau / Stem	XLC A-Head verstellbar, A-head, Bar bore: 31.8mm	
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch		Steuersatz / Headset	A-Head Tapered	
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth		Sattel / Saddle	Selle Royal Essenza	
Kette / Chain	Shimano M6100		Sattelstütze / Seat post	Dropper-Post Remote, 34.9mm, aluminium	
Kettenblatt / Chainring	steel, 38		Pedale / Pedals	VP E461 aluminium, mit Reflektor	
Kettenführung / Chain guide	Nylon directmount		Rücklicht / Rear light	Spanninga Aerline 2.0 Brake	
Bremshebel / Brake lever	Shimano MT401, aluminium		Dynamo / Dynamo	via system battery	
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm		Gepäckträger / Carrier	Easylife Systemgepäckträger, MIK	
Bremse hinten / Brake rear	Shimano MT420, aluminium, 180mm		Schutzbleche / Fenders	Curana Apollo 70, aluminium	
Reifen vorne / Tyres front	Schwalbe Johnny Watts, 60-584, reflex		Ständer / Stand	Ursus Mooi, adjustable	
Reifen hinten / Tyres rear	Schwalbe Johnny Watts, 60-584, reflex		Zul. Gesamtgewicht / Permitted total weight	130kg	
Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium		Fahrradtyp / Bicycle type	City, Trekking, Cross	

## TREKKING 7.5 LOW



S	45428430	blue slate / yellow - gloss
M	45428440	blue slate / yellow - gloss
L	45428450	blue slate / yellow - gloss



# TREKKING 7 HIGH



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



# TREKKING 7 HIGH



GLOSSY



URBAN GREY



WHITE



AL FRAME MATERIAL	100 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	BOSCH PERF. CX SMART SYSTEM DRIVE UNIT	750 BATTERY CAPACITY (WH)	MRS
-------------------------	-----------------------------	---------------------	---	---------------------------------	-----

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium
Display	Bosch Intuvia	Vorderradnabe / Front wheel hub	Shimano MT400-B
Akku / Battery	Bosch PowerTube 750Wh	Hinterradnabe / Rear wheel hub	Shimano MT410-B
Ladegerät / Charger	Bosch Standard Charger 4A	Speichen / Spokes	Sapim Leader, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	Ergoriser, oversize 720mm
Gabel / Fork	SR Suntour XCR34 Air LO-R Boost Lockout, air, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost	Griffe / Grips	Ergogriffe
Schaltwerk / Rear derailleur	Sram NX, 11-speed	Vorbau / Stem	XLC A-Head verstellbar, A-head, Bar bore: 31.8mm
Schalthebel / Shift lever	Sram NX, trigger switch	Steuersatz / Headset	A-Head Tapered
Zahnkranz (hinten) / Sprocket	Sram PG1130, 11-42 teeth	Sattel / Saddle	Selle Royal Essenza
Kette / Chain	Sram NX	Sattelstütze / Seat post	Dropper-Post Remote, 34.9mm, aluminium
Kettenblatt / Chainring	steel, 38	Pedale / Pedals	VP E461 aluminium, mit Reflektor
Kettenführung / Chain guide	Nylon directmount	Scheinwerfer / Headlight	Herrmans H-Black MR4, 40 lux
Bremshebel / Brake lever	Shimano MT401, aluminium	Rücklicht / Rear light	Spanninga Aerline 2.0 Brake
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm	Dynamo / Dynamo	via system battery
Bremse hinten / Brake rear	Shimano MT420, aluminium, 180mm	Gepäckträger / Carrier	EasyLife Systemgepäckträger, MIK
Reifen vorne / Tyres front	Schwalbe Johnny Watts, 60-584, reflex	Schutzbleche / Fenders	Curana Apollo 70, aluminium
Reifen hinten / Tyres rear	Schwalbe Johnny Watts, 60-584, reflex	Ständer / Stand	Ursus Mooi, adjustable
Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium	Zul. Gesamtgewicht / Permitted total weight	120kg
		Fahrradtyp / Bicycle type	City, Trekking, Cross

## TREKKING 7 HIGH



S	45440430	urban grey / white - gloss
M	45440440	urban grey / white - gloss
L	45440450	urban grey / white - gloss
XL	45440460	urban grey / white - gloss
XXL	45440470	urban grey / white - gloss

TREKKINGS TREKKING ADVENTRS ALLTRACK ALLTRAIL LYKE ALLMTN HYBE NDURO



## **TREKKING 7 LOW**



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.





# TREKKING 7 LOW



GLOSSY



URBAN GREY



WHITE



<b>AL</b> FRAME MATERIAL	<b>100</b> TRAVEL (mm) FRONT	<b>27.5"</b> WHEEL SIZE	<b>BOSCH PERF. CX SMART SYSTEM</b> DRIVE UNIT	<b>750</b> BATTERY CAPACITY (WH)	<b>MRS</b>
-----------------------------	---------------------------------	----------------------------	--	-------------------------------------	------------

Motor	Bosch Performance CX Smart System, 250W, 85Nm, 25km/h	Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium
Display	Bosch Intuvia	Vorderradnabe / Front wheel hub	Shimano MT400-B
Akku / Battery	Bosch PowerTube 750Wh	Hinterradnabe / Rear wheel hub	Shimano MT410-B
Ladegerät / Charger	Bosch Standard Charger 4A	Speichen / Spokes	Sapim Leader, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	Ergoriser, oversize 720mm
Gabel / Fork	SR Suntour XCR34 Air LO-R Boost Lockout, air, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost	Griffe / Grips	Ergogriffe
Schaltwerk / Rear derailleur	Sram NX, 11-speed	Vorbau / Stem	XLC A-Head verstellbar, A-head, Bar bore: 31.8mm
Schalthebel / Shift lever	Sram NX, trigger switch	Steuersatz / Headset	A-Head Tapered
Zahnkranz (hinten) / Sprocket	Sram PG1130, 11-42 teeth	Sattel / Saddle	Selle Royal Essenza
Kette / Chain	Sram NX	Sattelstütze / Seat post	Dropper-Post Remote, 34.9mm, aluminium
Kettenblatt / Chainring	steel, 38	Pedale / Pedals	VP E461 aluminium, mit Reflektor
Kettenführung / Chain guide	Nylon directmount	Scheinwerfer / Headlight	Herrmans H-Black MR4, 40 lux
Bremshebel / Brake lever	Shimano MT401, aluminium	Rücklicht / Rear light	Spanninga Aerline 2.0 Brake
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm	Dynamo / Dynamo	via system battery
Bremse hinten / Brake rear	Shimano MT420, aluminium, 180mm	Gepäckträger / Carrier	EasyLife Systemgepäckträger, MIK
Reifen vorne / Tyres front	Schwalbe Johnny Watts, 60-584, reflex	Schutzbleche / Fenders	Curana Apollo 70, aluminium
Reifen hinten / Tyres rear	Schwalbe Johnny Watts, 60-584, reflex	Ständer / Stand	Ursus Mooi, adjustable
Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium	Zul. Gesamtgewicht / Permitted total weight	120kg
		Fahrradtyp / Bicycle type	City, Trekking, Cross

## TREKKING 7 LOW



S	45444430	urban grey / white - gloss
M	45444440	urban grey / white - gloss
L	45444450	urban grey / white - gloss

TREKKINGS TREKKING ADVENTRS ALLTRACK ALLTRAIL LYKE ALLMTN HYBE NDURO



## TREKKING 5 HIGH / C1



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



# TREKKING 5 HIGH / C1



GLOSSY



OLIVE



DYNAMITE RED



AL FRAME MATERIAL	100 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	YAMAHA PW-S2 DRIVE UNIT	720 BATTERY CAPACITY (WH)	MRS
Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h		Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium	
Display	Yamaha Side Switch		Vorderradnabe / Front wheel hub	Haibike Alu Nabe	
Akku / Battery	InTube 720Wh		Hinterradnabe / Rear wheel hub	Haibike Alu Nabe	
Ladegerät / Charger	Fast Charger 4A		Speichen / Spokes	Sapim Leader, black	
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount		Lenker / Handlebar	Ergoriser, oversize 720mm	
Gabel / Fork	SR Suntour Mobie 25 LOR Lockout, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle		Griffe / Grips	Ergogriffe	
Schaltwerk / Rear derailleur	Sram NX, 11-speed		Vorbau / Stem	XLC A-Head verstellbar, A-head, Bar bore: 31.8mm	
Schalthebel / Shift lever	Sram NX, trigger switch		Steuersatz / Headset	A-Head Tapered	
Zahnkranz (hinten) / Sprocket	Sram PG1130, 11-42 teeth		Sattel / Saddle	Selle Royal Essenza	
Kette / Chain	Sram NX		Sattelstütze / Seat post	patent, 34.9mm, aluminium	
Kettenblatt / Chainring	steel, 38		Pedale / Pedals	VP E461 aluminium, mit Reflektor	
Kettenführung / Chain guide	Nylon directmount		Scheinwerfer / Headlight	Herrmans H-Black MR4, 40 lux	
Bremshebel / Brake lever	Shimano MT402, aluminium		Rücklicht / Rear light	Spanninga Aerline 2.0 Brake	
Bremse vorne / Brake front	Shimano MT410, aluminium, 180mm		Dynamo / Dynamo	via system battery	
Bremse hinten / Brake rear	Shimano MT410, aluminium, 180mm		Schutzbleche / Fenders	Curana Apollo 70, aluminium	
Reifen vorne / Tyres front	Continental Ruban Reflex, 58-584, reflex		Ständer / Stand	Ursus Mooi, adjustable	
Reifen hinten / Tyres rear	Continental Ruban Reflex, 58-584, reflex		Zul. Gesamtgewicht / Permitted total weight	130kg	
Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium		Fahrradtyp / Bicycle type	City, Trekking, Cross	

## TREKKING 5 HIGH



S	45408430	olive / red - gloss
M	45408440	olive / red - gloss
L	45408450	olive / red - gloss
XL	45408460	olive / red - gloss
XXL	45408470	olive / red - gloss

TREKKINGS TREKKING ADVENTRS ALLTRACK ALLTRAIL LYKE ALLMTN HYBE NDURO



## **TREKKING 5 LOW / C1**



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION.  
FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



# TREKKING 5 LOW / C1



GLOSSY



OLIVE



DYNAMITE RED



<b>AL</b> FRAME MATERIAL	<b>100</b> TRAVEL (mm) FRONT	<b>27.5"</b> WHEEL SIZE	<b>YAMAHA PW-S2</b> DRIVE UNIT	<b>720</b> BATTERY CAPACITY (WH)	<b>MRS</b>
Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h		Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium	
Display	Yamaha Side Switch		Vorderradnabe / Front wheel hub	Haibike Alu Nabe	
Akku / Battery	InTube 720Wh		Hinterradnabe / Rear wheel hub	Haibike Alu Nabe	
Ladegerät / Charger	Fast Charger 4A		Speichen / Spokes	Sapim Leader, black	
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount		Lenker / Handlebar	Ergoriser, oversize 720mm	
Gabel / Fork	SR Suntour Mobie 25 LOR Lockout, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle		Griffe / Grips	Ergogriffe	
Schaltwerk / Rear derailleur	Sram NX, 11-speed		Vorbau / Stem	XLC A-Head verstellbar, A-head, Bar bore: 31.8mm	
Schalthebel / Shift lever	Sram NX, trigger switch		Steuersatz / Headset	A-Head Tapered	
Zahnkranz (hinten) / Sprocket	Sram PG1130, 11-42 teeth		Sattel / Saddle	Selle Royal Essenza	
Kette / Chain	Sram NX		Sattelstütze / Seat post	patent, 34.9mm, aluminium	
Kettenblatt / Chainring	steel, 38		Pedale / Pedals	VP E461 aluminium, mit Reflektor	
Kettenführung / Chain guide	Nylon directmount		Scheinwerfer / Headlight	Herrmans H-Black MR4, 40 lux	
Bremshebel / Brake lever	Shimano MT402, aluminium		Rücklicht / Rear light	Spanninga Aerline 2.0 Brake	
Bremse vorne / Brake front	Shimano MT410, aluminium, 180mm		Dynamo / Dynamo	via system battery	
Bremse hinten / Brake rear	Shimano MT410, aluminium, 180mm		Schutzbleche / Fenders	Curana Apollo 70, aluminium	
Reifen vorne / Tyres front	Continental Ruban Reflex, 58-584, reflex		Ständer / Stand	Ursus Mooi, adjustable	
Reifen hinten / Tyres rear	Continental Ruban Reflex, 58-584, reflex		Zul. Gesamtgewicht / Permitted total weight	130kg	
Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium		Fahrradtyp / Bicycle type	City, Trekking, Cross	

## TREKKING 5 LOW



S	45412430	olive / red - gloss
M	45412440	olive / red - gloss
L	45412450	olive / red - gloss



# TREKKING 5 HIGH / C2



GLOSSY



NEBULAR LIME



BLACK INK



<b>AL</b> FRAME MATERIAL	<b>100</b> TRAVEL (mm) FRONT	<b>27.5"</b> WHEEL SIZE	<b>YAMAHA PW-S2</b> DRIVE UNIT	<b>720</b> BATTERY CAPACITY (WH)	<b>MRS</b>
Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h		Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium	
Display	Yamaha Side Switch		Vorderradnabe / Front wheel hub	Haibike Alu Nabe	
Akku / Battery	InTube 720Wh		Hinterradnabe / Rear wheel hub	Haibike Alu Nabe	
Ladegerät / Charger	Fast Charger 4A		Speichen / Spokes	Sapim Leader, black	
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount		Lenker / Handlebar	Ergoriser, oversize 720mm	
Gabel / Fork	SR Suntour Mobie 25 LOR Lockout, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle		Griffe / Grips	Ergogriffe	
Schaltwerk / Rear derailleur	Sram NX, 11-speed		Vorbau / Stem	XLC A-Head verstellbar, A-head, Bar bore: 31.8mm	
Schalthebel / Shift lever	Sram NX, trigger switch		Steuersatz / Headset	A-Head Tapered	
Zahnkranz (hinten) / Sprocket	Sram PG1130, 11-42 teeth		Sattel / Saddle	Selle Royal Essenza	
Kette / Chain	Sram NX		Sattelstütze / Seat post	patent, 34.9mm, aluminium	
Kettenblatt / Chainring	steel, 38		Pedale / Pedals	VP E461 aluminium, mit Reflektor	
Kettenführung / Chain guide	Nylon directmount		Scheinwerfer / Headlight	Herrmans H-Black MR4, 40 lux	
Bremshebel / Brake lever	Shimano MT402, aluminium		Rücklicht / Rear light	Spanninga Aerline 2.0 Brake	
Bremse vorne / Brake front	Shimano MT410, aluminium, 180mm		Dynamo / Dynamo	via system battery	
Bremse hinten / Brake rear	Shimano MT410, aluminium, 180mm		Schutzbleche / Fenders	Curana Apollo 70, aluminium	
Reifen vorne / Tyres front	Continental Ruban Reflex, 58-584, reflex		Ständer / Stand	Ursus Mooi, adjustable	
Reifen hinten / Tyres rear	Continental Ruban Reflex, 58-584, reflex		Zul. Gesamtgewicht / Permitted total weight	130kg	
Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium		Fahrradtyp / Bicycle type	City, Trekking, Cross	

## TREKKING 5 HIGH



S	45416430	lime / black - gloss
M	45416440	lime / black - gloss
L	45416450	lime / black - gloss
XL	45416460	lime / black - gloss
XXL	45416470	lime / black - gloss



# TREKKING 5 LOW / C2



GLOSSY



NEBULAR LIME



BLACK INK



AL FRAME MATERIAL	100 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	YAMAHA PW-S2 DRIVE UNIT	720 BATTERY CAPACITY (WH)	MRS
Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h		Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium	
Display	Yamaha Side Switch		Vorderradnabe / Front wheel hub	Haibike Alu Nabe	
Akku / Battery	InTube 720Wh		Hinterradnabe / Rear wheel hub	Haibike Alu Nabe	
Ladegerät / Charger	Fast Charger 4A		Speichen / Spokes	Sapim Leader, black	
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount		Lenker / Handlebar	Ergoriser, oversize 720mm	
Gabel / Fork	SR Suntour Mobie 25 LOR Lockout, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle		Griffe / Grips	Ergogriffe	
Schaltwerk / Rear derailleur	Sram NX, 11-speed		Vorbau / Stem	XLC A-Head verstellbar, A-head, Bar bore: 31.8mm	
Schalthebel / Shift lever	Sram NX, trigger switch		Steuersatz / Headset	A-Head Tapered	
Zahnkranz (hinten) / Sprocket	Sram PG1130, 11-42 teeth		Sattel / Saddle	Selle Royal Essenza	
Kette / Chain	Sram NX		Sattelstütze / Seat post	patent, 34.9mm, aluminium	
Kettenblatt / Chainring	steel, 38		Pedale / Pedals	VP E461 aluminium, mit Reflektor	
Kettenführung / Chain guide	Nylon directmount		Scheinwerfer / Headlight	Herrmans H-Black MR4, 40 lux	
Bremshebel / Brake lever	Shimano MT402, aluminium		Rücklicht / Rear light	Spanninga Aerline 2.0 Brake	
Bremse vorne / Brake front	Shimano MT410, aluminium, 180mm		Dynamo / Dynamo	via system battery	
Bremse hinten / Brake rear	Shimano MT410, aluminium, 180mm		Schutzbleche / Fenders	Curana Apollo 70, aluminium	
Reifen vorne / Tyres front	Continental Ruban Reflex, 58-584, reflex		Ständer / Stand	Ursus Mooi, adjustable	
Reifen hinten / Tyres rear	Continental Ruban Reflex, 58-584, reflex		Zul. Gesamtgewicht / Permitted total weight	130kg	
Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium		Fahrradtyp / Bicycle type	City, Trekking, Cross	

## TREKKING 5 LOW



S	45420430	lime / black - gloss
M	45420440	lime / black - gloss
L	45420450	lime / black - gloss



# TREKKING 4 HIGH / C1



MATTE

NEW



DARK SILVER



SILVER PEARL



AL	100	27.5"	YAMAHA PW-S2	720	MRS	RANGE EXTENDER
FRAME MATERIAL	TRAVEL (mm) FRONT	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)		Yamaha OPTIONAL

Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 720Wh
Ladegerät / Charger	Yamaha quick charger 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCM32 ATB DS L0, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, quick release
Schaltwerk / Rear derailleur	Shimano Deore M4120, 10-speed
Schalthebel / Shift lever	Shimano Deore M4100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano M4100, 11-46 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Shimano MT201, aluminium
Bremse vorne / Brake front	Shimano MT200, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT200, aluminium, 180mm
Reifen vorne / Tyres front	Continental Ruban Reflex, 58-584, reflex
Reifen hinten / Tyres rear	Continental Ruban Reflex, 58-584, reflex
Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium

Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT200
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergoriser, oversize 720mm
Griffe / Grips	Ergogriffe
Vorbau / Stem	XLC A-Head verstellbar, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Essenza
Sattelstütze / Seat post	patent, 34.9mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Herrmans H-Black MR-GO, 30 lux
Rücklicht / Rear light	AXA Juno Ebike
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Systemgepäckträger MIK, MIK
Schutzbleche / Fenders	Curana Apollo 70, aluminium
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Fahrradtyp / Bicycle type	City, Trekking, Cross

## TREKKING 4 HIGH



S	45508330	dark silver / pearl - matt
M	45508340	dark silver / pearl - matt
L	45508350	dark silver / pearl - matt
XL	45508360	dark silver / pearl - matt
XXL	45508370	dark silver / pearl - matt





# TREKKING 4 LOW / C1



MATTE

NEW



DARK SILVER



SILVER PEARL



AL	100	27.5"	YAMAHA PW-S2	720	MRS	RANGE EXTENDER
FRAME MATERIAL	TRAVEL (mm) FRONT	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)		Yamaha OPTIONAL

Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 720Wh
Ladegerät / Charger	Yamaha quick charger 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour XCM32 ATB DS L0, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, quick release
Schaltwerk / Rear derailleur	Shimano Deore M4120, 10-speed
Schalthebel / Shift lever	Shimano Deore M4100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano M4100, 11-46 teeth
Kette / Chain	KMC e10S
Kettenblatt / Chainring	steel, 38
Bremshebel / Brake lever	Shimano MT201, aluminium
Bremse vorne / Brake front	Shimano MT200, aluminium, 180mm
Bremse hinten / Brake rear	Shimano MT200, aluminium, 180mm
Reifen vorne / Tyres front	Continental Ruban Reflex, 58-584, reflex
Reifen hinten / Tyres rear	Continental Ruban Reflex, 58-584, reflex
Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium

Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Shimano MT200
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Ergoriser, oversize 720mm
Griffe / Grips	Ergogriffe
Vorbau / Stem	XLC A-Head verstellbar, A-head, Bar bore: 31.8mm
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Essenza
Sattelstütze / Seat post	patent, 34.9mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Scheinwerfer / Headlight	Herrmans H-Black MR-G0, 30 lux
Rücklicht / Rear light	AXA Juno Ebike
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	Systemgepäckträger MIK, MIK
Schutzbleche / Fenders	Curana Apollo 70, aluminium
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	130kg
Fahrradtyp / Bicycle type	City, Trekking, Cross

## TREKKING 4 LOW



S	45512330	dark silver / pearl - matt
M	45512340	dark silver / pearl - matt
L	45512350	dark silver / pearl - matt



# TREKKING 4 HIGH / G2



GLOSSY

NEW



OCEAN



BLACK INK



DARK CHROME



AL FRAME MATERIAL	100 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	YAMAHA PW-S2 DRIVE UNIT	720 BATTERY CAPACITY (WH)	MRS
----------------------	--------------------------	---------------------	----------------------------	------------------------------	-----

Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h	Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium
Display	Yamaha Side Switch	Vorderradnabe / Front wheel hub	Shimano MT200
Akku / Battery	InTube 720Wh	Hinterradnabe / Rear wheel hub	Shimano MT400-B
Ladegerät / Charger	Yamaha quick charger 4A	Speichen / Spokes	Sapim Leader, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	Ergoriser, oversize 720mm
Gabel / Fork	SR Suntour XCM32 ATB DS L0, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, quick release	Griffe / Grips	Ergogriffe
Schaltwerk / Rear derailleur	Microshift Advent X RD-M, 10-speed	Vorbau / Stem	XLC A-Head verstellbar, A-head, Bar bore: 31.8mm
Schalthebel / Shift lever	Microshift Advent X SL-M9505-R, trigger switch	Steuersatz / Headset	A-Head Tapered
Zahnkranz (hinten) / Sprocket	Microshift Advent X HG104, 11-48 teeth	Sattel / Saddle	Selle Royal Essenza
Kette / Chain	KMC X11e	Sattelstütze / Seat post	patent, 34.9mm, aluminium
Kettenblatt / Chainring	steel, 38	Pedale / Pedals	VP E461 aluminium, mit Reflektor
Kettenführung / Chain guide	Nylon directmount	Scheinwerfer / Headlight	Herrmans H-Black MR-G0, 30 lux
Bremshebel / Brake lever	Shimano MT201, aluminium	Rücklicht / Rear light	AXA Juno Ebike
Bremse vorne / Brake front	Shimano MT200, aluminium, 180mm	Dynamo / Dynamo	via system battery
Bremse hinten / Brake rear	Shimano MT200, aluminium, 180mm	Schutzbleche / Fenders	Curana Apollo 70, aluminium
Reifen vorne / Tyres front	Continental Ruban Reflex, 58-584, reflex	Ständer / Stand	Ursus Mooi, adjustable
Reifen hinten / Tyres rear	Continental Ruban Reflex, 58-584, reflex	Zul. Gesamtgewicht / Permitted total weight	130kg
Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium	Fahrradtyp / Bicycle type	City, Trekking, Cross

## TREKKING 4 HIGH



S	45400430	ocean / blk / chrome - gloss
M	45400440	ocean / blk / chrome - gloss
L	45400450	ocean / blk / chrome - gloss
XL	45400460	ocean / blk / chrome - gloss
XXL	45400470	ocean / blk / chrome - gloss



# TREKKING 4 LOW / C2



GLOSSY

NEW



OCEAN



BLACK INK



DARK CHROME



AL FRAME MATERIAL	100 TRAVEL (mm) FRONT	27.5" WHEEL SIZE	YAMAHA PW-S2 DRIVE UNIT	720 BATTERY CAPACITY (WH)	MRS
Motor	Yamaha PW-S2, 250W, 75Nm, 25km/h		Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium	
Display	Yamaha Side Switch		Vorderradnabe / Front wheel hub	Shimano MT200	
Akku / Battery	InTube 720Wh		Hinterradnabe / Rear wheel hub	Shimano MT400-B	
Ladegerät / Charger	Yamaha quick charger 4A		Speichen / Spokes	Sapim Leader, black	
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount		Lenker / Handlebar	Ergoriser, oversize 720mm	
Gabel / Fork	SR Suntour XCM32 ATB DS L0, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, quick release		Griffe / Grips	Ergogriffe	
Schaltwerk / Rear derailleur	Microshift Advent X RD-M, 10-speed		Vorbau / Stem	XLC A-Head verstellbar, A-head, Bar bore: 31.8mm	
Schalthebel / Shift lever	Microshift Advent X SL-M9505-R, trigger switch		Steuersatz / Headset	A-Head Tapered	
Zahnkranz (hinten) / Sprocket	Microshift Advent X HG104, 11-48 teeth		Sattel / Saddle	Selle Royal Essenza	
Kette / Chain	KMC X11e		Sattelstütze / Seat post	patent, 34.9mm, aluminium	
Kettenblatt / Chainring	steel, 38		Pedale / Pedals	VP E461 aluminium, mit Reflektor	
Kettenführung / Chain guide	Nylon directmount		Scheinwerfer / Headlight	Herrmans H-Black MR-G0, 30 lux	
Bremshebel / Brake lever	Shimano MT201, aluminium		Rücklicht / Rear light	AXA Juno Ebike	
Bremse vorne / Brake front	Shimano MT200, aluminium, 180mm		Dynamo / Dynamo	via system battery	
Bremse hinten / Brake rear	Shimano MT200, aluminium, 180mm		Schutzbleche / Fenders	Curana Apollo 70, aluminium	
Reifen vorne / Tyres front	Continental Ruban Reflex, 58-584, reflex		Ständer / Stand	Ursus Mooi, adjustable	
Reifen hinten / Tyres rear	Continental Ruban Reflex, 58-584, reflex		Zul. Gesamtgewicht / Permitted total weight	130kg	
Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium		Fahrradtyp / Bicycle type	City, Trekking, Cross	

## TREKKING 4 LOW



S	45404430	ocean / blk / chrome - gloss
M	45404440	ocean / blk / chrome - gloss
L	45404450	ocean / blk / chrome - gloss



# TREKKING 3 HIGH



GLOSSY



LIGHT WARM GREY



BLACK INK



WHITE



<b>AL</b> FRAME MATERIAL	<b>65</b> TRAVEL (mm) FRONT	<b>27.5"</b> WHEEL SIZE	<b>BOSCH PERF. LINE SMART SYSTEM</b> DRIVE UNIT	<b>500</b> BATTERY CAPACITY (WH)
-----------------------------	--------------------------------	----------------------------	--	-------------------------------------

Motor	Bosch Performance Line Smart System, 250W, 75Nm, 25km/h	Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium
Display	Bosch Intuvia 100 + LED Remote	Vorderradnabe / Front wheel hub	Haibike TheHub ++
Akku / Battery	Bosch PowerTube 500Wh	Hinterradnabe / Rear wheel hub	Haibike TheHub ++
Ladegerät / Charger	Bosch Standard Charger 4A	Speichen / Spokes	Sapim Leader, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	XLC 720mm
Gabel / Fork	SR Suntour XCM ATB HLO, steel spring, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost	Griffe / Grips	Ergogriffe
Schaltwerk / Rear derailleur	Shimano Alivio M3100, 9-speed	Vorbau / Stem	XLC A-Head, A-head, Bar bore: 31.8mm
Schalthebel / Shift lever	Shimano Alivio M3100, trigger switch	Steuersatz / Headset	A-Head Tapered
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-36 teeth	Sattel / Saddle	Selle Royal Wave
Kette / Chain	KMC e9S	Sattelstütze / Seat post	XLC, patent, 31.6mm, aluminium
Kettenblatt / Chainring	steel, 38	Pedale / Pedals	VP E461 aluminium, mit Reflektor
Bremshebel / Brake lever	Alhonga HT474, aluminium	Scheinwerfer / Headlight	Trelock Bike - i Veo LS230, 20 lux
Bremse vorne / Brake front	Alhonga HT474, aluminium, 180mm	Rücklicht / Rear light	AXA Juno Ebike
Bremse hinten / Brake rear	Alhonga HT474, aluminium, 180mm	Dynamo / Dynamo	via system battery
Reifen vorne / Tyres front	WTB Groov-E, 62-584, reflex	Gepäckträger / Carrier	Massload Systemgepäckträger, MIK
Reifen hinten / Tyres rear	WTB Groov-E, 62-584, reflex	Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium	Ständer / Stand	Ursus Mooi, adjustable
		Zul. Gesamtgewicht / Permitted total weight	130kg
		Fahrradtyp / Bicycle type	City, Trekking, Cross

## TREKKING 3 HIGH



S	45500330	warm grey / black - gloss
M	45500340	warm grey / black - gloss
L	45500350	warm grey / black - gloss
XL	45500360	warm grey / black - gloss



# TREKKING 3 MID



GLOSSY



LIGHT WARM GREY



BLACK INK



WHITE



<b>AL</b> FRAME MATERIAL	<b>65</b> TRAVEL (mm) FRONT	<b>27.5"</b> WHEEL SIZE	<b>BOSCH PERF. LINE SMART SYSTEM</b> DRIVE UNIT	<b>500</b> BATTERY CAPACITY (WH)
-----------------------------	--------------------------------	----------------------------	--	-------------------------------------

Motor	Bosch Performance Line Smart System, 250W, 75Nm, 25km/h	Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium
Display	Bosch Intuvia 100 + LED Remote	Vorderradnabe / Front wheel hub	Haibike TheHub ++
Akku / Battery	Bosch PowerTube 500Wh	Hinterradnabe / Rear wheel hub	Haibike TheHub ++
Ladegerät / Charger	Bosch Standard Charger 4A	Speichen / Spokes	Sapim Leader, black
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Lenker / Handlebar	XLC 720mm
Gabel / Fork	SR Suntour XCM ATB HLO, steel spring, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle Boost	Griffe / Grips	Ergogriffe
Schaltwerk / Rear derailleur	Shimano Alivio M3100, 9-speed	Vorbau / Stem	XLC A-Head, A-head, Bar bore: 31.8mm
Schalthebel / Shift lever	Shimano Alivio M3100, trigger switch	Steuersatz / Headset	A-Head Tapered
Zahnkranz (hinten) / Sprocket	Shimano HG200, 11-36 teeth	Sattel / Saddle	Selle Royal Wave
Kette / Chain	KMC e9S	Sattelstütze / Seat post	XLC, patent, 31.6mm, aluminium
Kettenblatt / Chainring	steel, 38	Pedale / Pedals	VP E461 aluminium, mit Reflektor
Bremshebel / Brake lever	Alhonga HT474, aluminium	Scheinwerfer / Headlight	Trelock Bike - i Veo LS230, 20 lux
Bremse vorne / Brake front	Alhonga HT474, aluminium, 180mm	Rücklicht / Rear light	AXA Juno Ebike
Bremse hinten / Brake rear	Alhonga HT474, aluminium, 180mm	Dynamo / Dynamo	via system battery
Reifen vorne / Tyres front	WTB Groov-E, 62-584, reflex	Gepäckträger / Carrier	Massload Systemgepäckträger, MIK
Reifen hinten / Tyres rear	WTB Groov-E, 62-584, reflex	Schutzbleche / Fenders	Eurofender Tempo, chromoplastics
Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium	Ständer / Stand	Ursus Mooi, adjustable
		Zul. Gesamtgewicht / Permitted total weight	130kg
		Fahrradtyp / Bicycle type	City, Trekking, Cross

## TREKKING 3 MID



S	45504330	warm grey / black - gloss
M	45504340	warm grey / black - gloss
L	45504350	warm grey / black - gloss





# *TREKKING S*

## ***MUCH MORE THAN A MEANS OF TRANSPORT***

WITH THE ADDITIONAL POWER OF OUR S-PEDELECS YOU CAN COVER LONGER DISTANCES FASTER THAN EVER BEFORE. IN THE MOOD FOR SPEED? THEN TAKE A LOOK AT OUR 2024 TREKKING S-PEDELECS!





# TREKKING S 10 HIGH



MATTE-GLOSSY



TITAN



SILVER



NEON RED



<b>AL</b> FRAME MATERIAL	<b>100</b> TRAVEL (mm) FRONT	<b>27.5"</b> WHEEL SIZE	<b>BOSCH PERF. SPEED GEN4</b> DRIVE UNIT	<b>750</b> BATTERY CAPACITY (WH)
-----------------------------	---------------------------------	----------------------------	---	-------------------------------------

Motor	Bosch Performance Speed GEN4, 250W, 85Nm, 45km/h	Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium
Display	Bosch Kiox 300 + LED Remote	Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium
Akku / Battery	Bosch PowerTube 750Wh	Vorderradnabe / Front wheel hub	Alu disc, thru-axle 15x100
Ladegerät / Charger	Bosch Standard Charger 4A	Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount	Speichen / Spokes	Sapim Leader, black
Gabel / Fork	SR Suntour Mobie34 DS, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle	Lenker / Handlebar	Haibike Components TheBar ++
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed	Griffe / Grips	XLC Sport bo2 lock on grips
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch	Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12°
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth	Steuersatz / Headset	A-Head Tapered
Kette / Chain	Shimano M6100	Sattel / Saddle	Selle Royal Vivo
Kettenblatt / Chainring	steel, 40	Sattelstütze / Seat post	patent, 34.9mm, aluminium
Kettenführung / Chain guide	Nylon directmount	Pedale / Pedals	VP E461 aluminium, mit Reflektor
Bremshebel / Brake lever	Magura MT4	Dynamo / Dynamo	via system battery
Bremse vorne / Brake front	Magura MT4, 203mm	Gepäckträger / Carrier	StandWell system carrier S-Pedelec, XLC Carrymore
Bremse hinten / Brake rear	Magura MT4, 180mm	Ständer / Stand	Ursus Mooi, adjustable
Reifen vorne / Tyres front	Schwalbe Al Grounder Perf., 60-584, reflex	Zul. Gesamtgewicht / Permitted total weight	120kg
Reifen hinten / Tyres rear	Schwalbe Al Grounder Perf., 60-584, reflex	Fahrradtyp / Bicycle type	S-Pedelecs/motor vehicles

## TREKKING S 10 HIGH



S	45576330	titan / silver - matt&gloss
M	45576340	titan / silver - matt&gloss
L	45576350	titan / silver - matt&gloss
XL	45576360	titan / silver - matt&gloss





# TREKKING S 10 LOW



MATTE-GLOSSY



TITAN



SILVER



NEON RED



<b>AL</b> FRAME MATERIAL	<b>100</b> TRAVEL (mm) FRONT	<b>27.5"</b> WHEEL SIZE	<b>BOSCH PERF. SPEED GEN4</b> DRIVE UNIT	<b>750</b> BATTERY CAPACITY (WH)
-----------------------------	---------------------------------	----------------------------	---	-------------------------------------

Motor	Bosch Performance Speed GEN4, 250W, 85Nm, 45km/h
Display	Bosch Kiox 300 + LED Remote
Akku / Battery	Bosch PowerTube 750Wh
Ladegerät / Charger	Bosch Standard Charger 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	SR Suntour Mobie34 DS, steel spring, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed
Schalthebel / Shift lever	Shimano Deore M6100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth
Kette / Chain	Shimano M6100
Kettenblatt / Chainring	steel, 40
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Magura MT4
Bremse vorne / Brake front	Magura MT4, 203mm
Bremse hinten / Brake rear	Magura MT4, 180mm
Reifen vorne / Tyres front	Schwalbe Al Grounder Perf., 60-584, reflex
Reifen hinten / Tyres rear	Schwalbe Al Grounder Perf., 60-584, reflex

Felgen vorne / Rims front	Schürmann Yak25, eyed, double-walled rim, aluminium
Felgen hinten / Rims rear	Schürmann Yak25, eyed, double-walled rim, aluminium
Vorderradnabe / Front wheel hub	Alu disc, thru-axle 15x100
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++
Griffe / Grips	XLC Sport bo2 lock on grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 12°
Steuersatz / Headset	A-Head Tapered
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	patent, 34.9mm, aluminium
Pedale / Pedals	VP E461 aluminium, mit Reflektor
Dynamo / Dynamo	via system battery
Gepäckträger / Carrier	StandWell system carrier S-Pedelec, XLC Carrymore
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	120kg
Fahrradtyp / Bicycle type	S-Pedelecs/motor vehicles

## TREKKING S 10 LOW



S	45590330	titan / silver - matt&gloss
M	45590340	titan / silver - matt&gloss
L	45590350	titan / silver - matt&gloss

## CATEGORIES OF VEHICLES

# FAHRZEUGKATEGORIEN



Fahrzeuge der Kategorie 0 sind in der Regel Kinderspielräder 12" und Kinderräder 12" und 16".  
*Vehicles in category 0 are usually 12" children's play bikes and 12" and 16" children's bikes.*



Fahrzeuge der Kategorie 1 sind für rein urbane Infrastruktur (Fahrbahnbeschaffenheit) ausgelegte Fahrzeuge.  
*Category 1 vehicles are vehicles designed for purely urban infrastructure (road conditions).*



Fahrzeuge der Kategorie 2 sind in der Regel Fahrräder, Pedelecs & S-Pedelecs des Typs City-, Trekking-, Cross- Trekking-, Reise- oder Lastenrad, außerdem Jugendräder 24" und Kinderräder 20".  
*Category 2 cycles are generally bikes, pedelecs and S-Pedelecs in the style of city, trekking, cross-trekking, travel- or cargo bikes, plus 24" junior bikes and 20" children's bikes.*



Fahrzeuge der Kategorie 3 sind in der Regel Fahrräder, Pedelecs und S-Pedelecs des Typs Mountainbike mit Einsatzzweck Cross Country, Marathon und Tour, sowie Fahrräder aus den Bereichen Gravel, Cyclo-Cross und All Track.  
*Vehicles in category 3 are usually bikes, Pedelecs and S-Pedelecs that are mountain bikes intended for cross country, marathon and tour riding, as well as all Gravel, Cyclo-Cross and All Track bikes.*



Fahrzeuge der Kategorie 4 sind in der Regel Fahrräder, Pedelecs und S-Pedelecs des Typs Mountainbike mit Einsatzzweck Allmountain/ Trail-Bikes.  
*Category 4 cycles are generally bikes, pedelecs and S-Pedelecs in the style of mountain bikes designed for all-mountain and trail use.*




Fahrzeuge der Kategorie 5 sind in der Regel Fahrräder, Pedelecs und S-Pedelecs des Typs Mountainbike mit Einsatzzweck Enduro/Freeride/ Downhill/Dirtjump.  
*Vehicles in category 5 are usually bikes, Pedelecs and S-Pedelecs that are mountain bikes intended for Enduro, Freeride and Downhill riding/Dirtjump.*



Fahrzeuge der Kategorie 6 sind in der Regel Fahrräder, Pedelecs und S-Pedelecs des Typs Rennrad oder Fitness Bike (Urban Bike)/ Zeitfahrräder/Triathlonräder.  
*Category 6 vehicles are usually bicycles, pedelecs and S-Pedelecs of the racing bike or fitness bike (urban bike)/time trial/triathlon bike type.*



Bitte lesen Sie die Betriebsanleitungen.  
*Please read the operating instructions.*





# MOTORS



**85 Nm  
TORQUE**



**85 Nm  
TORQUE**



## BOSCH PERFORMANCE CX-R

- mehr Unterstützung mit bis zu 400 %
- spezieller Rennmodus, um so schnell wie möglich zu sein // 85 Nm + Boost
- Spezialgehäuse mit einzigartiger Farbgebung
- geringeres Gewicht durch optimiertes Leichtbaugetriebe und Leichtbauwellen (2,75 kg)
- *more support, up to 400 %*
- *special race mode to be as fast as possible // 85Nm + ExtraBoost*
- *special housing/logo with unique colouring*
- *low weight due to optimised lightweight housing and shaft (2,75 kg)*

## BOSCH PERFORMANCE CX

- kompakt und dabei extrem leistungsstark und effizient
- beschleunigt extrem druckvoll
- reagiert ohne Verzögerung
- bis zu 340 % perfekt dosierte Unterstützung
- 1,1 kg leichter als der Vorgänger
- *compact and at the same time extremely powerful and efficient*
- *accelerates extremely forcefully*
- *reacts without delay*
- *up to 340 % perfectly dosed support*
- *1.1kg lighter than its predecessor*

	BOSCH PERFORMANCE CX-R	BOSCH PERFORMANCE CX	BOSCH PERFORMANCE
Gewicht/Weight	2,7 kg	2,9 kg	ca. 3,2 kg
Rated power	250 Watt	250 Watt	250 Watt
Max. torque	85 Nm w/ additional boost	85 Nm	75 Nm
Max. support speed	25 km/h		
Support mode (%)	4 Modi / modes RACE: 400 eMTB: 140-340 TOUR: 140 ECO: 60	4 Modi / modes TURBO: 340 eMTB: 140-340 TOUR: 140 ECO: 60	4 Modi / modes TURBO: 300 SPORT: 200 TOUR: 120 ECO: 55

# BOSCH MOTORS

  
85 Nm  
TORQUE



NEW

## PERFORMANCE SPEED

### BOSCH PERFORMANCE SPEED

ca. 2,9 kg

340 Watt

85 Nm

45 km/h

max. 340 % support

- leistungsstarker Antrieb für S-Pedelecs
- maximale Leistung ermöglicht das schnelle Erreichen hoher Geschwindigkeiten
- natürliches Pedalieren und Fahrgefühl
- kompakte Größe und geringes Gewicht
- *powerful drive unit for s-pedelecs*
- *maximum power for quick acceleration to high speeds*
- *natural pedaling and riding feel*
- *compact size and low weight*

### ABS



#### Beim Bremsen sicherer im Sattel

Das neue Bosch eBike ABS macht Bremsen noch sicherer. Es kann ein Blockieren des Vorderrads verhindern und damit helfen, ein Wegrutschen zu vermeiden.

#### *Improved safety when braking*

*The new Bosch eBike ABS makes braking safer. There's less chance of your front wheel jamming, so less risk of skidding.*



### AUTO MODE



Der neue Auto-Modus passt die Unterstützung je nach Fahrsituation automatisch an. Das manuelle Umschalten entfällt.

*The new Auto mode automatically adjusts the level of support according to the riding conditions. There is no manual switching.*

# MOTORS



**85 Nm**  
TORQUE



## YAMAHA PW-X3

- 20 % kompakter als PW-X2
- 300 g leichter als PW-X2
- verbesserte Schiebehilfe
- verbesserter Tuning-Erkennungsalgorithmus
- neu entwickelter integrierter Geschwindigkeitssensor
- *20% smaller than PW-X2*
- *300g lighter than PW-X2*
- *improved walk assist feature*
- *improved tuning detection algorithm*
- *newly developed integrated speed sensor*



**75 Nm**  
TORQUE



## YAMAHA PW-S2

- Memory Funktion (Unterstützungsstufe & Licht)
- Gehäuse: neue Kühlrippe zur Geräuschreduzierung
- ca. 600 g leichter als PW-ST
- 75 Nm max. Drehmoment
- *memory function (support level & light)*
- *housing: New cooling fin for noise reduction*
- *~ 600 grams lighter than PW-ST*
- *75 Nm max. torque*



THE NEW YAMAHA PW-XM  
2.6 kg | 85 Nm | 25 km/h

	YAMAHA PW-XM	YAMAHA PW-X3	YAMAHA PW-S2
Gewicht/Weight	ca. 2,6 kg	ca. 2,75 kg	2,85 kg
Rated power	250 Watt	250 Watt	250 Watt
Max. torque	85 Nm	85 Nm	75 Nm
Max. support speed	25 km/h		
Support mode (%)	5 Modi / modes EXPW/360 HIGH/280 STD/190 ECO/100 +ECO/50	5 Modi / modes EXPW/360 HIGH/280 STD/190 ECO/100 +ECO/50	4 Modi / modes HIGH/280 STD/190 ECO/100 +ECO/50

# RIDE 60

## FAZUA RIDE 60

- Das kleinste, leichteste, fortgeschrittenste sportliche e-light-System
  - Motorgewicht 1,96 kg
  - Akkukapazität 430 Wh
  - Zusatzakku mit 210 Wh erhältlich
  - 60 Nm max. Drehmoment
- 
- *Smallest and most advanced sportive e-light-system*
  - *Motor weight 1.96 kg*
  - *Battery capacity 430 Wh*
  - *Range extender with 210 Wh available*
  - *60 Nm max. torque*



### FAZUA APP

Mit der FAZUA App lassen sich die Fahrmodi komplett individualisieren und vorgefertigte Profile können direkt heruntergeladen werden.

*With the FAZUA app, the riding modes can be completely individualized, predefined profiles can be downloaded directly and updates can be carried out wirelessly.*



### FAZUA TOOLBOX SOFTWARE

Die FAZUA Desktop Software ermöglicht dem Händler, aber auch Radfahrern selbst, unkompliziert Konfigurationen, Updates und Fehlerdiagnose über den eigenen Computer.

*The FAZUA desktop Toolbox Software provides dealers and the cyclists themselves with uncomplicated configurations, updates and error diagnostics on their own computer.*



# MRS Modular Rail System



Unser patentiertes **Modular Rail System**, kurz **MRS** genannt, ist abhängig von dem jeweiligen Fahrradmodell, als Schienenprofil entweder im Unterrohr, Sitzrohr oder an Gepäckträgern integriert. Es ermöglicht, unsere **MRS Produkte** sowie jegliche Accessoires über den **MRS Multimount** an einer frei wählbaren Position im Bereich der Schiene zu montieren.

Eine zentrale Bedeutung spielt dabei auch der **MRS Fidlock Mount**. In Zusammenarbeit mit Fidlock wurde diese Halterung speziell für das MRS entwickelt. Mit dem MRS Fidlock Mount lassen sich alle XLC Produkte, die mit dem Fidlock-Twist-Connector ausgestattet sind, einfach, sicher und nach Bedarf anbringen.

Our patented **Modular Rail System**, called **MRS**, is integrated as a rail profile on the respective bicycle model either in the down tube, seat tube or on luggage racks. With the **MRS Multimount**, our **MRS products** and any accessories can be mounted anywhere on the rail.

The **MRS Fidlock Mount** plays a central role here. In cooperation with Fidlock, this mount has been specially developed for the MRS. With the MRS Fidlock Mount all XLC products, which are equipped with the Fidlock-Twist-Connector, can be attached easily, securely and as required.

## MRS MODULAR RAIL SYSTEM

Dass dein Fahrrad mit dem Modular Rail System ausgestattet ist, erkennst du an dem langen Gummi, der im Rahmen eingelassen ist. Zudem am MRS Logo in der Nähe des Gummis.

*You can recognize that your bike is equipped with the MRS by the long rubber piece, which is embedded in the frame. Furthermore there is a MRS logo near the rubber piece.*

**TIPP:** JE NACH MRS LÄNGE SIND AUCH MEHRERE MRS PRODUKTE HINTEREINANDER PLATZIERBAR.

**HINT:** *DEPENDING ON THE MRS LENGTH, SEVERAL MRS PRODUCTS CAN BE PLACED ONE BEHIND THE OTHER.*

2021 wurde das Modular Rail System überarbeitet. Welche Modelle mit dem MRS'18 und MRS'21 ausgestattet sind, erfährst du auf unserer Website. Den Link dazu findest du über den QR Code rechts.

*In 2021 the Modular Rail System was revised. You can find out on our website, which models are equipped with the MRS'18 and MRS'21. You can find the link via the QR code on the right.*





XLC MRS

## MODULAR RAIL SYSTEM

MRS

2502402006 MR-S12 450 ml  
2502402005 MR-S12 600 ml  
2502402007 MR-S13 650 ml  
2502402008 MR-S14 700 ml

**XLC The Bottle Set**  
**XLC MRS Trinkflaschen Set**



2502408001 MR-S10

**XLC MRS Multimount**  
schwarz, inkl. Befestigungsmaterial  
black, incl. mounting material



2502408003 MR-S15

**XLC MRS FidLock Rail**  
nach MJ 21 // after MY21



2502400500 MR-S02

**XLC MRS Rail Lock**  
nicht gleich-schließend + 2 Schlüssel  
not keyed alike + 2 keys



2502400600 MR-S03

**XLC MRS Cable Lock**  
100cm, Ø12 mm



2502400700 MR-S04

**XLC MRS Chain Lock**  
85 cm, 2,9"



2502408005 MR-S17

**XLC MRS Bottlebag**  
schwarz, inkl. Befestigungsmaterial  
black, incl. mounting material



2502404010 MR-S16 S  
2502404011 MR-S16 M  
2502404012 MR-S16 L

**XLC MRS RAILBAG FRAMEBAG-SET**  
**XLC MRS Railbag Tasche-Set**



2502408002 MR-S11

**XLC MRS Kitrack**  
schwarz, inkl. Befestigungsmaterial  
black, incl. mounting material



## **XLC LED Lichtset PROXIMA PRO+ CL-S25+**

### **XLC LED Lightset PROXIMA PRO+ CL-S25+**

2500218966 CL-S25+

LED frontlight 15/40/80 Lux, USB-C charging slot



## **XLC Mudguard Set MG-C25**

### **XLC Mudguard Set MG-C25**

2502500910 MG-C25

bestehend aus MG-C23 und MG-C24 // consists of MG-C23 and MG-C24

Front: Gabelkonushalterung mit Quick Release, passt für fast alle 1-1,5" Gabeln  
with quickrelease-coneadapter for almost any suspension fork, fits for 1"-1,5" forks  
Rear: Winkelverstellbare Sattelstützhalterung mit Quick Release  
angle adjustable seatpost-bracket, quickrelease function



## **XLC Plattform-Pedal PD-M31**

### **XLC Plattform-Pedal PD-M31**

2501813665 PD-M31 schwarz / black

Extrudierte, CNC-gefräste Legierung, 386 g, 120x108x17 mm  
Extruded/CNC-machined alloy, 386 g, 120x108x17 mm



## **XLC Einzeltasche BA-W41**

### **XLC Single Pannier BA-W41**

2501702020 BA-W41 schwarz, wasserdicht, 40x32x15 cm, 19,2 l  
black, water-proof, 40x32x15 cm, 19,2 l



## **XLC Einzeltaschenset BA-W41**

### **XLC Single Pannier Set BA-W41**


2501702020 BA-W41 schwarz, wasserdicht, Einzeltasche 40x32x15 cm  
black, water-proof, Single Pannier 40x32x15 cm

Schulterriemen, Laptopfach, für 12 mm Streben  
Shoulder strap, laptop compartment, for 12 mm stays



## **XLC Heckträger Almada Work-E VC-C07**

### **XLC Bike Carrier Almada Work-E VC-C07**



2503311000 VC-C07 XLC Heckträger Almada Work-E - klappbar, für 2 E-Bikes  
XLC Bike Carrier Almada Work-E - foldable, for 2 e-bikes;  
tiltable even with bikes mounted

Fahrradträger und integrierter Montagegeständer mit einstellbarem Arm  
Bikerack with integrated workstand and adjustable arm

## **XLC Kinderanhänger DUO S BS-C10**

### **XLC Kids Trailer DUO S BS-C10**



3092000706 BS-C10 XLC Kinderanhänger DUO S - 20", marigold/anthracite  
XLC Kids Trailer DUO S - 20", marigold/anthracite

Zweisitzer, mit Deichsel inkl. Anhängerkupplung, inkl. XLC Rücklicht  
Two-seater, with drawbar incl. hitch, incl. XLC Rear Light

## **XLC Festachse BS-X146 für XLC Kinderanhänger**

### **XLC Thru Axle BS-X146 FOR XLC KIDS TRAILER**




3092070080 BS-X146 XLC Thru Axle/Festachse, M12x1.0; 174 mm, Syntace 142/148 mm  
3092070081 BS-X146 XLC Thru Axle/Festachse, M12x1.5; 178 mm, Shimano 142/148 mm  
3092070082 BS-X146 XLC Thru Axle/Festachse, M12x1.75; 180 mm, Maxle 142/148 mm  
3092070083 BS-X146 XLC Thru Axle/Festachse, M12x1.5; 229 mm, Shimano/Fatbike 197 mm  
3092070084 BS-X146 XLC Thru Axle/Festachse, M12x1.75; 229 mm, Maxle/Fatbike 197 mm





# ***GEOMETRIES & DATA CHARTS***



**A** SITZROHRLÄNGE  
 SEATTUBE LENGTH

**B** SITZROHRWINKEL  
 SEATTUBE ANGLE

**C** SITZROHROFFSET  
 SEATTUBE OFFSET

**D** SITZWINKEL  
 SEAT ANGLE

**E** STEUEROHRLÄNGE  
 HEADTUBE LENGTH

**F** LENKWINKEL  
 HEADTUBE ANGLE

**G** OBERROHRLÄNGE HORIZONTAL  
 TOPTUBE LENGTH HORIZONTAL

**H** KETTENSTREBENLÄNGE  
 CHAINSTAY LENGTH

**I** TRETLAGERABSENKUNG  
 BB DROP

**J** RADSTAND  
 WHEELBASE

**K** STACK  
 STACK

**L** REACH  
 REACH

# NDURO

8 7 6

		29"/27.5"	29"/27.5"	29"/27.5"	29"/27.5"
		S	M	L	XL
SEATTUBE LENGTH [MM]	A	410	440	465	495
SEATTUBE ANGLE [°]	B	75	75	75	75
SEATTUBE OFFSET [MM]	C	-23	-23	-23	-23
SEAT ANGLE [°]	D	77	77	77	76.9
HEADTUBE LENGTH [MM]	E	120	120	130	140
HEADTUBE ANGLE [°]	F	63.5	63.5	63.5	63.5
TOPTUBE LENGTH [MM]	G	574	604	631	663
CHAINSTAY LENGTH [MM]	H	460	460	460	460
BB DROP [MM]	I	-5	-5	-5	-5
WHEELBASE [MM]	J	1245	1275	1305	1339
STACK [MM]	K	644	644	653	662
REACH [MM]	L	425	455	480	510

NDURO 8 FREERIDE / 7 / 6

# HYBE

11 9

		29"/27.5"	29"/27.5"	29"/27.5"	29"/27.5"
		S	M	L	XL
SEATTUBE LENGTH [MM]	A	410	440	470	500
SEATTUBE ANGLE [°]	B	75	75	75	75
SEATTUBE OFFSET [MM]	C	15	15	15	15
SEAT ANGLE [°]	D	76.3	76.3	76.3	76.3
HEADTUBE LENGTH [MM]	E	100	110	120	130
HEADTUBE ANGLE [°]	F	64.5	64.5	64.5	64.5
TOPTUBE LENGTH [MM]	G	560	590	625	660
CHAINSTAY LENGTH [MM]	H	455	455	455	455
BB DROP [MM]	I	-20	-20	-20	-20
WHEELBASE [MM]	J	1191	1223	1260	1296
STACK [MM]	K	626	635	644	653
REACH [MM]	L	408	435	468	500

HYBE 11 / 9

10.5

		29"/27.5"	29"/27.5"	29"/27.5"	29"/27.5"
		S	M	L	XL
SEATTUBE LENGTH [MM]	A	410	440	465	495
SEATTUBE ANGLE [°]	B	75	75	75	75
SEATTUBE OFFSET [MM]	C	23	23	23	23
SEAT ANGLE [°]	D	77	77	77	76.9
HEADTUBE LENGTH [MM]	E	120	120	130	140
HEADTUBE ANGLE [°]	F	64.5	64.5	64.5	64.5
TOPTUBE LENGTH [MM]	G	570	600	627	659
CHAINSTAY LENGTH [MM]	H	460	460	460	460
BB DROP [MM]	I	-20	-20	-20	-20
WHEELBASE [MM]	J	1220	1250	1279	1313
STACK [MM]	K	646	646	655	664
REACH [MM]	L	421	451	475	505

HYBE 10.5

# ALLMTN

10 7

		29"/27.5"	29"/27.5"	29"/27.5"	29"/27.5"
		S	M	L	XL
SEATTUBE LENGTH [MM]	A	410	440	465	495
SEATTUBE ANGLE [°]	B	75	75	75	75
SEATTUBE OFFSET [MM]	C	23	23	23	23
SEAT ANGLE [°]	D	77	77	77	76.9
HEADTUBE LENGTH [MM]	E	120	120	130	140
HEADTUBE ANGLE [°]	F	64.5	64.5	64.5	64.5
TOPTUBE LENGTH [MM]	G	570	600	627	659
CHAINSTAY LENGTH [MM]	H	460	460	460	460
BB DROP [MM]	I	-20	-20	-20	-20
WHEELBASE [MM]	J	1220	1250	1279	1313
STACK [MM]	K	646	646	655	664
REACH [MM]	L	421	451	475	505

ALLMTN 10 / 7

8

		29"/27.5"	29"/27.5"	29"/27.5"	29"/27.5"
		S	M	L	XL
SEATTUBE LENGTH [MM]	A	410	440	470	500
SEATTUBE ANGLE [°]	B	75	75	75	75
SEATTUBE OFFSET [MM]	C	15	15	15	15
SEAT ANGLE [°]	D	76.3	76.3	76.3	76.3
HEADTUBE LENGTH [MM]	E	100	110	120	130
HEADTUBE ANGLE [°]	F	64.5	64.5	64.5	64.5
TOPTUBE LENGTH [MM]	G	560	590	625	660
CHAINSTAY LENGTH [MM]	H	455	455	455	455
BB DROP [MM]	I	-20	-20	-20	-20
WHEELBASE [MM]	J	1191	1223	1260	1296
STACK [MM]	K	626	635	644	653
REACH [MM]	L	408	435	468	500

ALLMTN CF 8

# ALLMTN



SEATTUBE LENGTH [MM]	A
SEATTUBE ANGLE [°]	B
SEATTUBE OFFSET [MM]	C
SEAT ANGLE [°]	D
HEADTUBE LENGTH [MM]	E
HEADTUBE ANGLE [°]	F
TOPTUBE LENGTH [MM]	G
CHAINSTAY LENGTH [MM]	H
BB DROP [MM]	I
WHEELBASE [MM]	J
STACK [MM]	K
REACH [MM]	L

29/27.5"	29/27.5"	29/27.5"	29/27.5"
S	M	L	XL
410	440	470	500
75	75	75	75
15	15	15	15
76.3	76.3	76.3	76.3
120	120	135	145
64.5	64.5	64.5	64.5
581	605	631	658
455	455	455	455
-20	-20	-20	-20
1218	1242	1269	1297
658	658	662	667
420	444	469	495

29/27.5"	29/27.5"	29/27.5"	29/27.5"
S	M	L	XL
410	440	465	495
75	75	75	75
23	23	23	23
77	77	77	76.9
120	120	130	140
64.5	64.5	64.5	64.5
570	600	627	659
460	460	460	460
-20	-20	-20	-20
1220	1250	1279	1313
646	646	655	664
421	451	475	505

ALLMTN 5

ALLMTN 3 / 2

# LYKE



SEATTUBE LENGTH [MM]	A
SEATTUBE ANGLE [°]	B
SEATTUBE OFFSET [MM]	C
SEAT ANGLE [°]	D
HEADTUBE LENGTH [MM]	E
HEADTUBE ANGLE [°]	F
TOPTUBE LENGTH [MM]	G
CHAINSTAY LENGTH [MM]	H
BB DROP [MM]	I
WHEELBASE [MM]	J
STACK [MM]	K
REACH [MM]	L

29"	29"	29"	29"
S	M	L	XL
410	440	470	500
74	74	74	74
36	36	36	36
77.3	77.3	77.3	77.3
110	120	130	140
65	65	65	65
562	592	622	652
450	450	450	450
-25	-25	-25	-25
1195	1227	1259	1290
611	620	629	638
424	452	479	506

LYKE CF

# ALLTRAIL



SEATTUBE LENGTH [MM]	A
SEATTUBE ANGLE [°]	B
SEATTUBE OFFSET [MM]	C
SEAT ANGLE [°]	D
HEADTUBE LENGTH [MM]	E
HEADTUBE ANGLE [°]	F
TOPTUBE LENGTH [MM]	G
CHAINSTAY LENGTH [MM]	H
BB DROP [MM]	I
WHEELBASE [MM]	J
STACK [MM]	K
REACH [MM]	L

27.5"	27.5"	27.5"	29"	29"	29"
S	M	L	M	L	XL
410	440	470	440	470	500
75	75	75	75	75	75
15	15	15			
76.3	76.3	76.3	76.3	76.3	76.3
140	145	145	130	135	140
65	65	65	65	65	65
573	589	605	599	625	652
455	455	455	477	477	477
-20	-20	-20	-30	-30	-30
1205	1222	1239	1249	1275	1303
629	633	638	633	638	642
420	435	450	445	470	495

ALLTRAIL 10 / 8



# ALLTRAIL



SEATTUBE LENGTH [MM]	A
SEATTUBE ANGLE [°]	B
SEATTUBE OFFSET [MM]	C
SEAT ANGLE [°]	D
HEADTUBE LENGTH [MM]	E
HEADTUBE ANGLE [°]	F
TOPTUBE LENGTH [MM]	G
CHAINSTAY LENGTH [MM]	H
BB DROP [MM]	I
WHEELBASE [MM]	J
STACK [MM]	K
REACH [MM]	L

29"/27.5"	29"/27.5"	29"/27.5"	29"/27.5"
S	M	L	XL
410	440	465	495
75	75	75	75
23	23	23	23
77.1	77.1	77	77
120	120	130	140
65	65	65	65
577	593	620	648
473	473	473	473
-30	-30	-30	-30
1238	1254	1283	1313
619	619	628	637
435	451	475	501

29"/27.5"	29"/27.5"	29"/27.5"	29"/27.5"
S	M	L	XL
410	440	470	500
74.7	74.7	74.7	74.7
-23	-23	-23	-23
76.7	76.7	76.7	76.7
120	130	140	150
65.7	65.7	65.7	65.7
576	591	611	631
460	460	460	460
-17	-17	-17	-17
1216	1221	1243	1264
637	652	661	670
425	436	454	471

ALLTRAIL 9 / 7

ALLTRAIL 5 / 3

# ALLTRACK



SEATTUBE LENGTH [MM]	A
SEATTUBE ANGLE [°]	B
SEATTUBE OFFSET [MM]	C
SEAT ANGLE [°]	D
HEADTUBE LENGTH [MM]	E
HEADTUBE ANGLE [°]	F
TOPTUBE LENGTH [MM]	G
CHAINSTAY LENGTH [MM]	H
BB DROP [MM]	I
WHEELBASE [MM]	J
STACK [MM]	K
REACH [MM]	L

27.5"	29"	29"	29"
S	M	L	XL
410	440	480	520
73	73	73	73
73	73	73	73
140	140	150	160
65.5	66	66	66
602	630	645	670
460	470	470	470
-45	-60	-60	-60
1182	1210	1226	1253
628	663	672	682
410	427	439	462

27.5"	27.5"	29"	29"	29"
S	M	M	L	XL
400	450	450	500	550
74	74	74	74	74
74	74	74	74	74
140	140	140	155	170
68	68	67	67	67
610	620	625	648	670
465	465	475	475	475
-60	-60	-65	-65	-65
1171	1181	1216	1240	1264
656	656	674	683	692
422	432	432	452	472

ALLTRACK 9

ALLTRACK 8.5 / 7 / 6 / 5

# ALLTRACK



SEATTUBE LENGTH [MM]	A
SEATTUBE ANGLE [°]	B
SEATTUBE OFFSET [MM]	C
SEAT ANGLE [°]	D
HEADTUBE LENGTH [MM]	E
HEADTUBE ANGLE [°]	F
TOPTUBE LENGTH [MM]	G
CHAINSTAY LENGTH [MM]	H
BB DROP [MM]	I
WHEELBASE [MM]	J
STACK [MM]	K
REACH [MM]	L

27.5"	27.5"	29"	29"	29"
S	M	M	L	XL
400	450	450	490	530
75	75	75	75	75
75	75	75	75	75
125	135	120	135	160
65	65	65	65	65
574	610	606	639	671
490	490	495	495	495
-54	-54	-69	-64	-64
1217	1253	1251	1278	1323
624	633	653	661	684
405	437	427	457	483

27.5"
S
370
75
75
125
65
574
490
-54
1217
624
405

ALLTRACK 4

ALLTRACK

# ADVENTR FS SE 9



SEATTUBE LENGTH [MM]	A
SEATTUBE ANGLE [°]	B
SEATTUBE OFFSET [MM]	C
SEAT ANGLE [°]	D
HEADTUBE LENGTH [MM]	E
HEADTUBE ANGLE [°]	F
TOPTUBE LENGTH [MM]	G
CHAINSTAY LENGTH [MM]	H
BB DROP [MM]	I
WHEELBASE [MM]	J
STACK [MM]	K
REACH [MM]	L

29"	29"	29"	29"
S	M	L	XL
410	440	465	495
75	75	75	75
23	23	23	23
77	77	76.9	76.9
140	140	150	150
65	65.5	66	66.5
570	585	600	620
480	480	480	480
-35	-35	-35	-35
1234	1243	1253	1267
651	654	666	669
419	434	445	465

ADVENTR SE / 9

27.5"	27.5"	27.5"	27.5"
S	M	L	XL
410	440	465	495
77	77	77	77
77	77	77	77
130	145	160	175
65	65	65	65
575	590	610	630
460	460	460	460
1220	1225	1248	1270
616	635	649	663
434	444	460	476

ADVENTR 8

# TREKKING



SEATTUBE LENGTH [MM]	A
SEATTUBE ANGLE [°]	B
SEATTUBE OFFSET [MM]	C
SEAT ANGLE [°]	D
HEADTUBE LENGTH [MM]	E
HEADTUBE ANGLE [°]	F
TOPTUBE LENGTH [MM]	G
CHAINSTAY LENGTH [MM]	H
BB DROP [MM]	I
WHEELBASE [MM]	J
STACK [MM]	K
REACH [MM]	L

27.5"	27.5"	27.5"	27.5"
S	M	L	XL
500	540	580	620
73	73	73	73
73	73	73	73
160	170	180	190
66	66.5	66.5	66.5
610	624	644	669
470	470	470	470
-60	-60	-60	-60
1190	1199	1220	1247
647	659	668	677
412	423	440	462

TREKKING 11 / 8 - HIGH



27.5"	27.5"	27.5"
S	M	L
460	500	540
73	73	73
73	73	73
170	180	190
68	69	70
622	638	655
470	470	470
-60	-60	-60
1179	1184	1187
667	681	695
419	430	442

TREKKING 11 / 8 - LOW

# TREKKING



SEATTUBE LENGTH [MM]	A
SEATTUBE ANGLE [°]	B
SEATTUBE OFFSET [MM]	C
SEAT ANGLE [°]	D
HEADTUBE LENGTH [MM]	E
HEADTUBE ANGLE [°]	F
TOPTUBE LENGTH [MM]	G
CHAINSTAY LENGTH [MM]	H
BB DROP [MM]	I
WHEELBASE [MM]	J
STACK [MM]	K
REACH [MM]	L

27.5"	27.5"	27.5"	27.5"	27.5"
S	M	L	XL	XXL
400	450	500	550	600
74	74	74	74	74
74	74	74	74	74
140	140	155	170	180
68	68	68	68	68
610	620	635	658	680
465	465	465	465	465
-60	-60	-60	-60	-60
1171	1181	1198	1223	1246
656	656	670	684	693
422	432	443	462	481

TREKKING 7.5 / 7 / 5 / 4 - HIGH



27.5"	27.5"	27.5"
S	M	L
380	450	500
74	74	74
74	74	74
150	155	175
69	69	69
610	630	660
475	475	475
-65	-65	-65
1167	1177	1209
659	663	682
421	440	464

TREKKING 7.5 / 7 / 5 / 4 - LOW

# TREKKING



SEATTUBE LENGTH [MM]	A
SEATTUBE ANGLE [°]	B
SEATTUBE OFFSET [MM]	C
SEAT ANGLE [°]	D
HEADTUBE LENGTH [MM]	E
HEADTUBE ANGLE [°]	F
TOPTUBE LENGTH [MM]	G
CHAINSTAY LENGTH [MM]	H
BB DROP [MM]	I
WHEELBASE [MM]	J
STACK [MM]	K
REACH [MM]	L

27.5"	27.5"	27.5"	27.5"
S	M	L	XL
480	520	560	600
73	73	73	73
73	73	73	73
155	170	180	190
67	67	67	67
587	608	633	658
490	490	490	490
-55	-55	-55	-55
1176	1198	1224	1250
622	636	645	655
397	414	436	458

TREKKING 3 – HIGH



27.5"	27.5"	27.5"
S	M	L
440	480	520
73	73	73
73	73	73
155	170	190
67	67	67
580	595	613
490	490	490
-55	-55	-55
1169	1184	1205
622	636	655
390	400	413

TREKKING 3 – MID

# TREKKINGS



SEATTUBE LENGTH [MM]	A
SEATTUBE ANGLE [°]	B
SEATTUBE OFFSET [MM]	C
SEAT ANGLE [°]	D
HEADTUBE LENGTH [MM]	E
HEADTUBE ANGLE [°]	F
TOPTUBE LENGTH [MM]	G
CHAINSTAY LENGTH [MM]	H
BB DROP [MM]	I
WHEELBASE [MM]	J
STACK [MM]	K
REACH [MM]	L

27.5"	27.5"	27.5"	27.5"
S	M	L	XL
500	540	580	620
73	73	73	73
73	73	73	73
160	170	180	190
66	66.5	66.5	66.5
610	624	644	669
470	470	470	470
-60	-60	-60	-60
1190	1199	1220	1247
647	659	668	677
412	423	440	462

TREKKING S 10 – HIGH



27.5"	27.5"	27.5"
S	M	L
460	500	540
73	73	73
73	73	73
170	180	190
68	69	70
622	638	655
470	470	470
-60	-60	-60
1179	1184	1187
667	681	695
419	430	442

TREKKING S 10 – LOW

## IMPRINT

Alle Angaben der WINORA-STAIKER GmbH wie Preise, Größen, Gewichte, Farben einschließlich Lieferzeiten und/oder sonstigen Angaben erfolgen mit größter Sorgfalt. Die WINORA-STAIKER GmbH übernimmt keine Gewähr für mögliche Abweichungen. Offensichtliche Fehler oder Irrtümer im Katalog sind für die WINORA-STAIKER GmbH nicht bindend. Alle Preise sind unverbindliche Preisempfehlungen inklusive der gesetzlichen MwSt.

Aus Gründen der besseren Lesbarkeit wird bei Personenbezeichnungen und personenbezogenen Hauptwörtern in diesem Dealerbook die männliche Form verwendet. Entsprechende Begriffe gelten im Sinne der Gleichbehandlung grundsätzlich für alle Geschlechter. Die verkürzte Sprachform hat nur redaktionelle Gründe und beinhaltet keine Wertung.

### FOTOS

Emotion: Klemens Koenig, Frank Marbet, Stefan Voitl, Stefan Filzmoser  
Produkt: Frank Pieth, Volker Martin

### DANK AN

alle Mitarbeiter der WINORA-STAIKER GmbH - jeden Einzelnen in unserer einmaligen Firma, der ein Teil dieses langen und manchmal auch harten Entwicklungsprozesses unserer Produkte war, die wir nun mit Stolz präsentieren.

Irrtümer, Änderungen und Druckfehler vorbehalten. Bilder können vom Original abweichen.

WINORA-STAIKER ist ein Mitglied der ACCELL GROUP.

© 2023 WINORA-STAIKER GmbH, Sennfeld, Deutschland

Unter Umständen sind nicht alle in diesem Katalog gezeigten Produkte in allen Regionen erhältlich, bitte kontaktiere dazu dein Vertriebsteam.

Weiterführende Informationen und Neuigkeiten findest du unter [www.haibike.com](http://www.haibike.com).

### WINORA GROUP

WINORA-STAIKER GmbH  
E. Wiener Bike Parts GmbH  
Max-Planck-Straße 4-8  
97526 Sennfeld  
Germany

Tel: +49 9721 6501-0  
Email: [info@winora-group.de](mailto:info@winora-group.de)  
Web: [winora-group.com](http://winora-group.com)

All representations made by WINORA-STAIKER GmbH regarding numbers, sizes, weights, colours including delivery times and/or other specifications are made with care. WINORA-STAIKER GmbH does not guarantee that there will not be any deviations. Obvious mistakes or errors in the catalogue are not binding on WINORA-STAIKER GmbH. All prices are recommended retail prices incl. VAT.

For reasons of better readability, the masculine form is used for personal names and personal nouns in this dealerbook. Corresponding terms apply to all genders in the sense of equal treatment. The abbreviated language form has only editorial reasons and does not imply any valuation.

### PHOTOS

Emotion: Klemens Koenig, Frank Marbet, Stefan Voitl, Stefan Filzmoser  
Product: Frank Pieth, Volker Martin

### THANKS TO

all employees of WINORA-STAIKER GmbH - to each one of you in our unique company who was a part of this long and sometimes difficult development process of our products which we now proudly present.

We are not liable for errors, changes or misprints. Images might not represent the original.

WINORA-STAIKER GmbH is a member of ACCELL GROUP.

© 2023 WINORA-STAIKER GmbH, Sennfeld, Germany

Under certain circumstances, not all of the products shown in this catalogue might be available in all regions. Please contact your sales department for more information.

For more detailed information and other news, please visit our website at [www.haibike.com](http://www.haibike.com).





W E A R E e P E R F O R M A  
N C E W E A R E e P E R F O  
R M A N C E W E A R E e P E  
R F O R M A N C E W E A R E  
e P E R F O R M A N C E

***NDURO***

***HYBE***

***ALLMTN***

***LYKE***

***ALLTRAIL***

***ALLTRACK***

***ADVENTR***

***TREKKING***

**HAIBIKE.COM**



HAIBIKE Dealerbook D/E 2024  
Art.-Nr. 9990090104