

LAPIERRE

DEALERBOOK 2024

eMTB

MY24 RANGE



LAPIERRE

eMTB

RANGE OVERVIEW

Overvolt HT

Overvolt TR

Overvolt AM

E-Zesty

Overvolt GLP III

SE



TEAM



ELITE




LTD



9.




8.



7.




6.



5.



4.



3.

2.

1.

SPORT

COMPETITION

Overvolt GLP III

RANGE



MAINT.

Overvolt GLP III SE

Neige Mankiewicz - Mat | LGCRA
Bosch | 800Wh



MAINT.

Overvolt GLP III Team

Dark Grey | LGBRA
Bosch | 800Wh




MAINT.

Overvolt GLP III Elite

Dust Purple | LGARA
Bosch | 800Wh

Geometry


OVERVOLT GLP III



SIZE	S	M	L	XL
ST (MM)	390	400	430	460
TT (MM)	580	607	629	656
HA (°)	64	64	64	64
SA (°)	77	77	77	77
RC (MM)	440	440	440	440
HT (MM)	110	120	130	140
BB (MM)	-10	-10	-10	-10
FRK TRAVEL	170	170	170	170
FRK LENGTH	600	600	600	600
FRK OFFSET	44	44	44	44
STACK	629	638	647	656
REACH	435	460	480	505
WB	1225	1255	1279	1308
USER	150-170	168-178	176-186	>184
REF.	LG_RA390	LG_RA400	LG_RA430	LG_RA460

Nomenclature

OVERVOLT GLP III



Overvolt GLP III SE

NEIGE MANKIEWICZ - MAT

Ref. LGCRA

Overvolt GLP III Team

DARK GREY

Ref. LGBRA



Frame	Overvolt GLPIII 170mm travel semi integrated Bosch Full carbon Ultimate
Fork	Fox Float 38 Factory FIT4 29" 15x110, 170mm travel, 44mm offset / 3-position lever
Shock	Fox Float X Factory, 2-Pos Lever, LSC, LV Evol, 205x65mm Trunnion
Rear derailleur	Shimano XTR 12s Shadow +
Crankset	E13 E-spec+ Race Carbon 160mm (S,M) , 165mm (L,XL) + E13 E-spec alloy chainring 34T
System	Bosch Performance line CX-R "25kph" / Powerpack battery 800Wh/ Mini remote + integrated KIOX 300
Sprocket	Shimano XT 10-51T 12s
Chain	Shimano XT 12s
Brakes	Shimano XTR 4 pistons
Rotors	Shimano RTMT800 203mm (front) / RTEM810 with Magnet 203mm (rear) centerlock
Shiftlevers	Shimano XTR 12s Rapidfire
Headset	Top: Acros for Integrated routing / Bottom: Acros Block lock
Handlebar	Lapierre Thirty Five Alloy 6061 DB, Width: 800mm, Rise: 30mm, Backsweep: 8°, Upsweep: 6°, Ø: 35mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre Thirty Five alloy 0°, Ø: 35mm, L: 35mm (S,M), 45mm (L,XL)
Seatpost	Limotec A1 Light dropper, Ø: 31.6mm, travel 125mm (S), 150mm (M), 170mm (L,XL) + Shimano lever
Saddle	Fizik Terra Aidon X3 KIUM 145mm
Wheelset	E-DEEMAX S 30 29" (front), E-DEEMAX S 35 27,5" Micro Spline driver (rear)
Tires	Front: Schwalbe MAGIC MARY Evo, Super Trail, TLE, ADDIX Ultra Soft, 62-622, 67TPI Rear: Schwalbe BIG BETTY, Super Trail, TLE, ADDIX Soft, 65-584, 67TPI"
Pedals	VP VPE-527
Accessories	Bosch Charger 4A + Lapierre Thru axle and bottle opener lever + Tubeless valves

Frame	Overvolt GLPIII 170mm travel semi integrated Bosch Full carbon Ultimate
Fork	RockShox ZEB Ultimate Charger 3 RC2 29" 15x110 170mm 44mm offset
Shock	RockShox Vivid Air 2 Ultimate, 2-Pos Lever, 205x65mm Trunnion
Rear derailleur	SRAM X0 Eagle AXS T-TYPE, 12s
Crankset	E13 E-spec+ Race Carbon 160mm (S,M) , 165mm (L,XL) + SRAM XX T-TYPE 34T
System	Bosch Performance line CX-R "25kph" / Powerpack battery 800Wh/ Mini remote + integrated KIOX 300
Sprocket	SRAM XS1295 T-TYPE 10-52T 12s
Chain	SRAM X0 T-TYPE Powerlock 12s
Brakes	SRAM Code Ultimate Stealth 4 pistons
Rotors	SRAM Centerline 220mm/200mm 6 bolts
Shiftlevers	SRAM AXS Pod Ultimate 12s
Headset	Top: Acros for Integrated routing / Bottom: Acros Block lock
Handlebar	Renthal Fatbar, Width: 800mm, Rise: 30mm, Ø: 35mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Renthal Apex, Ø: 35mm, L: 33mm (S,M), 40mm (L,XL)
Seatpost	SRAM Reverb AXS, Ø: 31.6mm, travel 125mm (S), 150mm (M), 170mm (L,XL)
Saddle	Fizik Terra Aidon X3 KIUM 145mm
Wheelset	Lapierre eAM+ carbon, front: 622x30 Straigh pull, rear: 584x33 J-bend Tubeless Ready
Tires	Front: Schwalbe MAGIC MARY Evo, Super Trail, TLE, ADDIX Ultra Soft, 62-622, 67TPI Rear: Schwalbe BIG BETTY, Super Trail, TLE, ADDIX Soft, 65-584, 67TPI"
Pedals	VP VPE-527
Accessories	Bosch Charger 4A + Lapierre Thru axle and bottle opener lever + Tubeless valves + SRAM Powerpack batteries

Overvolt GLP III Elite

DUST PURPLE

Ref. LGARA



Frame	Overvolt GLPIII 170mm travel semi integrated Bosch Full carbon Ultimate
Fork	Fox Float 38 Performance Elite FIT4 29" 15x110, 170mm travel, 44mm offset / 3-position lever
Shock	Fox Float X Performance Elite, 2-Pos Lever, LV Evol, 205x65mm Trunnion
Rear derailleur	Shimano Deore XT 12s Shadow +
Crankset	E13 E-spec Plus Bosch CX Gen4 160mm (S,M) , 165mm (L,XL) + E13 E-spec alloy chainring 34T
System	Bosch Performance line CX "25kph" / Powerpack battery 800Wh/ Mini remote + integrated KIOX 300
Sprocket	Shimano SLX 10-51T 12s
Chain	Shimano SLX 12s
Brakes	Shimano Deore XT 4 pistons
Rotors	Shimano RTMT800 203mm (front) / RTEM810 with Magnet 203mm (rear) centerlock
Shiftlevers	Shimano SLX 12s Rapidfire
Headset	Top: Acros for Integrated routing / Bottom: Acros Block lock
Handlebar	Lapierre Thirty Five Alloy 6061 DB, Width: 800mm, Rise: 30mm, Backsweep: 8°, Upsweep: 6°, Ø: 35mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre Thirty Five alloy 0°, Ø: 35mm, L: 35mm (S,M), 45mm (L,XL)
Seatpost	TranzX RAD+ dropper, Ø: 31.6mm, travel 125mm (S), 150mm (M), 170mm (L,XL) + Shimano lever
Saddle	Fizik Terra Aidon X5 145mm
Wheelset	Lapierre eAM+ alloy 32H, front: 622x33 J-bend, rear: 584x35 J-bend Tubeless Ready
Tires	Front: Schwalbe MAGIC MARY Evo, Super Trail, TLE, ADDIX Ultra Soft, 62-622, 67TPI Rear: Schwalbe BIG BETTY, Super Trail, TLE, ADDIX Soft, 65-584, 67TPI"
Pedals	VP VPE-527
Accessories	Bosch Charger 4A + Lapierre Thru axle and bottle opener lever + Tubeless valves



Overvolt AM

RANGE



ON

Overvolt AM 9.7

Dark Grey | LORPA
Bosch | 750Wh



MAINT

Overvolt AM 8.7

Mustard - Mat | LOQRA
Bosch | 750Wh



MAINT

Overvolt AM 7.7

Purple - Mat | LOPRA
Bosch | 750Wh



ON

Overvolt AM 6.7

Grey | LOONA
Bosch | 750Wh




ON

Overvolt AM 5.6

Grey | LOQPA
Bosch | 620Wh

Geometry


OVERVOLT AM



SIZE	S	M	L	XL
ST (MM)	390	430	470	510
TT (MM)	587	609	633	663
HA (°)	64,5	65	65	65
SA (°)	76,5	76,5	76,5	76,5
RC (MM)	460	460	460	460
HT (MM)	102	110	130	150
BB (MM)	-30	-30	-30	-30
FRK TRAVEL	170	170	170	170
FRK LENGTH	585	585	585	585
FRK OFFSET	44	44	44	44
STACK	631	641	659	678
REACH	435	455	475	500
WB	1230	1248	1276	1310
USER	150-170	168-178	176-186	>184
REF.	LO__A390	LO__A430	LO__A470	LO__A510

Nomenclature

OVERVOLT AM



Overvolt AM 9.7

DARK GREY

Ref. LORPA

Overvolt AM 8.7

MUSTARD - MAT

Ref. LOQRA



Frame	Overvolt AM Bosch Supreme 5 alloy
Fork	Fox Float 38 Factory 29" 15x110, 170mm travel, 44mm offset / 3-position lever
Shock	Fox Float X Factory 230x60mm 2-position lever
Rear derailleur	SRAM X01 Eagle, 12s
Crankset	E13 E-spec+ Race Carbon 160mm (S/M) / 165mm (L/XL) + SRAM Eagle steel ring 34T
System	Bosch Performance line CX "25kph" / Intube battery 750Wh/ LED Remote + KIOX 300
Sprocket	SRAM XG1275 Eagle 10-52T 12s
Chain	SRAM XX1 Black Eagle Powerlock 12s
Brakes	SRAM Code RSC 4 pistons
Rotors	SRAM Centerline 220mm/200mm 6 bolts
Shiftlevers	SRAM X01 Single click Eagle 12s
Headset	FSA NO.55R/57E, Anodized black 1-1/8"-1.5"
Handlebar	Race Face SixC carbon, Width: 785mm, Rise: 19mm, Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre alloy CNC, Ø: 31.8mm, L: 40mm (S/M), 45mm (L/XL)
Seatpost	JD dropper "Rad travel adjust", Ø: 31.6mm, travel: 125mm (S), 150mm (M), 170mm (L/XL) + MMX Remote
Saddle	Fizik Terra Aidon X3 145mm
Wheelset	E-DEEMAX S 30 29" (front), E-DEEMAX S 35 27,5" XD driver (rear)
Tires	Front: Schwalbe, 62-622, MAGIC MARY Evo, 67TPI, Super Trail, Addix Ultra soft, TR Rear: Schwalbe, 65-584, BIG BETTY, 67TPI, Super Trail, Addix soft, TR
Pedals	VP VPE-527
Accessories	Bosch Charger 4A + Lapierre Thru axle + Bottle opener lever + E13 E-spec alloy chainring 34T

Frame	Overvolt AM Bosch Supreme 5 alloy
Fork	Fox Float 38 Performance Elite FIT4 29" 15x110, 170mm travel, 44mm offset / 3-position lever
Shock	Fox Float X Performance Elite, 2-Pos Lever, LV Evol, 230x60mm
Rear derailleur	Shimano Deore XT 12s Shadow +
Crankset	E13 E-spec Plus Bosch CX Gen4 160mm (S,M) , 165mm (L,XL) + E13 E-spec alloy chainring 34T
System	Bosch Performance line CX "25kph" / Intube battery 750Wh/ LED Remote + KIOX 300
Sprocket	Shimano SLX 10-51T 12s
Chain	Shimano SLX 12s
Brakes	Shimano Deore XT 4 pistons
Rotors	Shimano RTMT800 203mm (front) / RTEM810 with Magnet 203mm (rear) centerlock
Shiftlevers	Shimano SLX 12s Rapidfire
Headset	FSA NO.55R/57E, Anodized black 1-1/8"-1.5"
Handlebar	Lapierre Thirty Five Alloy 6061 DB, Width: 800mm, Rise: 30mm, Backsweep: 8°, Upsweep: 6°, Ø: 35mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre Thirty Five alloy 0°, Ø: 35mm, L: 35mm (S,M), 45mm (L,XL)
Seatpost	TranzX RAD+ dropper, Ø: 31.6mm, travel 125mm (S), 150mm (M), 170mm (L,XL) + Shimano lever
Saddle	Fizik Terra Aidon X5 145mm
Wheelset	Lapierre eAM+ alloy 32H, front: 622x33 J-bend, rear: 584x35 J-bend Tubeless Ready
Tires	Front: Schwalbe MAGIC MARY Evo, Super Trail, TLE, ADDIX Ultra Soft, 62-622, 67TPI Rear: Schwalbe BIG BETTY, Super Trail, TLE, ADDIX Soft, 65-584, 67TPI"
Pedals	VP VPE-527
Accessories	Bosch Charger 4A + Lapierre Thru axle and bottle opener lever + Tubeless valves

Overvolt AM 7.7

PURPLE - MAT

Ref. LOPRA

Overvolt AM 6.7

GREY

Ref. LOONA



Frame	Overvolt AM Bosch Supreme 5 alloy
Fork	RockShox ZEB Base RUSH RC 29" 15x110 DebonAir™ 170mm 44mm offset
Shock	RockShox Deluxe Select R 230x60mm
Rear derailleur	SRAM GX Lunar Eagle, 12s
Crankset	E13 E-spec Plus Bosch CX Gen4 160mm (S,M) , 165mm (L,XL) + SRAM X-SYNC 2 EAGLE 34T
System	Bosch Performance line CX "25kph" / Intube battery 750Wh/ Purion 200 Remote
Sprocket	SRAM PG1230 Eagle 10-50T 12s
Chain	SRAM NX Eagle Powerlock 12s
Brakes	SRAM G2 RE 4 pistons
Rotors	SRAM Centerline 220mm (front) /200mm (rear) 6 bolts
Shiftlevers	SRAM NX Single click Eagle 12s
Headset	FSA NO.55R/57E, Anodized black 1-1/8"-1.5"
Handlebar	Lapierre Thirty Five Alloy 6061 DB, Width: 800mm, Rise: 30mm, Backsweep: 8°, Upsweep: 6°, Ø: 35mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre Thirty Five alloy 0°, Ø: 35mm, L: 35mm (S,M), 45mm (L,XL)
Seatpost	Lapierre dropper, Ø: 31.6mm, travel 100mm (S), 130mm (M), 150mm (L,XL) + Shimano lever
Saddle	Fizik Terra Aidon X5 145mm
Wheelset	Lapierre eAM+ alloy 32H, front: 622x33 J-bend, rear: 584x35 J-bend Tubeless Ready
Tires	Front: Schwalbe MAGIC MARY Evo, Super Trail, TLE, ADDIX Ultra Soft, 62-622, 67TPI Rear: Schwalbe BIG BETTY, Super Trail, TLE, ADDIX Soft, 65-584, 67TPI"
Pedals	VP VPE-527
Accessories	Bosch Charger 4A + Lapierre Thru axle and bottle opener lever + Tubeless valves

Frame	Overvolt AM Bosch Supreme 5 alloy
Fork	RockShox Domain GOLD ISOLATOR R 29" 15x110 170mm 44mm offset
Shock	Lapierre Shock Metric 230x60mm
Rear derailleur	Shimano CUES U6000 10/11s Shadow+
Crankset	E13 E-spec+ 160mm (S,M) , 165mm (L,XL) + E13 E-spec steel chainring 34T
System	Bosch Performance line CX "25kph" / Intube battery 750Wh/ LED Remote
Sprocket	Shimano CUES LG400 11-50T 11s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Shimano M4100 4 pistons
Rotors	Shimano SMRT30 203mm (front) / RTEM300 with Magnet 203mm (rear) centerlock
Shiftlevers	Shimano CUES U6000 11s
Headset	FSA NO.55R/57E, Anodized black 1-1/8"-1.5"
Handlebar	Lapierre Alloy 6061 DB, Width: 780mm, Rise: 15mm (S/M) 30mm (L,XL), Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre alloy CNC, Ø: 31.8mm, L: 40mm (S,M), 45mm (L,XL)
Seatpost	Lapierre dropper, Ø: 31.6mm, travel 100mm (S), 130mm (M), 150mm (L,XL) + Shimano lever
Saddle	Selle Royal Vivo Men
Front hub	DA210, boost 15x110, 32H 6 Centerlock
Rear hub	DA210, 4 sealed bearings, boost 12x148, 32H Centerlock
Rims	Lapierre eAM+ 32H, 622x30 (front) 584x35 (rear) Tubeless Ready
Tires	Front : MAXXIS Assegai 3C MaxxGrip NEXO+ TR 29x2.50 WT 60TPI Rear : MAXXIS Minion DHR II 3C MaxxTerra NEXO+ TR 27.5x2.80 60TPI"
Pedals	VP VPE-527
Accessories	Bosch Charger 4A + Lapierre Thru axle and bottle opener lever + Tubeless valves

Overvolt AM 5.6

GREY

Ref. LOQPA



Frame	Overvolt AM Bosch Supreme 5 alloy
Fork	RockShox Domain GOLD ISOLATOR R 29" 15x110 170mm 44mm offset
Shock	Lapierre Shock Metric 230x60mm
Rear derailleur	Shimano CUES U6000 10/11s Shadow+
Crankset	Samox EC40-F13-ISIS 160mm (S,M), 165mm (L,XL) + E13 E-spec steel chainring 34T
System	Bosch Performance line CX "25kph" / Intube battery 625Wh/ LED Remote
Sprocket	Shimano CUES LG300 11-48T 10s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Shimano M4100 4 pistons
Rotors	Shimano SMRT30 203mm (front) / RTEM300 with Magnet 203mm (rear) centerlock
Shiftlevers	Shimano CUES U6000 10s
Headset	FSA NO.55R/57E, Anodized black 1-1/8"-1.5"
Handlebar	Lapierre Alloy 6061 DB, Width: 780mm, Rise: 15mm (S/M) 30mm (L,XL), Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre alloy CNC, Ø: 31.8mm, L: 40mm (S,M), 45mm (L,XL)
Seatpost	Lapierre dropper, Ø: 31.6mm, travel 100mm (S), 130mm (M), 150mm (L,XL) + Shimano lever
Saddle	Selle Royal Vivo Men
Front hub	DA210, boost 15x110, 32H Centerlock
Rear hub	DA210, 4 sealed bearings, boost 12x148, 32H Centerlock
Rims	Lapierre eAM+ 32H, 622x30 (front) 584x35 (rear) Tubeless Ready
Tires	Front : MAXXIS Assegai 3C MaxxGrip NEXO+ TR 29x2.50 WT 60TPI Rear : MAXXIS Minion DHR II 3C MaxxTerra NEXO+ TR 27.5x2.80 60TPI"
Pedals	VP VPE-527
Accessories	Bosch Charger 4A + Lapierre Thru axle and bottle opener lever + Tubeless valves



LAPIERRE

Overvolt TR

RANGE



MAINT

Overvolt TR 6.7

Earth Grey - Glossy | LOLRB
Bosch | 750Wh




ON

Overvolt TR 4.6

Pastel Grey | LOLPA
Bosch | 625Wh

Geometry


OVERVOLT TR



SIZE	S	M	L	XL
ST (MM)	390	430	470	510
TT (MM)	588	610	634	664
HA (°)	65,5	66	66	66
SA (°)	76	76	76	76
RC (MM)	460	460	460	460
HT (MM)	112	120	140	160
BB (MM)	-30	-30	-30	-30
FRK TRAVEL	140	140	140	140
FRK LENGTH	550	550	550	550
FRK OFFSET	51	51	51	51
STACK	611	621	640	658
REACH	436	455	475	500
WB	1216	1233	1261	1294
USER	150-170	168-178	176-186	>184
REF.	LOL__390	LOL__430	LOL__470	LOL__510

Nomenclature

OVERVOLT TR



Overvolt TR 6.7

EARTH GREY - GLOSSY

Ref. LOLRB

Overvolt TR 4.6

PASTEL GREY

Ref. LOLPA



Frame	Overvolt TR Bosch Supreme 5 alloy
Fork	RockShox Psylo Silver RC 29" 15x110 140mm 44mm offset
Shock	Lapierre Shock Metric 210x50mm
Rear derailleur	Shimano CUES U6000 10/11s Shadow+
Crankset	E13 E-spec Plus Bosch CX Gen4 160mm (S,M) , 165mm (L,XL) + E13 E-spec steel chainring 34T
System	Bosch Performance line CX "25kph" / Intube battery 750Wh/ Purion 200
Sprocket	Shimano CUES LG400 11-50T 11s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Shimano M4100 4 (front) / 2 (rear) pistons
Rotors	Shimano SMRT30 203mm (front) / RTEM300 203mm (rear) centerlock
Shiftlevers	Shimano CUES U6000 11s
Headset	FSA NO.55R/57E, Anodized black 1-1/8"-1.5"
Handlebar	Lapierre Alloy 6061 DB, Width: 760mm, Rise: 15mm (S/M) 30mm (L,XL), Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre alloy CNC, Ø: 31.8mm, L: 45mm (S,M), 50mm (L,XL)
Seatpost	Lapierre dropper, Ø: 31.6mm, travel 100mm (S), 130mm (M), 150mm (L,XL) + Shimano lever
Saddle	Selle Royal Vivo Men
Front hub	DA210, boost 15x110, 32H Centerlock
Rear hub	DA210, 4 sealed bearings, boost 12x148, 32H Centerlock
Rims	Lapierre eAM+ 32H, 622x30 Tubeless Ready
Tires	Front : MAXXIS Minion DHF EXO TR 29x2.50 WT 60TPI Rear : MAXXIS Agressor EXO TR 29x2.50 60TPI"
Pedals	VP VPE-527
Accessories	Bosch Charger 4A + Lapierre Thru axle and bottle opener lever + Tubeless valves

Frame	Overvolt TR Bosch Supreme 5 alloy
Fork	SR Suntour XCR 34 Air LO-R 15x110 29" 140mm travel
Shock	Lapierre Shock Metric 210x50mm
Rear derailleur	Shimano CUES U6000 10/11s Shadow+
Crankset	Samox EC40-F13-ISIS 160mm (S,M), 165mm (L,XL) + E13 E-spec steel chainring 34T
System	Bosch Performance line CX "25kph" / Intube battery 625Wh/ LED Remote
Sprocket	Shimano CUES LG300 11-48T 10s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Shimano M4100 4 (front) / 2 (rear) pistons
Rotors	Shimano SMRT30 203mm (front) / RTEM300 with Magnet 203mm (rear) centerlock
Shiftlevers	Shimano CUES U6000 10s
Headset	FSA NO.55R/57E, Anodized black 1-1/8"-1.5"
Handlebar	Lapierre Alloy 6061 DB, Width: 760mm, Rise: 15mm (S/M) 30mm (L,XL), Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre alloy CNC, Ø: 31.8mm, L: 45mm (S,M), 50mm (L,XL)
Seatpost	Lapierre dropper, Ø: 31.6mm, travel 100mm (S), 130mm (M), 150mm (L,XL) + Shimano lever
Saddle	Selle Royal Vivo Men
Front hub	DA210, boost 15x110, 32H Centerlock
Rear hub	DA210, 4 sealed bearings, boost 12x148, 32H Centerlock
Rims	Lapierre eAM+ 32H, 622x30 Tubeless Ready
Tires	Front : MAXXIS Minion DHF EXO TR 29x2.50 WT 60TPI Rear : MAXXIS Agressor EXO TR 29x2.50 60TPI"
Pedals	VP VPE-527
Accessories	Bosch Charger 4A + Lapierre Thru axle and bottle opener lever + Tubeless valves

Overvolt HT

RANGE



ON

Overvolt HT 8.7 High

Pastel Blue | LOEPA
Bosch | 750Wh



ON

Overvolt HT 8.7 Low

Pastel Green | LOEPB
Bosch | 750Wh



ON

Overvolt HT 7.6 High

Orange | LODPA
Bosch | 625Wh



ON

Overvolt HT 7.6 Low

Turquoise | LODPB
Bosch | 625Wh



MAINT

Overvolt HT 5.5 High

Sand - Mat | LOCRA
Bosch | 500Wh



MAINT

Overvolt HT 5.5 Mid

Earth - Mat | LOCRB
Bosch | 500Wh



MAINT

Overvolt HT 4.5 High

Blue - Glossy | LOBRA
Bosch | 500Wh




MAINT

Overvolt HT 4.5 Mid

Sky Blue - Mat | LOBRB
Bosch | 500Wh

Geometry


OVERVOLT HT 8.7 HIGH
OVERVOLT HT 7.6 HIGH



SIZE	S	M	L	XL
ST [MM]	400	450	500	550
SA [°]	74	74	74	74
HT [MM]	140	140	150	160
HA [°]	68	67	67	67
TT [MM]	600	625	648	670
CS [MM]	465	475	475	475
BB DROP [MM]	-60	-65	-65	-65
FORK + HEADSET [MM]	510	550	550	550
FORK RAKE [MM]	51	51	51	51
WB [MM]	1167	1217	1241	1265
STACK [MM]	644	680	689	699
REACH [MM]	415	430	450	470
USER	150-170	168-178	176-186	>184
REF.	LO_PA400	LO_PA450	LO_PA500	LO_PA550

Geometry


OVERVOLT HT 8.7 LOW
OVERVOLT HT 7.6 LOW



SIZE	S	M	L
ST [MM]	380	450	500
SA [°]	74	73	73
HT [MM]	140	155	175
HA [°]	69,5	70,5	70,5
TT [MM]	600	623	659
CS [MM]	475	475	475
BB DROP [MM]	-65	-60	-60
FORK + HEADSET [MM]	503	503	503
FORK RAKE [MM]	46	46	46
WB [MM]	1152	1154	1191
STACK [MM]	651	665	684
REACH [MM]	413	420	450
USER	150-165	163-173	170-180
REF.	LO_PB380	LO_PB450	LO_PB500

Geometry


OVERVOLT HT 5.5 HIGH
OVERVOLT HT 4.5 HIGH



SIZE	S	M	L	XL
STL	400	450	490	530
CSL	495	495	495	495
TTL	570	606	639	671
HTL	110	115	135	160
HTA (°)	65	65	65	65
STA (°)	74,6	74,6	74,6	74,6
BB	69	69	64	64
WB	-	1249	1287	1323
ST	-	648	661	684
RE	-	427	457	483
SOH	-	755	782	792
USER	150-170	168-178	176-186	>184
REF.	LO_RA400	LO_RA450	LO_RA490	LO_RA530

Geometry

OVERVOLT HT 5.5 MID
OVERVOLT HT 4.5 MID



SIZE	S	M	L
STL	370	400	440
CSL	490	495	495
TTL	574	606	639
HTL	125	115	135
HTA (°)	65	65	65
STA (°)	74,8	74,6	74,6
BB	54	69	64
WB	1217	1249	1287
ST	624	648	661
RE	405	427	457
SOH	620	618	610
USER	150-165	163-173	170-180
REF.	LO_RB370	LO_RB400	LO_RB440

Overvolt HT 8.7 High

PASTEL BLUE

Ref. LOEPA

Overvolt HT 8.7 Low

PASTEL GREEN

Ref. LOEPB



Frame	Overvolt Bosch Supreme 5 alloy
Fork	SR Suntour XCR 34 COIL 2CR DS 15x110 29" 120mm travel
Rear derailleur	Shimano CUES U6000 10/11s Shadow+
Crankset	Samox EC40-F13-ISIS 160mm (S,M), 165mm (L,XL) + E13 E-spec steel chainring 34T
System	Bosch Performance line CX "25kph" / Intube battery 750Wh/ LED Remote
Sprocket	Shimano CUES LG300 11-48T 10s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Shimano M4100 2 pistons
Rotors	Shimano ASMRT30 203mm/180mm (S,M), 203mm/203mm (L,XL) Centerlock
Shiftlevers	Shimano CUES U6000 10s
Headset	Feimin-FPH856U 1.1/8" - 1.5 Tapered
Handlebar	Lapierre Alloy 6061 DB, Width: 760mm, Rise: 15mm (S,M) 30mm (L,XL), Ø: 31.8mm
Grips	Lapierre grips, S/M: small diameter, L/XL: large diameter
Stem	Lapierre alloy CNC, Ø: 31.8mm, L: 45mm (S,M), 50mm (L,XL)
Seatpost	Alloy, Ø: 34,9mm, L: 300mm (S,M), 350mm (L), 400mm (XL)
Saddle	Selle Royal Vivo Men
Front hub	Shimano MT400, 15x110, 32H Centerlock
Rear hub	Shimano MT400, 12x148, 32H, Centerlock
Rims	Lapierre eAM+ 32H, 35-584 (S), 30-622 (M,L,XL)
Tires	Front : MAXXIS Minion DHF EXO TR 60 TPI 27.5x2.60 (S) 29x2.50WT (M/L/XL) Rear : MAXXIS Rekon EXO TR 60TPI 27.5x2.60 (S) 29x2.40 (M/L/XL)"
Pedals	VP VPE-527
Accessories	Bosch Charger 4A + Lapierre Thru axle and bottle opener lever + Tubeless valves + Bosch Rim Magnet

Frame	Overvolt Bosch Supreme 5 alloy Low Step
Fork	SR Suntour XCR 34 COIL 2CR DS 15x110 27,5" 120mm travel
Rear derailleur	Shimano CUES U6000 10/11s Shadow+
Crankset	Samox EC40-F13-ISIS 155mm (S), 160mm (M, L) + E13 E-spec steel chainring 34T
System	Bosch Performance line CX "25kph" / Intube battery 750Wh/ LED Remote
Sprocket	Shimano CUES LG300 11-48T 10s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Shimano M4100 2 pistons
Rotors	Shimano ASMRT30 203mm/180mm Centerlock
Shiftlevers	Shimano CUES U6000 10s
Headset	Top: Cane creek viscoset / Bottom: Acros Block lock
Handlebar	Lapierre Alloy 6061 DB, Width: 740mm, Rise: 30mm, Ø: 31.8mm
Grips	Lapierre grips, S/M/L: small diameter
Stem	Lapierre alloy CNC, Ø: 31.8mm, L: 35mm (S), 45mm (M,L)
Seatpost	Alloy, Ø: 34,9mm, L: 300mm (S,M), 350mm (L)
Saddle	Selle Royal Vivo Women
Front hub	Shimano MT400, 15x110, 32H Centerlock
Rear hub	Shimano MT400, 12x148, 32H, Centerlock
Rims	Lapierre eAM+ 32H, 35-584
Tires	Front : MAXXIS Minion DHF EXO TR 27.5x2.60 60TPI Rear : MAXXIS Rekon EXO TR 27.5x2.60 60TPI"
Pedals	VP VPE-527
Accessories	Bosch Charger 4A + Lapierre Thru axle and bottle opener lever + Tubeless valves + Bosch Rim Magnet

LAPIERRE

Overvolt HT 7.6 High

ORANGE

Ref. LODPA

Overvolt HT 7.6 Low

TURQUOISE

Ref. LODPB



Frame	Overvolt Bosch Supreme 5 alloy
Fork	SR Suntour XCR 34 COIL 2CR DS 15x110 29" 120mm travel
Rear derailleur	Shimano CUES U6000 10/11s Shadow+
Crankset	Samox EC40-F13-ISIS 160mm (S,M), 165mm (L,XL) + E13 E-spec steel chainring 34T
System	Bosch Performance line CX "25kph" / Intube battery 625Wh
Sprocket	Shimano CUES LG300 11-48T 10s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Shimano MT401 2 pistons
Rotors	Shimano ASMRT30 203mm/180mm (S,M), 203mm/203mm (L,XL) Centerlock
Shiftlevers	Shimano CUES U6000 10s
Headset	Feimin-FPH856U 1.1/8" - 1.5 Tapered
Handlebar	Lapierre Alloy 6061 DB, Width: 760mm, Rise: 15mm (S,M) 30mm (L,XL), Ø: 31.8mm
Grips	Lapierre grips, S/M: small diameter, L/XL: large diameter
Stem	Alloy, 0°, Ø: 31.8mm, L: 40mm (S,M), 50mm (L,XL)
Seatpost	Alloy, Ø: 34,9mm, L: 300mm (S,M), 350mm (L), 400mm (XL)
Saddle	Selle Royal Vivo Men
Front hub	Shimano MT400, 15x110, 32H Centerlock
Rear hub	Shimano MT400, 12x148, 32H, Centerlock
Rims	Lapierre eAM+ 32H, 35-584
Tires	Schwalbe Nobby Nic, Performance, 50EPI, 65-584 (S), 62-622 (M,L,XL)
Pedals	VP VPE-527
Accessories	Bosch Charger 4A + Lapierre Thru axle and bottle opener lever + Bosch Rim Magnet

Frame	Overvolt Bosch Supreme 5 alloy Low Step
Fork	SR Suntour XCR 34 COIL 2CR DS 15x110 27,5" 120mm travel
Rear derailleur	Shimano CUES U6000 10/11s Shadow+
Crankset	Samox EC40-F13-ISIS 155mm (S), 160mm (M,L) + E13 E-spec steel chainring 34T
System	Bosch Performance line CX "25kph" / Intube battery 625Wh/ LED Remote
Sprocket	Shimano CUES LG300 11-48T 10s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Shimano MT401 2 pistons
Rotors	Shimano ASMRT30 203mm/180mm Centerlock
Shiftlevers	Shimano CUES U6000 10s
Headset	Top: Cane creek viscoset / Bottom: Acros Block lock
Handlebar	Lapierre Alloy 6061 DB, Width: 740mm, Rise: 30mm, Ø: 31.8mm
Grips	Lapierre grips, S/M/L: small diameter
Stem	Alloy, 0°, Ø: 31.8mm, L: 40mm (S,M), 50mm (L)
Seatpost	Alloy, Ø: 34,9mm, L: 300mm (S,M), 350mm (L)
Saddle	Selle Royal Vivo Women
Front hub	Shimano MT400, 15x110, 32H Centerlock
Rear hub	Shimano MT400, 12x148, 32H, Centerlock
Rims	Lapierre eAM+ 32H, 35-584
Tires	Schwalbe Nobby Nic, Performance, 65-584, 50EPI
Pedals	VP VPE-527
Accessories	Bosch Charger 4A + Lapierre Thru axle and bottle opener lever + Bosch Rim Magnet

Overvolt HT 5.5 High

SAND - MAT

Ref. LOCRA

Overvolt HT 5.5 Mid

EARTH - MAT

Ref. LOCRB



Frame	Overvolt Bosch Supreme 5 alloy
Fork	SR Suntour XCM 32 DS 15x110 29" 120mm travel
Rear derailleur	Shimano CUES U3020 9s Shadow
Crankset	Samox 170mm + 34T steel chainring
System	Bosch Performance line "25kph" / Intube battery 500Wh/LED Remote
Sprocket	Shimano CUES LG300 11-36T 9s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Tektro HD-M275
Rotors	Tektro TR180mm/180mm-24 6 bolts
Shiftlevers	Shimano CUES U4000 9s
Headset	Feimin 1.1/8" - 1.5 Tapered
Handlebar	XLC Alloy 6061 DB, Width: 720mm, Rise: 15mm, Ø: 31.8mm
Grips	Velo Lock-on
Stem	Alloy, 0°, Ø: 31.8mm, L: 45mm
Seatpost	Kalloy Alloy, Ø: 31.6mm, L: 350mm
Saddle	Lapierre
Front hub	DA210, boost 15x110, 32H 6 bolts
Rear hub	DA210, 4 sealed bearings, boost 12x148, 32H 6 bolts
Rims	Schürmann Yak25 584x25 (S), 622x25 (M,L) Disc Rim 32H with Silver Eyelets
Tires	WTB Ranger Comp 2.3x29"
Pedals	XLC by VP
Accessories	Bosch Charger 4A + Lapierre Thru axle and bottle opener lever

Frame	Overvolt Bosch Supreme 5 alloy MIX
Fork	SR Suntour XCM 32 DS 15x100 27.5" (S) 29" (M,L) 120mm travel
Rear derailleur	Shimano CUES U3020 9s Shadow
Crankset	Samox 170mm + 34T steel chainring
System	Bosch Performance line "25kph" / Intube battery 500Wh/LED Remote
Sprocket	Shimano CUES LG300 11-36T 9s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Tektro HD-M275
Rotors	Tektro TR180mm/180mm-24 6 bolts
Shiftlevers	Shimano CUES U4000 9s
Headset	Feimin 1.1/8" - 1.5 Tapered
Handlebar	XLC Alloy 6061 DB, Width: 720mm, Rise: 15mm, Ø: 31.8mm
Grips	Velo Lock-on
Stem	Alloy, 0°, Ø: 31.8mm, L: 45mm
Seatpost	Kalloy Alloy, Ø: 31.6mm, L: 350mm
Saddle	Lapierre
Front hub	DA210, boost 15x110, 32H 6 bolts
Rear hub	DA210, 4 sealed bearings, boost 12x148, 32H 6 bolts
Rims	Schürmann Yak25 584x25 (S), 622x25 (M,L) Disc Rim 32H with Silver Eyelets
Tires	WTB Ranger Comp 2.3x27.5" (S) WTB Ranger Comp 2.3x29" (M,L)
Pedals	XLC by VP
Accessories	Bosch Charger 4A + Lapierre Thru axle and bottle opener lever

Overvolt HT 4.5 High

BLUE - GLOSSY

Ref. LOBRA

Overvolt HT 4.5 Mid

SKY BLUE - MAT

Ref. LOBRB



Frame	Overvolt Bosch Supreme 5 alloy
Fork	SR Suntour XCM 32 DS 15x100 29" 100mm travel
Rear derailleur	Shimano CUES U3020 9s Shadow
Crankset	Samox 170mm + 34T steel chainring
System	Bosch Active Line Plus "25kph" / Intube battery 500Wh/LED Remote
Sprocket	Shimano CUES LG300 11-36T 9s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Tektro HD-M275
Rotors	Tektro TR180mm/180mm-24 6 bolts
Shiftlevers	Shimano CUES U4000 9s
Headset	Feimin 1.1/8" - 1.5 Tapered
Handlebar	XLC Alloy 6061 DB, Width: 720mm, Rise: 15mm, Ø: 31.8mm
Grips	Velo Lock-on
Stem	Alloy, 0°, Ø: 31.8mm, L: 45mm
Seatpost	Kalloy Alloy, Ø: 31.6mm, L: 350mm
Saddle	Lapierre
Front hub	DA210, boost 15x110, 32H 6 bolts
Rear hub	DA210, 4 sealed bearings, boost 12x148, 32H 6 bolts
Rims	Schürmann Yak25 584x25 (S), 622x25 (M,L) Disc Rim 32H with Silver Eyelets
Tires	WTB Ranger Comp 2.3x29"
Pedals	XLC by VP
Accessories	Bosch Charger 4A + Lapierre Thru axle and bottle opener lever

Frame	Overvolt Bosch Supreme 5 alloy MIX
Fork	SR Suntour XCM 32 DS 15x100 27.5" (S) 29" (M,L) 100mm travel
Rear derailleur	Shimano CUES U3020 9s Shadow
Crankset	Samox 170mm + 34T steel chainring
System	Bosch Active Line Plus "25kph" / Intube battery 500Wh/LED Remote
Sprocket	Shimano CUES LG300 11-36T 9s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Tektro HD-M275
Rotors	Tektro TR180mm/180mm-24 6 bolts
Shiftlevers	Shimano CUES U4000 9s
Headset	Feimin 1.1/8" - 1.5 Tapered
Handlebar	XLC Alloy 6061 DB, Width: 720mm, Rise: 15mm, Ø: 31.8mm
Grips	Velo Lock-on
Stem	Alloy, 0°, Ø: 31.8mm, L: 45mm
Seatpost	Kalloy Alloy, Ø: 31.6mm, L: 350mm
Saddle	Lapierre
Front hub	DA210, boost 15x110, 32H 6 bolts
Rear hub	DA210, 4 sealed bearings, boost 12x148, 32H 6 bolts
Rims	Schürmann Yak25 584x25 (S), 622x25 (M,L) Disc Rim 32H with Silver Eyelets
Tires	WTB Ranger Comp 2.3x27.5" (S) WTB Ranger Comp 2.3x29" (M,L)
Pedals	XLC by VP
Accessories	Bosch Charger 4A + Lapierre Thru axle and bottle opener lever

E-Zesty

RANGE



ON

E-Zesty AM LTD

Moon White | LEZPA
Fazua | 430Wh




ON

E-Zesty AM 9.4

Night blue | LEYPA
Fazua | 430Wh

Geometry


E-ZESTY



SIZE	S	M	L	XL
ST (MM)	370	400	430	460
TT (MM)	576	603	625	652
HA (°)	65	65	65	65
SA (°)	77	77	77	77
RC (MM)	435	435	440	445
HT (MM)	110	120	130	140
BB (MM)	-30	-30	-30	-30
FRK TRAVEL	140	140	140	140
FRK LENGTH	550	550	550	550
FRK OFFSET	44	44	44	44
STACK	610	619	628	637
REACH	435	460	480	505
WB	1188	1217	1246	1280
USER	150-170	168-178	176-186	176-186
REF.	LE_PA370	LE_PA400	LE_PA430	LE_PA460

Nomenclature

E-ZESTY



E-Zesty AM LTD

MOON WHITE

Ref. LEZPA

E-Zesty AM 9.4

NIGHT BLUE

Ref. LEYPA



Frame	eZesty AM Full carbon UD SLI 150mm travel, boost, metric, thru axle
Fork	RockShox Pike Ultimate Charger 3 RC2 29" 15x110 140mm 44mm offset
Shock	RockShox Deluxe Ultimate 210x55mm
Rear derailleur	Shimano XT M8100, 12s Shadow +
Crankset	Rotor E-Kapic Crank 165mm (S/M), 170mm (L/XL) + Rotor Ride 60 Alloy chainring 32T
System	NEW Fazua RIDE 60 drive pack + 430Wh battery pack / Ring control remote
Sprocket	Shimano XT M8100 10-51T 12s
Chain	Shimano SLX M7100 12s
Brakes	Shimano XT M8120 4 pistons
Rotors	Shimano MT800 203mm centerlock
Shiftlevers	Shimano SLX M7100 12s
Headset	Acros integrated headset with Block Lock'
Handlebar	Renthal Fatbar Carbon, Width : 800mm, Rise: 20mm, Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre alloy CNC, Ø: 31.8mm, L: 40mm (S/M), 45mm (L/XL)
Seatpost	Lapierre LIGHT dropper post, Ø: 31.6mm, travel 125mm (S), 150mm (M), 170mm (L/XL)
Saddle	Fizik Terra Aidon X5 145mm
Wheelset	Lapierre eAM+ Carbon, 622x30c, Micro Spline driver, Tubeless Ready
Tires	Front: Maxxis Assegai 3C MaxxTerra, EXO+, 29x2.5 WT, 60TPI, TR Rear: Maxxis Minion DHR II, EXO, 29x2.4 WT, 60TPI, TR
Pedals	VP VPE-527
Accessories	Fazua 3A90 Charger + thru axle Bottle opener lever Compatible Range Extender FAZUA 210 Wh (Option)

Frame	eZesty AM Full carbon UD SLI 150mm travel, boost, metric, thru axle
Fork	RockShox Lyrik Select+ Charger 3 RC2 29" 15x110 150mm 44mm offset
Shock	RockShox Super Deluxe Select+ 210x55mm
Rear derailleur	Shimano XT M8100, 12s Shadow +
Crankset	Rotor E-Kapic Crank 165mm (S/M), 170mm (L/XL) + Rotor Ride 60 Alloy chainring 32T
System	NEW Fazua RIDE 60 drive pack + 430Wh battery pack / Ring control remote
Sprocket	Shimano Deore M6100 10-51T 12s
Chain	Shimano Deore M6100 12s
Brakes	Shimano SLX M7120 4 pistons
Rotors	Shimano MT800 203mm centerlock
Shiftlevers	Shimano SLX M7100 12s
Headset	Acros integrated headset with Block Lock'
Handlebar	New Lapierre Alloy 6061 DB, Width: 780mm, Rise: 15mm (S/M) 30mm (L/XL), Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre alloy CNC, Ø: 31.8mm, L: 40mm (S/M), 45mm (L/XL)
Seatpost	Lapierre dropper post, Ø: 31.6mm, travel 125mm (S), 150mm (M), 170mm (L/XL)
Saddle	Fizik Terra Aidon X5 145mm
Wheelset	Lapierre eAM+ alloy 28H, 622x31c Straight Pull, Micro Spline Driver, Tubeless Ready
Tires	Front: Maxxis Assegai 3C MaxxTerra, EXO+, 29x2.5 WT, 60TPI, TR Rear: Maxxis Minion DHR II, EXO, 29x2.4 WT, 60TPI, TR
Pedals	VP VPE-527
Accessories	Fazua 3A90 Charger + thru axle Bottle opener lever Compatible Range Extender FAZUA 210 Wh (Option)

MTB

MY24 RANGE



LAPIERRE

MTB

RANGE OVERVIEW



Spicy CF

RANGE



NEW

Spicy CF Team

Cosmic Orange - Glossy
LSDRA



NEW

Spicy CF 8.9

Olive Green - Mat
LSJRA



NEW

Spicy CF 7.9

Sequoia Green - Mat
LSCRA



NEW

Spicy CF 6.9

Aventurine Blue - Mat
LSBRA





NEW

Spicy CF Team Frameset

Racing Blue - Glossy
LSKRA

Nomenclature

SPICY CF



Spicy CF Team

COSMIC ORANGE - GLOSSY

Ref. LSDRA



Non-binding illustrations

Spicy CF 8.9

OLIVE GREEN - MAT

Ref. LSJRA



Non-binding illustrations

Frame	Spicy Full Carbon 180mm travel (29"), pressfit, boost, metric, Thru axle
Fork	RockShox ZEB Ultimate Charger 3 RC2 29" 15x110 DebonAir™ 180mm (29") 44mm offset
Shock	RockShox Vivid Air 2 Ultimate, 2-Pos Lever, 205x65mm Trunnion
Rear derailleur	SRAM XO1 Eagle, 12s
Crankset	SRAM X1 Carbon Eagle DUB 32T 165mm (XS,S,M), 170mm (L,XL)
Bottom bracket	SRAM DUB BSA 73 MTB Wide
Sprocket	SRAM XG 1275 10-52T 12s
Chain	SRAM XO1 Eagle 12s
Brakes	SRAM CODE Silver Stealth 4 pistons
Rotors	SRAM HS2 220mm/200mm 6 bolts
Shiftlevers	SRAM XO1 Eagle Trigger Lunar 12s
Headset	Acros Integrated ZS56/ZS56 Block Lock
Handlebar	Renthal Fatbar, Width: 800mm, Rise: 30mm, Ø: 35mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Renthal Apex, Ø: 35mm, L: 33mm (XS,S), 40mm (M,L,XL)
Seatpost	TranzX RAD+ dropper, Ø: 31.6mm, travel 125mm (XS,S), 150mm (M), 170mm (L), 200mm (XL)
Saddle	WTB Volt 142mm
Wheelset	DT Swiss EXC1501 SPLINE® 622x30c, SRAM XD, 6 bolts
Tires	Front: Schwalbe MAGIC MARY Evo, Super Trail, TLE, ADDIX Ultra Soft, 62-622, 67TPI Rear: Schwalbe BIG BETTY, Super Trail, TLE, ADDIX Soft, 62-584, 67TPI"
Pedals	NW-91K
Accessories	Lapierre Thru axle and bottle opener lever Accessory Box for Low Pivot Point configuration

Frame	Spicy Full Carbon 180mm travel (29"), pressfit, boost, metric, Thru axle
Fork	Fox Float 38 Factory GRIP2 29" 15x110, 180mm travel, 44mm offset / HSC,LSC,HSR,LSR
Shock	Fox Float X2 Factory, 2-Pos Lever, LSC, HSC, HSR, LSR, 205x65mm Trunnion
Rear derailleur	Shimano Deore XT 12s Shadow +
Crankset	Shimano Deore XT 32T 165mm (XS,S,M), 170mm (L,XL)
Bottom bracket	Shimano BSA MT801
Sprocket	Shimano SLX 10-51T 12s
Chain	Shimano Deore 12s
Brakes	Shimano Deore XT M8100 4 pistons
Rotors	Shimano MT800 203mm
Shiftlevers	Shimano Deore XT 12s Rapidfire
Headset	Acros Integrated ZS56/ZS56 Block Lock
Handlebar	Lapierre Thirty Five 6061DB, Width: 800mm, Rise: 30mm, Ø: 35mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre Thirty Five alloy, 0°, Ø: 31.8mm, L: 35mm (XS,S), 45mm (M,L,XL)
Seatpost	TranzX RAD+ dropper, Ø: 31.6mm, travel 125mm (XS,S), 150mm (M), 170mm (L), 200mm (XL)
Saddle	WTB Volt 142mm
Wheelset	DT Swiss EX1700 SPLINE® 622x30c, Shimano Microspline, Centerlock
Tires	Front: Schwalbe MAGIC MARY Evo, Super Trail, TLE, ADDIX Ultra Soft, 62-622, 67TPI Rear: Schwalbe BIG BETTY, Super Trail, TLE, ADDIX Soft, 62-584, 67TPI
Pedals	NW-91K
Accessories	Lapierre Thru axle and bottle opener lever Accessory Box for Low Pivot Point configuration

Spicy CF 7.9

SEQUOIA GREEN - MAT

Ref. LSCRA



Non-binding illustrations

Frame	Spicy Full Carbon 180mm travel (29"), pressfit, boost, metric, Thru axle
Fork	Fox Float 38 Performance Elite GRIP2 29" 15x110, 180mm travel, 44mm offset / HSC,LSC,HSR,LSR
Shock	Fox Float X2 Performance, 2-Pos Lever, LV Evol, 205x65mm Trunnion
Rear derailleur	Shimano Deore XT 12s Shadow +
Crankset	Shimano SLX 32T 165mm (XS,S,M), 170mm (L,XL)
Bottom bracket	Shimano BSA MT801
Sprocket	Shimano Deore 10-51T 12s
Chain	Shimano Deore 12s
Brakes	Shimano SLX M7100 4 pistons
Rotors	Shimano RT70 203mm
Shiftlevers	Shimano SLX 12s Rapidfire
Headset	Acros Integrated ZS56/ZS56 Block Lock
Handlebar	Lapierre Thirty Five 6061DB, Width: 800mm, Rise: 30mm, Ø: 35mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre Thirty Five alloy, 0°, Ø: 31.8mm, L: 35mm (XS,S), 45mm (M,L,XL)
Seatpost	Lapierre dropper, Ø: 31.6mm, travel 100mm (XS,S), 130mm (M), 150mm (L), 170mm (XL)
Saddle	WTB Volt 142mm
Wheelset	DT Swiss E1900 SPLINE® 622x30c, Shimano Microspline, Centerlock
Tires	Front: Schwalbe MAGIC MARY Evo, Super Trail, TLE, ADDIX Ultra Soft, 62-622, 67TPI Rear: Schwalbe BIG BETTY, Super Trail, TLE, ADDIX Soft, 62-584, 67TPI
Pedals	NW-91K
Accessories	Lapierre Thru axle and bottle opener lever Accessory Box for Low Pivot Point configuration

Spicy CF 6.9

AVENTURINE BLUE - MAT

Ref. LSBRA



Non-binding illustrations

Frame	Spicy Full Carbon 180mm travel (29"), pressfit, boost, metric, Thru axle
Fork	RockShox ZEB Select Charger RC 29" 15x110 DebonAir™ 180mm (29") 44mm offset
Shock	RockShox Super Deluxe coil Select R Trunnion 205x65mm spring rate: 300(S) 350(M) 400(L) 450(XL)
Rear derailleur	Shimano SLX 12s Shadow +
Crankset	Shimano MT612 32T 165mm (XS,S,M), 170mm (L,XL)
Bottom bracket	Shimano BSA MT801
Sprocket	Shimano Deore 10-51T 12s
Chain	Shimano Deore 12s
Brakes	Shimano M4100 4 pistons
Rotors	Shimano RT64 203mm
Shiftlevers	Shimano Deore 12s Rapidfire
Headset	Acros Integrated ZS56/ZS56 Block Lock
Handlebar	Lapierre Thirty Five 6061DB, Width: 800mm, Rise: 30mm, Ø: 35mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre Thirty Five alloy, 0°, Ø: 31.8mm, L: 35mm (XS,S), 45mm (M,L,XL)
Seatpost	Lapierre dropper, Ø: 31.6mm, travel 100mm (XS,S), 130mm (M), 150mm (L), 170mm (XL)
Saddle	WTB Volt 142mm
Front hub	Shimano TC500
Rear hub	Shimano TC500 Microspline
Rims	Rodi Tryp30 EVO 30x622 32H Tubeless Ready
Tires	Front: Schwalbe MAGIC MARY Evo, Super Trail, TLE, ADDIX Ultra Soft, 62-622, 67TPI Rear: Schwalbe BIG BETTY, Super Trail, TLE, ADDIX Soft, 62-584, 67TPI
Pedals	NW-91K
Accessories	Lapierre Thru axle and bottle opener lever Accessory Box for Low Pivot Point configuration

LAPIERRE

Spicy CF Team Frameset

RACING BLUE - GLOSSY

Ref. LSKRA



Non-binding illustrations

Frame	Spicy Full Carbon 180mm travel (29"), pressfit, boost, metric, Thru axle
Shock	RockShox Vivid Air 2 Ultimate, 2-Pos Lever, 205x65mm Trunnion
Headset	Acros Integrated ZS56/ZS56 Block Lock
Accessories	Lapierre Thru axle and bottle opener lever Accessory Box for Low Pivot Point configuration



Zesty CF

RANGE



NEW

Zesty CF SE

Sienna Brown - Mat
LZNRA



NEW

Zesty CF 9.9

RAW carbon - Mat
LZLRA



NEW

Zesty CF 8.9

Empire Green - Mat
LZJRA



NEW

Zesty CF 7.9

Terracota - Mat
LZIRA




NEW

Zesty CF 6.9

Celadon Green - Mat
LZKRA

Geometry

ZESTY CF






SIZE	S	M	L	XL	S	M	L	XL
ST (MM)	383,1	409,9	436,0	463,7	383,1	409,9	436,0	463,7
TT (MM)	568,9	591,0	612,5	639,2	568,9	591,0	612,5	639,2
HA (°)	64,5	64,5	64,5	64,5	64,5	64,5	64,5	64,5
SA (°)	77,8	78,2	78,7	78,2	77,8	78,2	78,7	78,2
RC (MM)	432,6	432,6	432,6	442,6	430,1	430,1	430,1	440,1
HT (MM)	105,0	115,0	125,0	135,0	105,0	115,0	125,0	135,0
BB (MM)	-26,1	-26,1	-26,1	-26,1	-10,0	-10,0	-10,0	-10,0
FRK TRAVEL	150,0	150,0	150,0	150,0	150,0	150,0	150,0	150,0
FRK LENGTH	585,0	585,0	585,0	585,0	585,0	585,0	585,0	585,0
FRK OFFSET	44,0	44,0	44,0	44,0	44,0	44,0	44,0	44,0
STACK	617,3	626,3	635,4	644,4	617,3	626,3	635,4	644,4
REACH	435,0	460,0	485,0	505,0	435,0	460,0	485,0	505,0
WB	1197,6	1226,9	1256,2	1290,5	1203,4	1232,7	1262,0	1296,3
USER	150-170	168-178	176-186	>184	150-170	168-178	176-186	>184
REF.	LZ_RA380 LZ_RA410 LZ_RA440 LZ_RA460				LZ_RA380 LZ_RA410 LZ_RA440 LZ_RA460			

FLIP CHIP 29''

FLIP CHIP 27''

Nomenclature

ZESTY CF



Zesty CF SE

SIENNA BROWN - MAT

Ref. LZNRA



Non-binding illustrations

Frame	Zesty Full Carbon 150mm travel (29"), pressfit, boost, metric, Thru axle
Fork	RockShox Lyrik Ultimate Flight Attendant 29" 15x110 150mm 44mm offset
Shock	RockShox Super Deluxe Ultimate Flight Attendant 205x60mm
Rear derailleur	SRAM XO Eagle AXS T-TYPE, 12s
Crankset	SRAM XO Eagle T-TYPE DUB Power Meter 32T 170mm (S,M,L) , 175mm (XL)
Bottom bracket	SRAM DUB PF 92 MTB Wide
Sprocket	SRAM XS 1295 T-TYPE 10-52T 12s
Chain	SRAM XO T-TYPE 12s
Brakes	SRAM LEVEL Silver Stealth 4 pistons
Rotors	SRAM Centerline 200mm/180mm 6 bolts
Shiftlevers	SRAM AXS Pod 12s
Headset	Acros Integrated ZS56/ZS56 Block Lock
Handlebar	Renthal Fatbar Lite V2, Width: 760mm, Rise: 30mm, Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre Thirty One alloy, 0°, Ø: 31.8mm, L: 35mm (S), 45mm (M,L,XL)
Seatpost	SRAM Reverb AXS, Ø: 31.6mm, travel 125mm (S), 150mm (M), 170mm (L,XL)
Saddle	Prologo Scratch M5 PAS
Wheelset	Lapierre AM carbon 29" Boost XD driver, 6 bolts
Tires	Front : MAXXIS Assegai 3C MaxxGrip NEXO+ TR 29x2.50 WT Rear : MAXXIS Dissector 3C MaxxTerra NEXO+ TR 29x2.40 WT
Pedals	NW-91K
Accessories	Lapierre Thru axle and bottle opener lever

Zesty CF 9.9

RAW CARBON - MAT

Ref. LZLRA



Non-binding illustrations

Frame	Zesty Full Carbon 150mm travel (29"), pressfit, boost, metric, Thru axle
Fork	Fox Float 34 Factory FIT4 29" 15x110, 140mm travel, 44mm offset / 3-position lever
Shock	Fox Float Factory, 2-Pos Lever, LV Evol, 205x57,5mm Trunnion
Rear derailleur	Shimano XTR 12s Shadow +
Crankset	RACE FACE NEXT SL 34T 170mm (S,M), 175mm (L, XL)
Bottom bracket	RACE FACE BB 92, Double Row, Ext. Seal
Sprocket	Shimano Deore XT 10-51T 12s
Chain	Shimano SLX 12s
Brakes	Shimano XTR 4 pistons
Rotors	Shimano MT800 180mm/180mm
Shiftlevers	Shimano XTR 12s Rapidfire
Headset	Acros Integrated ZS56/ZS56 Block Lock
Handlebar	Lapierre Thirty One 6061DB, Width: 780mm, Rise: 15mm, Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre Thirty One alloy, 0°, Ø: 31.8mm, L: 35mm (S), 45mm (M,L,XL)
Seatpost	Limotec A1 Light dropper, Ø: 31.6mm, travel 100mm (S), 150mm (M), 170mm (L,XL)
Saddle	Prologo Scratch M5 PAS
Wheelset	DT Swiss XMC1501 SPLINE® 622x30c, Shimano Microspline, Centerlock
Tires	Front : Schwalbe Nobby Nic Evo, Super Trail, TLE, ADDIX Soft, 62-622, 67EPI Rear :Schwalbe Wicked Will Evo, Super Trail, TLE, ADDIX SpeedGrip, 62-622, 67EPI
Pedals	NW-91K
Accessories	Lapierre Thru axle and bottle opener lever

Zesty CF 8.9

EMPIRE GREEN - MAT

Ref. LZJRA



Non-binding illustrations

Frame	Zesty Full Carbon 150mm travel (29"), pressfit, boost, metric, Thru axle
Fork	Fox Float 36 Factory FIT4 29" 15x110, 150mm travel, 44mm offset / 3-position lever
Shock	Fox Float X Factory, 2-Pos Lever, LSC, LV Evol, 205x60mm Trunnion
Rear derailleur	Shimano Deore XT 12s Shadow +
Crankset	Shimano Deore XT 32T 165mm (S), 170mm (M,L), 175mm (XL)
Bottom bracket	Shimano MT800 Press Fit
Sprocket	Shimano Deore 10-51T 12s
Chain	Shimano Deore 12s
Brakes	Shimano Deore XT 4 pistons
Rotors	Shimano RT70 203mm/180mm
Shiftlevers	Shimano Deore XT 12s Rapidfire
Headset	Acros Integrated ZS56/ZS56 Block Lock
Handlebar	Lapierre Thirty One 6061DB, Width: 780mm, Rise: 30mm, Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre Thirty One alloy, 0°, Ø: 31.8mm, L: 35mm (S), 45mm (M,L,XL)
Seatpost	TranzX RAD+ dropper, Ø: 31.6mm, travel 125mm (S), 150mm (M), 170mm (L,XL)
Saddle	Prologo Scratch M5 PAS
Wheelset	DT Swiss XM1700 SPLINE® 622x30c, Shimano Microspline, Centerlock
Tires	Front : MAXXIS Assegai 3C MaxxGrip NEXO+ TR 29x2.50 WT Rear : MAXXIS Dissector 3C MaxxTerra NEXO+ TR 29x2.40 WT
Pedals	NW-91K
Accessories	Lapierre Thru axle and bottle opener lever

Zesty CF 7.9

TERRACOTA - MAT

Ref. LZIRA



Non-binding illustrations

Frame	Zesty Full Carbon 150mm travel (29"), pressfit, boost, metric, Thru axle
Fork	Fox Float 36 Performance Elite FIT4 29" 15x110, 150mm travel, 44mm offset / 3-position lever
Shock	Fox Float X Performance Elite, 2-Pos Lever, LV Evol, 205x60mm Trunnion
Rear derailleur	Shimano Deore XT 12s Shadow +
Crankset	Shimano MT612 32T 165mm (S), 170mm (M,L), 175mm (XL)
Bottom bracket	Shimano MT800 Press Fit
Sprocket	Shimano Deore 10-51T 12s
Chain	Shimano Deore 12s
Brakes	Shimano Deore 4 pistons
Rotors	Shimano RT64 203mm/180mm
Shiftlevers	Shimano SLX 12s Rapidfire
Headset	Acros Integrated ZS56/ZS56 Block Lock
Handlebar	Lapierre Thirty One 6061DB, Width: 780mm, Rise: 30mm, Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre Thirty One alloy, 0°, Ø: 31.8mm, L: 35mm (S), 45mm (M,L,XL)
Seatpost	Lapierre dropper, Ø: 31.6mm, travel 100mm (S), 150mm (M,L), 170mm (XL)
Saddle	Prologo Scratch M5 PAS
Front hub	Shimano TC500
Rear hub	Shimano TC500 Microspline
Rims	Rodi Tryp30 EVO 30x622 32H Tubeless Ready
Tires	Front : MAXXIS Assegai 3C MaxxGrip NEXO+ TR 29x2.50 WT Rear : MAXXIS Dissector 3C MaxxTerra NEXO+ TR 29x2.40 WT
Pedals	NW-91K
Accessories	Lapierre Thru axle and bottle opener lever + Tubeless valves

Zesty CF 6.9

CELADON GREEN - MAT

Ref. LZKRA



Non-binding illustrations

Frame	Zesty Full Carbon 150mm travel (29"), pressfit, boost, metric, Thru axle
Fork	Fox Float 36 Rythm 29" 15x110, 150mm travel, 44mm offset / Sweep-Adj lever
Shock	Fox Float Performance, 2-Pos Lever, LV Evol, 205x60mm Trunnion
Rear derailleur	Shimano SLX 12s Shadow +
Crankset	Shimano MT612 32T 165mm (S), 170mm (M,L), 175mm (XL)
Bottom bracket	Shimano MT800 Press Fit
Sprocket	Shimano Deore 10-51T 12s
Chain	Shimano Deore 12s
Brakes	Shimano M4100 4 pistons
Rotors	Shimano RT64 203mm/180mm
Shiftlevers	Shimano Deore 12s Rapidfire
Headset	Acros Integrated ZS56/ZS56 Block Lock
Handlebar	Lapierre Thirty One 6061DB, Width: 780mm, Rise: 30mm, Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre Thirty One alloy, 0°, Ø: 31.8mm, L: 35mm (S), 45mm (M,L,XL)
Seatpost	Lapierre dropper, Ø: 31.6mm, travel 100mm (S), 150mm (M,L), 170mm (XL)
Saddle	Prologo Scratch M5 PAS
Front hub	Shimano TC500
Rear hub	Shimano TC500 Microspline
Rims	Rodi Tryp30 EVO 30x622 32H Tubeless Ready
Tires	Front : MAXXIS Assegai 3C MaxxGrip NEXO+ TR 29x2.50 WT Rear : MAXXIS Dissector 3C MaxxTerra NEXO+ TR 29x2.40 WT
Pedals	NW-91K
Accessories	Lapierre Thru axle and bottle opener lever + Tubeless valves



LAPIERRE

Zesty

RANGE



NEW

Zesty 5.9
Snow White - Mat
LZGRA




NEW

Zesty 4.9
Rust - Mat
LZFRA

Geometry

ZESTY





SIZE	S	M	L	XL	S	M	L	XL
ST (MM)	384,6	411,1	441,7	470,6	384,6	411,1	441,7	470,6
TT (MM)	567,4	591,1	609,6	634,0	567,4	591,1	609,6	634,0
HA (°)	64,5	64,5	64,5	64,5	64,5	64,5	64,5	64,5
SA (°)	77,9	78,2	78,5	78,7	77,9	78,2	78,5	78,7
RC (MM)	32,6	432,6	432,6	432,6	430,1	430,1	430,1	430,1
HT (MM)	105,0	115,0	125,0	135,0	105,0	115,0	125,0	135,0
BB (MM)	-26,1	-26,1	-26,1	-26,1	-10,0	-10,0	-10,0	-10,0
FRK TRAVEL	150,0	150,0	150,0	150,0	150,0	150,0	150,0	150,0
FRK LENGTH	588,0	588,0	588,0	588,0	588,0	588,0	588,0	588,0
FRK OFFSET	44,0	44,0	44,0	44,0	44,0	44,0	44,0	44,0
STACK	617,3	626,3	635,4	644,4	617,3	626,3	635,4	644,4
REACH	435,0	460,0	480,0	505,0	435,0	460,0	480,0	505,0
WB	1197,6	1226,9	1251,2	1280,5	1203,4	1232,7	1257,0	1286,3
USER	150-170	168-178	176-186	>184	150-170	168-178	176-186	>184
REF.	LZ_RA380 LZ_RA410 LZ_RA440 LZ_RA470	LZ_RA380 LZ_RA410 LZ_RA440 LZ_RA470						

FLIP CHIP 29''

FLIP CHIP 27''

Nomenclature

ZESTY



Zesty 5.9

SNOW WHITE - MAT

Ref. LZGRA



Non-binding illustrations

Frame	Zesty Supreme 5 alloy 150mm travel (29"), pressfit, boost, metric, Thru axle
Fork	RockShox Lyrik Base RUSH RC 29" 15x110 150mm 44mm offset
Shock	RockShox Deluxe Select R 205x60mm
Rear derailleur	Shimano Deore XT 12s Shadow +
Crankset	Shimano MT612 32T 165mm (S), 170mm (M,L), 175mm (XL)
Bottom bracket	Shimano MT800 Press Fit
Sprocket	Shimano Deore 10-51T 12s
Chain	Shimano Deore 12s
Brakes	Shimano M4100 4 pistons
Rotors	Shimano RT64 203mm/180mm
Shiftlevers	Shimano SLX 12s Rapidfire
Headset	Acros Integrated ZS56/ZS56 Block Lock
Handlebar	Lapierre Thirty One 6061DB, Width: 780mm, Rise: 30mm, Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre Thirty One alloy, 0°, Ø: 31.8mm, L: 35mm (S), 45mm (M,L,XL)
Seatpost	Lapierre dropper, Ø: 31.6mm, travel 100mm (S), 150mm (M,L), 170mm (XL)
Saddle	WTB Silverado 142mm
Front hub	Shimano TC500
Rear hub	Shimano TC500 Microspline
Rims	Rodi Tryp30 EVO 30x622 32H Tubeless Ready
Tires	Front : MAXXIS Minion DHF EXO TR 29x2.50 WT 60TPI Rear : MAXXIS Dissector EXO TR 29x2.40 WT 60TPI
Pedals	NW-91K
Accessories	Lapierre Thru axle and bottle opener lever + Tubeless valves

Zesty 4.9

RUST - MAT

Ref. LZFRA



Non-binding illustrations

Frame	Zesty Supreme 5 alloy 150mm travel (29"), pressfit, boost, metric, Thru axle
Fork	RockShox 35 Silver TK 29" 15x110 150mm 44mm offset
Shock	Lapierre Shock Metric 205x60mm
Rear derailleur	Shimano Deore 12s Shadow +
Crankset	Shimano MT512 32T 165mm (S), 170mm (M,L), 175mm (XL)
Bottom bracket	Shimano MT800 Press Fit
Sprocket	Shimano Deore 10-51T 12s
Chain	Shimano Deore 12s
Brakes	Shimano M4100 4 pistons (front)/ 2 pistons (rear)
Rotors	Shimano RT64 203mm/180mm
Shiftlevers	Shimano Deore 12s Rapidfire
Headset	Acros Integrated ZS56/ZS56 Block Lock
Handlebar	Lapierre Thirty One 6061DB, Width: 780mm, Rise: 30mm, Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre Thirty One alloy, 0°, Ø: 31.8mm, L: 35mm (S), 45mm (M,L,XL)
Seatpost	Lapierre dropper, Ø: 31.6mm, travel 100mm (S), 150mm (M,L), 170mm (XL)
Saddle	WTB Silverado 142mm
Front hub	Shimano TC500
Rear hub	Shimano TC500 Microspline
Rims	Rodi Tryp30 EVO 30x622 32H Tubeless Ready
Tires	Front : MAXXIS Minion DHF EXO TR 29x2.50 WT 60TPI Rear : MAXXIS Dissector EXO TR 29x2.40 WT 60TPI
Pedals	NW-91K
Accessories	Lapierre Thru axle and bottle opener lever + Tubeless valves

TR

RANGE



NEW



TR 5.9

Lava Grey - Mat
LZDRA

NEW



TR 4.9

Infrared - Mat
LZCRA

NEW




TR 3.9

Storm Blue - Mat
LZBRA

Geometry


TR



SIZE	XS	S	M	L	XL
ST (MM)	356,0	376,0	405,0	433,0	461,7
TT (MM)	557,4	572,9	599,9	623,7	651,6
HA (°)	66,0	66,0	66,0	66,0	66,0
SA (°)	75,0	77,1	77,1	77,1	77,0
RC (MM)	431,4	431,4	431,4	431,4	431,4
HT (MM)	115,0	110,0	120,0	130,0	140,0
BB (MM)	-20,0	-35,0	-35,0	-35,0	-35,0
FRK TRAVEL	130,0	130,0	130,0	130,0	130,0
FRK LENGTH	525,0	545,0	545,0	545,0	545,0
FRK OFFSET	44,0	44,0	44,0	44,0	44,0
STACK	589,5	615,5	621,9	633,7	642,9
REACH	399,9	431,9	458,0	478,0	503,0
WB	1132,6	1169,6	1197,4	1222,7	1251,8
USER	145-155	150-170	168-178	176-186	>184
REF.	LZ_RA360	LZ_RA380	LZ_RA400	LZ_RA430	LZ_RA460

Nomenclature

TR



TR 5.9

LAVA GREY - MAT

Ref. LZDRA



Non-binding illustrations

Frame	Zesty TR Supreme 5 alloy 120mm travel (29"), pressfit, boost, metric, Thru axle
Fork	Fox 34 Float Rhythm Remote 2 Pos 15x110 130mm 27.5" (XS) , 29" (S,M,L,XL) + FOX 2-pos Remote
Shock	Fox Float Performance Elite, 2-Pos Remote, LV Evol, 165x45mm Trunnion
Rear derailleur	Shimano SLX 12s Shadow +
Crankset	Shimano Deore 32T 165mm (XS,S), 170mm (M), 175mm (L,XL)
Bottom bracket	Shimano MT800 Press Fit
Sprocket	Shimano Deore 10-51T 12s
Chain	Shimano Deore 12s
Brakes	Shimano MT401 2 pistons
Rotors	Shimano RT30 203mm/180mm
Shiftlevers	Shimano Deore 12s Rapidfire
Headset	Acros Integrated ZS56/ZS56 Block Lock
Handlebar	Lapierre Thirty One 6061DB, Width: 760mm, Rise: 15mm, Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre Thirty One alloy, 0°, Ø: 31.8mm, L: 35mm (S), 45mm (M,L,XL)
Seatpost	Lapierre dropper, Ø: 31.6mm, travel 100mm(XS), 130mm (S), 150mm (M,L), 170mm (XL)
Saddle	Selle Royal Vivo Men
Front hub	Shimano TC500
Rear hub	Shimano TC500 Microspline
Rims	Rodi Tryp30 EVO 30x584 (XS), 30x622 (S,M,L,XL) 32H Tubeless Ready
Tires	Front : Schwalbe Nobby Nic, Performance, TLE 62-584 (XS), 62-622 (S,M,L,XL) Rear : Schwalbe Wicked Will, Performance, TLE 62-584 (XS), 62-622 (S,M,L,XL)
Pedals	NW-91K
Accessories	Lapierre Thru axle and bottle opener lever + Tubeless valves

TR 4.9

INFRARED - MAT

Ref. LZCRA



Non-binding illustrations

Frame	Zesty TR Supreme 5 alloy 120mm travel (29"), pressfit, boost, metric, Thru axle
Fork	Marzocchi Bomber Z2 15x110 130mm 27.5" (XS) , 29" (S,M,L,XL) + 2-pos Remote
Shock	Suntour Edge Metric 190x45mm Remote
Rear derailleur	Shimano Deore 12s Shadow +
Crankset	Shimano Deore 32T 165mm (XS,S), 170mm (M), 175mm (L,XL)
Bottom bracket	Shimano MT800 Press Fit
Sprocket	Shimano Deore 10-51T 12s
Chain	Shimano Deore 12s
Brakes	Shimano MT401 2 pistons
Rotors	Shimano RT30 203mm/180mm
Shiftlevers	Shimano Deore 12s Rapidfire
Headset	Acros Integrated ZS56/ZS56 Block Lock
Handlebar	Lapierre Thirty One 6061DB, Width: 760mm, Rise: 15mm, Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre Thirty One alloy, 0°, Ø: 31.8mm, L: 35mm (S), 45mm (M,L,XL)
Seatpost	Lapierre dropper, Ø: 31.6mm, travel 100mm(XS), 130mm (S), 150mm (M,L), 170mm (XL)
Saddle	Selle Royal Vivo Men
Front hub	Shimano TC500
Rear hub	Shimano TC500 Microspline
Rims	Rodi Tryp30 EVO 30x584 (XS), 30x622 (S,M,L,XL) 32H Tubeless Ready
Tires	Front : Schwalbe Nobby Nic, Performance, TLE 62-584 (XS), 62-622 (S,M,L,XL) Rear : Schwalbe Wicked Will, Performance, TLE 62-584 (XS), 62-622 (S,M,L,XL)
Pedals	NW-91K
Accessories	Lapierre Thru axle and bottle opener lever + Tubeless valves

TR 3.9

STORM BLUE - MAT

Ref. LZBRA



Frame	Zesty TR Supreme 5 alloy 120mm travel (29"), pressfit, boost, metric, Thru axle
Fork	Suntour XCR34 Air DS 15x110 130mm 27.5" (XS) , 29" (S,M,L,XL) + 2-pos Remote
Shock	Suntour Edge Metric 190x45mm Remote
Rear derailleur	Shimano CUES U6000 10/11s Shadow+
Crankset	Shimano CUES U6000 32T 170mm (XS,S,M), 175mm (L,XL)
Bottom bracket	Shimano MT800 Press Fit
Sprocket	Shimano CUES LG400 11-50T 10s
Chain	Shimano CUES 9/10/11s
Brakes	Shimano MT401 2 pistons
Rotors	Shimano RT30 203mm/180mm
Shiftlevers	Shimano CUES U6000 11s
Headset	Acros Integrated ZS56/ZS56 Block Lock
Handlebar	Lapierre Thirty One 6061DB, Width: 760mm, Rise: 15mm, Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre Thirty One alloy, 0°, Ø: 31.8mm, L: 35mm (S), 45mm (M,L,XL)
Seatpost	Lapierre dropper, Ø: 31.6mm, travel 100mm(XS), 130mm (S), 150mm (M,L), 170mm (XL)
Saddle	Selle Royal Vivo Men
Front hub	Shimano TC500
Rear hub	Shimano TC500 Microspline
Rims	Rodi Tryp30 EVO 30x584 (XS), 30x622 (S,M,L,XL) 32H Tubeless Ready
Tires	Front : Schwalbe Nobby Nic, Performance, TLE 62-584 (XS), 62-622 (S,M,L,XL) Rear : Schwalbe Wicked Will, Performance, TLE 62-584 (XS), 62-622 (S,M,L,XL)
Pedals	NW-91K
Accessories	Lapierre Thru axle and bottle opener lever + Tubeless valves



LAPIERRE

XRM

RANGE



NEW



XRM 10.9
RAW carbon - Mat
LRHRA

MAINT



XRM 8.9
Translucent Blue - Glossy
LRFRA

MAINT



XRM 7.9 - C1
Olive Green - Mat
LRBRA

MAINT



XRM 7.9 - C2
Cherry Red - Glossy
LRBRB

MAINT



XRM 6.9 - C1
Ocher
LRERA


MAINT



XRM 6.9 - C2
Buttercup - Glossy
LRERB


Geometry

XRM




Nomenclature

XRM



SIZE	S	M	L	XL
ST (MM)	390	430	470	510
TT (MM)	575	602	624	651
HA (°)	66	66	66	66
SA (°)	74.5	74.5	74.5	74.5
RC (MM)	435	435	435	435
HT (MM)	85	90	100	110
BB (MM)	-40	-40	-40	-40
FRK TRAVEL	120	120	120	120
FRK LENGTH	531	531	531	531
FRK OFFSET	44	44	44	44
STACK	584	589	598	608
REACH	415	440	460	485
WB	1134	1162	1185	1214
USER	150-170	168-178	176-186	>184
REF.	LR_R_390	LR_R_430	LR_R_470	LR_R_510



BIELLETTA - LINKAGE

XRM 10.9

RAW CARBON - MAT

Ref. LRHRA

XRM 8.9

TRANSLUCENT BLUE - GLOSSY

Ref. LRFRA



Frame	XR full Carbon 110mm travel 29" Team Layup, pressfit, boost, metric, Thru axle
Fork	Fox 34 Float SC Factory 29" 15x110, 120mm travel, FIT4, Push-Lock, 44mm offset + FOX 2-pos Remote
Shock	Fox Float Factory, 2-Pos Remote, LV Evol, 210x55mm
Rear derailleur	Shimano XTR 12s Shadow +
Crankset	RACE FACE NEXT SL 32T 170mm (S), 175mm (M, L, XL)
Bottom bracket	RACE FACE BB 92, Double Row, Ext. Seal
Sprocket	Shimano Deore XT 10-51T 12s
Chain	Shimano Deore XT 12s
Brakes	Shimano XTR 2pistons
Rotors	Shimano MT800 180mm/160mm Centerlock
Shiftlevers	Shimano XTR 12s Rapidfire
Headset	FSA Integrated 1.5ZS IS-2 /42/ACB hidden set
Handlebar	RACE FACE NEXT SL, Width: 740mm, Rise: 10mm, Ø: 35mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	RACE FACE TURBINE R, 0°, Ø: 35mm, L: 60mm (S,M), 70mm (L,XL)
Seatpost	FOX Transfer SL, Ø: 31.6mm, travel 100mm (S,M), 125mm (L,XL)
Saddle	Fizik Argo Vento X 140mm
Wheelset	DT Swiss XRC 1200 SPLINE® 622x30c, Shimano 12s light Driver, Centerlock
Tires	Front : Maxxis Ardent Race 3C MaxxSpeed EXO TR 29x2.35 120 TPI Rear : Maxxis Rekon Race 3C MaxxTerra EXO TR 29x2.35 120 TPI
Pedals	NW 91K Steel cage
Accessories	Thru axle Bottle opener lever + Tubeless valves

Frame	XR full Carbon 110mm travel 29", pressfit, boost, metric, Thru axle
Fork	Fox 34 Float SC Factory 29" 15x110, 120mm travel, FIT4, Push-Lock, 44mm offset + FOX 2-pos Remote
Shock	Fox Float Factory, 2-Pos Remote, LV Evol, 210x55mm
Rear derailleur	Shimano Deore XT 12s Shadow +
Crankset	Shimano Deore XT 32T 170mm (S), 175mm (M, L, XL)
Bottom bracket	Shimano MT800 Press Fit
Sprocket	Shimano Deore 10-51T 12s
Chain	Shimano Deore 12s
Brakes	Shimano Deore XT 2 pistons
Rotors	Shimano MT800 180mm/160mm Centerlock
Shiftlevers	Shimano Deore XT 12s Rapidfire
Headset	FSA Integrated 1.5ZS IS-2 /42/ACB hidden set
Handlebar	RACE FACE TURBINE, Width: 760mm, Rise: 1/2", Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre AL6061 alloy, -6°, Ø: 31.8mm, L: 60mm (S,M), 70mm (L,XL)
Seatpost	Limotec A1 Light dropper, Ø: 31.6mm, travel 100mm (S,M), 125mm (L,XL)
Saddle	Fizik Argo Vento X 140mm
Wheelset	DT Swiss XR 1700 SPLINE® 622x25c, Shimano 12s light Driver, Centerlock
Tires	"Front : Maxxis Ardent Race 3C MaxxSpeed EXO TR 29x2.35 120 TPI" Rear : Maxxis Rekon Race 3C MaxxTerra EXO TR 29x2.35 120 TPI"
Pedals	NW 91K Steel cage
Accessories	Thru axle Bottle opener lever + Tubeless valves

XRM 7.9 - C1

OLIVE GREEN - MAT

Ref. LRBRA



Frame	XR full Carbon 110mm travel 29", pressfit, boost, metric, Thru axle
Fork	Fox 34 Float SC Performance 29" 15x110, 120mm travel, Grip, Push-Lock, 44mm offset + FOX 2-pos Remote
Shock	Fox Float Performance Elite, 2-Pos Remote, LV Evol, 210x55mm
Rear derailleur	SRAM X01 Eagle, 12s
Crankset	SRAM GX Eagle Boost DUB Lunar 32T 170mm (S) , 175mm (M, L, XL)
Bottom bracket	SRAM DUB PF 92 MTB Wide
Sprocket	SRAM XG 1275 10-52T 12s
Chain	SRAM NX Eagle 12s
Brakes	SRAM LEVEL TL Gloss Black 2 pistons
Rotors	SRAM Centerline 180mm/160mm 6 bolts
Shiftlevers	SRAM GX Eagle Lunar 12s
Headset	FSA Integrated 1.5ZS IS-2 /42/ACB hidden set
Handlebar	Lapierre Thirty One 6061DB, Width: 760mm, Rise: 15mm, Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre AL6061 alloy, -6°, Ø: 31.8mm, L: 60mm (S,M), 70mm (L,XL)
Seatpost	Lapierre dropper, Ø: 31.6mm, travel 100mm (S,M), 130mm (L,XL)
Saddle	Fizik Argo Vento X 140mm
Wheelset	DT Swiss EX1900 SPLINE@ 622x25c, SRAM XD Driver, 6-bolt
Tires	Front : Maxxis Ardent Race EXO TR 29x2.35 60 TPI Rear : Maxxis Rekon Race EXO TR 29x2.35 60 TPI
Pedals	NW 91K Steel cage
Accessories	Thru axle Bottle opener lever + Tubeless valves

XRM 7.9 - C2

CHERRY RED - GLOSSY

Ref. LRBRB



Frame	XR full Carbon 110mm travel 29", pressfit, boost, metric, Thru axle
Fork	Fox 34 Float SC Performance 29" 15x110, 120mm travel, Grip, Push-Lock, 44mm offset + FOX 2-pos Remote
Shock	Fox Float Performance Elite, 2-Pos Remote, LV Evol, 210x55mm
Rear derailleur	SRAM X01 Eagle, 12s
Crankset	SRAM GX Eagle Boost DUB Lunar 32T 170mm (S) , 175mm (M, L, XL)
Bottom bracket	SRAM DUB PF 92 MTB Wide
Sprocket	SRAM XG 1275 10-52T 12s
Chain	SRAM NX Eagle 12s
Brakes	SRAM LEVEL TL Gloss Black 2 pistons
Rotors	SRAM Centerline 180mm/160mm 6 bolts
Shiftlevers	SRAM GX Eagle Lunar 12s
Headset	FSA Integrated 1.5ZS IS-2 /42/ACB hidden set
Handlebar	Lapierre Thirty One 6061DB, Width: 760mm, Rise: 15mm, Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre AL6061 alloy, -6°, Ø: 31.8mm, L: 60mm (S,M), 70mm (L,XL)
Seatpost	Lapierre dropper, Ø: 31.6mm, travel 100mm (S,M), 130mm (L,XL)
Saddle	Fizik Argo Vento X 140mm
Wheelset	DT Swiss EX1900 SPLINE@ 622x25c, SRAM XD Driver, 6-bolt
Tires	Front : Maxxis Ardent Race EXO TR 29x2.35 60 TPI Rear : Maxxis Rekon Race EXO TR 29x2.35 60 TPI
Pedals	NW 91K Steel cage
Accessories	Thru axle Bottle opener lever + Tubeless valves

XRM 6.9 - C1

OCHER - MAT

Ref. LRERA



Non-binding illustrations

Frame	XR full Carbon 110mm travel 29", pressfit, boost, metric, Thru axle
Fork	Fox 34 Float SC Performance 29" 15x110, 120mm travel, Grip, Push-Lock, 44mm offset + FOX 2-pos Remote
Shock	Fox Float Performance Elite, 2-Pos Remote, LV Evol, 210x55mm
Rear derailleur	Shimano Deore XT 12s Shadow +
Crankset	Shimano MT612 32T 170mm (S), 175mm (M, L, XL)
Bottom bracket	SRAM DUB PF 92 MTB Wide
Sprocket	Shimano Deore 10-51T 12s
Chain	Shimano Deore 12s
Brakes	Shimano M4100 2 pistons
Rotors	Shimano MT64 180mm/160mm Centerlock
Shiftlevers	Shimano SLX 12s Rapidfire
Headset	FSA Integrated 1.5ZS IS-2 /42/ACB hidden set
Handlebar	Lapierre Thirty One 6061DB, Width: 760mm, Rise: 15mm, Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre AL6061 alloy, -6°, Ø: 31.8mm, L: 60mm (S,M), 70mm (L,XL)
Seatpost	Lapierre dropper, Ø: 31.6mm, travel 100mm (S,M), 130mm (L,XL)
Saddle	Fizik Argo Vento X 140mm
Front hub	Shimano TC500, boost 15x110, 32H Centerlock
Rear hub	Shimano TC500, boost 12x148, 32H Centerlock, Microspline
Rims	Mavic XC 425 DISC 25x622, 32H Black Anod.
Tires	Front : Maxxis Ardent Race EXO TR 29x2.35 60 TPI Rear : Maxxis Rekon Race EXO TR 29x2.35 60 TPI"
Pedals	NW 91K Steel cage
Accessories	Thru axle Bottle opener lever + Tubeless valves

XRM 6.9 - C2

BUTTERCUP - GLOSSY

Ref. LRERB



Non-binding illustrations

Frame	XR full Carbon 110mm travel 29", pressfit, boost, metric, Thru axle
Fork	Fox 34 Float SC Performance 29" 15x110, 120mm travel, Grip, Push-Lock, 44mm offset + FOX 2-pos Remote
Shock	Fox Float Performance Elite, 2-Pos Remote, LV Evol, 210x55mm
Rear derailleur	Shimano Deore XT 12s Shadow +
Crankset	Shimano MT612 32T 170mm (S), 175mm (M, L, XL)
Bottom bracket	SRAM DUB PF 92 MTB Wide
Sprocket	Shimano Deore 10-51T 12s
Chain	Shimano Deore 12s
Brakes	Shimano M4100 2 pistons
Rotors	Shimano MT64 180mm/160mm Centerlock
Shiftlevers	Shimano SLX 12s Rapidfire
Headset	FSA Integrated 1.5ZS IS-2 /42/ACB hidden set
Handlebar	Lapierre Thirty One 6061DB, Width: 760mm, Rise: 15mm, Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre AL6061 alloy, -6°, Ø: 31.8mm, L: 60mm (S,M), 70mm (L,XL)
Seatpost	Lapierre dropper, Ø: 31.6mm, travel 100mm (S,M), 130mm (L,XL)
Saddle	Fizik Argo Vento X 140mm
Front hub	Shimano TC500, boost 15x110, 32H Centerlock
Rear hub	Shimano TC500, boost 12x148, 32H Centerlock, Microspline
Rims	Mavic XC 425 DISC 25x622, 32H Black Anod.
Tires	Front : Maxxis Ardent Race EXO TR 29x2.35 60 TPI Rear : Maxxis Rekon Race EXO TR 29x2.35 60 TPI"
Pedals	NW 91K Steel cage
Accessories	Thru axle Bottle opener lever + Tubeless valves

LAPIERRE

XR

RANGE



MAINT

XR 9.9

Glam Blue - Glossy
LRCRA




MAINT

XR 5.9

Fir Green - Glossy
LRARA

Geometry


XR



SIZE	S	M	L	XL
ST (MM)	390	430	470	510
TT (MM)	575	602	624	651
HA (°)	67	67	67	67
SA (°)	75.5	75.5	75.5	75.5
RC (MM)	435	435	435	435
HT (MM)	85	90	100	110
BB (MM)	-48	-48	-48	-48
FRK TRAVEL	100	100	100	100
FRK LENGTH	506	506	506	506
FRK OFFSET	44	44	44	44
STACK	575	580	589	598
REACH	425	450	470	495
WB	1133	1161	1184	1213
USER	150-170	168-178	176-186	>184
REF.	LR_R_390	LR_R_430	LR_R_470	LR_R_510

Nomenclature

XR



XR 9.9

GLAM BLUE - GLOSSY

Ref. LRCRA



Non-binding illustrations

Frame	XR full Carbon 100mm travel 29", pressfit, boost, metric, Thru axle
Fork	Rock Shox SID SL Ultimate Race Day Remote 3 Pos - 100mm 29" 44mm offset + SRAM Twistloc Ultimate 3-pos
Shock	Rock Shox SID LUXE ULTIMATE REMOTE OUT PULL 2 Pos 210X50mm
Rear derailleur	SRAM XX1 Eagle, 12s
Crankset	SRAM X1C Eagle Boost DUB 34T 170mm (S) , 175mm (M, L, XL)
Bottom bracket	SRAM DUB PF 92 MTB Wide
Sprocket	SRAM XG 1295 10-52T 12s
Chain	SRAM XX1 Eagle Rainbow 12s
Brakes	SRAM LEVEL Silver Stealth 2 pistons
Rotors	SRAM CLX 180mm/160mm Centerlock
Shiftlevers	SRAM XO1 Eagle 12s
Headset	FSA Integrated 1.5ZS IS-2 /42/ACB hidden set
Handlebar	RACE FACE NEXT SL, Width: 740mm, Rise: 10mm, Ø: 35mm
Stem	RACE FACE TURBINE R, 0°, Ø: 35mm, L: 60mm (S,M), 70mm (L,XL)
Seatpost	Lapierre Carbon, Ø: 31.6mm, L: 400mm, 0mm offset
Saddle	Fizik Argo Vento X 140mm
Wheelset	Lapierre XC SL carbon 29" Boost XD driver, Centerlock
Tires	Maxxis Rekon Race 3C MaxxTerra EXO TR 29x2.35 120 TPI
Pedals	NW 91K Steel cage
Accessories	Thru axle Bottle opener lever + Tubeless valves

XR 5.9

FIR GREEN - GLOSSY

Ref. LRARA



Non-binding illustrations

Frame	XR full Carbon 100mm travel 29", pressfit, boost, metric, Thru axle
Fork	Fox 32 Float SC Performance 29" 15x110, 100mm travel, Grip, Push-Lock, 44mm offset + FOX 2-pos Remote
Shock	Fox Float Performance Elite, 2-Pos Remote, LV Evol, 210x50mm
Rear derailleur	Shimano Deore XT 12s Shadow +
Crankset	Shimano Deore MT512 32T 170mm (S), 175mm (M, L, XL)
Bottom bracket	Shimano MT800 Press Fit
Sprocket	Shimano Deore 10-51T 12s
Chain	Shimano Deore 12s
Brakes	Shimano MT401 2 pistons
Rotors	Shimano SMRT64 180mm/160mm Centerlock
Shiftlevers	Shimano Deore 12s Rapidfire
Headset	FSA Integrated IS-2 /42/ACB 1-1/8"-1.5"
Handlebar	Lapierre alloy 6061 Top flat, Width: 740mm, Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre AL6061 alloy, -6°, Ø: 31.8mm, L: 60mm (S,M), 70mm (L,XL)
Seatpost	Lapierre alloy, Ø: 31.6mm, L: 400mm
Saddle	Fizik Argo Vento X 140mm
Front hub	Shimano TC500
Rear hub	Shimano TC500 Microspline
Rims	Mavic XC 425 DISC 29" BLACK 32T
Tires	Maxxis Rekon Race EXO TR 29x2.35 60 TPI
Pedals	NW 91K Steel cage
Accessories	Thru axle Bottle opener lever + Tubeless valves

Prorace CF

RANGE



MAINT

Prorace CF 9.9

Blue Crush - Glossy
LPJRA



MAINT

Prorace CF 8.9 - C1

Copper - Mat
LPIRA



MAINT

Prorace CF 8.9 - C2

Dark Blue - Mat
LPIRB



MAINT

Prorace CF 7.9 - C1

Black - Glossy
LPHRA



MAINT

Prorace CF 7.9 - C2

Fir Green - Glossy
LPHRB



MAINT

Prorace CF 6.9

Deep Blue - Mat
LPGRA




MAINT

Prorace CF 5.9

Buttercup - Glossy
LPFRA

Geometry

PRORACE CF



SIZE	S	M	L	XL
ST (MM)	390	430	470	510
TT (MM)	581	606	629	657
HA (°)	68	68	68	68
SA (°)	74	74	74	74
RC (MM)	420	420	420	420
HT (MM)	85	90	100	110
BB (MM)	-67	-62	-62	-62
FRK TRAVEL	100	100	100	100
FRK LENGTH	505	505	505	505
FRK OFFSET	44	44	44	44
STACK	598	597	606	616
REACH	410	435	455	480
WB	1086	1114	1138	1167
USER	150-170	168-178	176-186	>184
REF.	LP_R_390	LP_R_430	LP_R_470	LP_R_510

Prorace CF 9.9

BLUE CRUSH - GLOSSY

Ref. LPJRA



Frame	Prorace 29" carbon, pressfit, boost, Thru axle 12x148mm
Fork	Rock Shox SID SL Ultimate Race Day Remote 3 Pos - 100mm 29" 44mm offset + SRAM Twistloc Ultimate 3-pos
Rear derailleur	SRAM XO Eagle AXS T-TYPE, 12s
Crankset	SRAM XO Eagle T-TYPE DUB 34T 170mm (S), 175mm (M, L, XL)
Bottom bracket	SRAM DUB PF 92 MTB Wide
Sprocket	SRAM XS 1295 T-TYPE 10-52T 12s
Chain	SRAM XO T-TYPE 12s
Brakes	SRAM LEVEL Silver Stealth 2 pistons
Rotors	SRAM Centerline 180mm/160mm 6 bolts
Shiftlevers	SRAM AXS Pod 12s
Headset	FSA Integrated IS-2 /42/ACB 1-1/8"-1.5"
Handlebar	FSA SL-K FLAT Carbon, Width: 740mm, Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre AL6061 alloy, -6°, Ø: 31.8mm, L: 60mm (S,M), 70mm (L,XL)
Seatpost	Lapierre Carbon, Ø: 27.2mm, L: 400mm, 0mm offset
Saddle	Fizik Argo Vento X 140mm
Wheelset	Lapierre XC SL carbon 29" Boost XD driver, Centerlock
Tires	Maxxis Rekon Race 3C MaxxTerra EXO TR 29x2.35 120 TPI
Pedals	NW 91K Steel cage
Accessories	Thru axle Bottle opener lever + Tubeless valves

Prorace CF 8.9 - C1

COPPER - MAT

Ref. LPIRA



Non-binding illustrations

Prorace CF 8.9 - C2

DARK BLUE - MAT

Ref. LPIRB



Non-binding illustrations

Frame	Prorace 29" carbon, pressfit, boost, Thru axle 12x148mm
Fork	Fox 32 Float SC Factory 29" 15x110, 100mm travel, FIT 4, 2Pos, 44mm offset + FOX 2-pos Remote
Rear derailleur	Shimano Deore XT 12s Shadow +
Crankset	Shimano Deore XT 34T 170mm (S), 175mm (M, L, XL)
Bottom bracket	Shimano MT800 Press Fit
Sprocket	Shimano Deore XT 10-51T 12s
Chain	Shimano Deore 12s
Brakes	Shimano Deore XT 2 pistons
Rotors	Shimano SMRT800 180mm/160mm Centerlock
Shiftlevers	Shimano Deore XT 12s Rapidfire
Headset	FSA Integrated IS-2 /42/ACB 1-1/8"-1.5"
Handlebar	RACEFACE TURBINE, Width: 760mm, Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre AL6061 alloy, -6°, Ø: 31.8mm, L: 60mm (S,M), 70mm (L,XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 400mm
Saddle	Fizik Argo Vento X 140mm
Wheelset	Lapierre XC SL carbon 29" Boost Microspline driver, Centerlock
Tires	Maxxis Rekon Race 3C MaxxTerra EXO TR 29x2.35 120 TPI
Pedals	NW 91K Steel cage
Accessories	Thru axle Bottle opener lever + Tubeless valves

Frame	Prorace 29" carbon, pressfit, boost, Thru axle 12x148mm
Fork	Fox 32 Float SC Factory 29" 15x110, 100mm travel, FIT 4, 2Pos, 44mm offset + FOX 2-pos Remote
Rear derailleur	Shimano Deore XT 12s Shadow +
Crankset	Shimano Deore XT 34T 170mm (S), 175mm (M, L, XL)
Bottom bracket	Shimano MT800 Press Fit
Sprocket	Shimano Deore XT 10-51T 12s
Chain	Shimano Deore 12s
Brakes	Shimano Deore XT 2 pistons
Rotors	Shimano SMRT800 180mm/160mm Centerlock
Shiftlevers	Shimano Deore XT 12s Rapidfire
Headset	FSA Integrated IS-2 /42/ACB 1-1/8"-1.5"
Handlebar	RACEFACE TURBINE, Width: 760mm, Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre AL6061 alloy, -6°, Ø: 31.8mm, L: 60mm (S,M), 70mm (L,XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 400mm
Saddle	Fizik Argo Vento X 140mm
Wheelset	Lapierre XC SL carbon 29" Boost Microspline driver, Centerlock
Tires	Maxxis Rekon Race 3C MaxxTerra EXO TR 29x2.35 120 TPI
Pedals	NW 91K Steel cage
Accessories	Thru axle Bottle opener lever + Tubeless valves

Prorace CF 7.9 - C1

BLACK - GLOSSY

Ref. LPHRA



Non-binding illustrations

Frame	Prorace 29" carbon, pressfit, boost, Thru axle 12x148mm
Fork	Fox 32 Float SC Performance 29" 15x110, 100mm travel, Grip, Push-Lock, 44mm offset + FOX 2-pos Remote
Rear derailleur	SRAM X01 Eagle, 12s
Crankset	SRAM GX Eagle Boost DUB Lunar 32T 170mm (S) , 175mm (M, L, XL)
Bottom bracket	SRAM DUB PF 92 MTB Wide
Sprocket	SRAM PG 1230 Eagle 11-50T 12s
Chain	SRAM GX Eagle 12s
Brakes	SRAM LEVEL TL Gloss Black 2 pistons
Rotors	SRAM Centerline 180mm/160mm 6 bolts
Shiftlevers	SRAM GX Eagle Lunar 12s
Headset	FSA Integrated IS-2 /42/ACB 1-1/8"-1.5"
Handlebar	Lapierre alloy 6061 Top flat, Width: 740mm, Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre AL6061 alloy, -6°, Ø: 31.8mm, L: 60mm (S,M), 70mm (L,XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 400mm
Saddle	Fizik Argo Vento X 140mm
Wheelset	DT Swiss X1900 SPLINE® 622x25c, Shimano Forged ASL Driver
Tires	Maxxis Rekon Race EXO TR 29x2.35 60 TPI
Pedals	NW 91K Steel cage
Accessories	Thru axle Bottle opener lever + Tubeless valves

Prorace CF 7.9 - C2

FIR GREEN - GLOSSY

Ref. LPHRB



Non-binding illustrations

Frame	Prorace 29" carbon, pressfit, boost, Thru axle 12x148mm
Fork	Fox 32 Float SC Performance 29" 15x110, 100mm travel, Grip, Push-Lock, 44mm offset + FOX 2-pos Remote
Rear derailleur	SRAM X01 Eagle, 12s
Crankset	SRAM GX Eagle Boost DUB Lunar 32T 170mm (S) , 175mm (M, L, XL)
Bottom bracket	SRAM DUB PF 92 MTB Wide
Sprocket	SRAM PG 1230 Eagle 11-50T 12s
Chain	SRAM GX Eagle 12s
Brakes	SRAM LEVEL TL Gloss Black 2 pistons
Rotors	SRAM Centerline 180mm/160mm 6 bolts
Shiftlevers	SRAM GX Eagle Lunar 12s
Headset	FSA Integrated IS-2 /42/ACB 1-1/8"-1.5"
Handlebar	Lapierre alloy 6061 Top flat, Width: 740mm, Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre AL6061 alloy, -6°, Ø: 31.8mm, L: 60mm (S,M), 70mm (L,XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 400mm
Saddle	Fizik Argo Vento X 140mm
Wheelset	DT Swiss X1900 SPLINE® 622x25c, Shimano Forged ASL Driver
Tires	Maxxis Rekon Race EXO TR 29x2.35 60 TPI
Pedals	NW 91K Steel cage
Accessories	Thru axle Bottle opener lever + Tubeless valves

Prorace CF 6.9

DEEP BLUE - MAT

Ref. LPGRA



Non-binding illustrations

Frame	Prorace 29" carbon, pressfit, boost, Thru axle 12x148mm
Fork	Rock Shox SID SL Select 3 Pos - 100mm 29" 44mm offset + SRAM Twistloc 3-pos
Rear derailleur	Shimano Deore XT 12s Shadow +
Crankset	Shimano MT612 32T 170mm (S), 175mm (M, L, XL)
Bottom bracket	Shimano MT800 Press Fit
Sprocket	Shimano Deore 10-51T 12s
Chain	Shimano Deore 12s
Brakes	Shimano M4100 2 pistons
Rotors	Shimano SMRT64 180mm/160mm Centerlock
Shiftlevers	Shimano SLX 12s Rapidfire
Headset	FSA Integrated IS-2 /42/ACB 1-1/8"-1.5"
Handlebar	Lapierre alloy 6061 Top flat, Width: 740mm, Ø: 31.8mm
Grips	SRAM Twistlock grips
Stem	Lapierre AL6061 alloy, -6°, Ø: 31.8mm, L: 60mm (S,M), 70mm (L,XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 400mm
Saddle	Fizik Taiga black
Front hub	Shimano TC500, boost 15x110, 32H Centerlock
Rear hub	Shimano TC500, boost 12x148, 32H Centerlock, Microspline
Rims	Rodi Tryp25 25x622, 32H Black Anod.
Tires	Maxxis Rekon Race EXO TR 29x2.35 60 TPI
Pedals	NW 91K Steel cage
Accessories	Thru axle Bottle opener lever + Tubeless valves

Prorace CF 5.9

BUTTERCUP - GLOSSY

Ref. LPFRA



Non-binding illustrations

Frame	Prorace 29" carbon, pressfit, boost, Thru axle 12x148mm
Fork	Suntour Raidon 32 RL-R DS 15x110 100mm 29"
Rear derailleur	Shimano Deore 12s Shadow +
Crankset	Shimano MT512 32T 170mm (S), 175mm (M, L, XL)
Bottom bracket	Shimano MT800 Press Fit
Sprocket	Shimano Deore 10-51T 12s
Chain	Shimano Deore 12s
Brakes	Shimano MT401 2 pistons
Rotors	Shimano SMRT64 180mm/160mm Centerlock
Shiftlevers	Shimano Deore 12s Rapidfire
Headset	FSA Integrated IS-2 /42/ACB 1-1/8"-1.5"
Handlebar	Lapierre alloy 6061 Top flat, Width: 740mm, Ø: 31.8mm
Grips	Lapierre grips anodized, S/M: small diameter, L/XL: large diameter
Stem	Lapierre AL6061 alloy, -6°, Ø: 31.8mm, L: 60mm (S,M), 70mm (L,XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 400mm
Saddle	Lapierre XC Saddle
Front hub	Shimano TC500, boost 15x110, 32H Centerlock
Rear hub	Shimano TC500, boost 12x148, 32H Centerlock, Microspline
Rims	Rodi Tryp25 25x622, 32H Black Anod.
Tires	Maxxis Rekon Race EXO TR 29x2.35 60 TPI
Pedals	NW 91K Steel cage
Accessories	Thru axle Bottle opener lever + Tubeless valves

Prorace

RANGE



NEW

Prorace 5.9

Charcoal - Mat
LPERA



NEW

Prorace 4.9

Sand - Mat
LPDRA




NEW

Prorace 3.9

Water Blue - Mat
LPCRA

Geometry

PRORACE



SIZE	S	M	L	XL
ST (MM)	350	400	440	480
TT (MM)	550	575	600	625
HA (°)	69	69.5	69.5	69.5
SA (°)	73	73	73	73
RC (MM)	428	428	428	428
HT (MM)	90	90	90	105
BB (MM)	-65	-65	-60	-60
REACH	371	390	416	437
STACK	584	605	600	614
USER	150-163	160-170	168-178	176-186
REF.	LP_RA350	LP_RA400	LP_RA440	LP_RA480

Prorace 5.9

CHARCOAL - MAT

Ref. LPERA



Frame	Prorace 29" Supreme 5 alloy Disc, boost, pressfit, Thru axle 12x148mm, internal brake RR
Fork	RockShox Judy Gold RL Remote 29" 15x110 100mm 51mm offset
Rear derailleur	Shimano Deore XT 12s Shadow +
Crankset	Shimano Deore 32T 170mm (S), 175mm (M, L, XL)
Bottom bracket	Shimano Press Fit MT800 MTB 92
Sprocket	Shimano Deore 10-51T 12s
Chain	Shimano Deore 12s
Brakes	Shimano MT501 2 pistons
Rotors	Shimano SMRT64 180mm/160mm Centerlock
Shiftlevers	Shimano Deore 12s Rapidfire
Headset	FSA Orbit Zero stack
Handlebar	Lapierre alloy 6061 Top flat, Width: 720mm, Ø: 31.8mm
Grips	Lapierre by Herrmans
Stem	Lapierre 7050 alloy, 7°, Ø: 31.8mm, L: 60mm (XS,S), 70mm (M,L), 80mm (XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 400mm
Saddle	Lapierre XC Saddle
Front hub	Shimano TC500, boost 15x110, 32H Centerlock
Rear hub	Shimano TC500, boost 12x148, 32H Centerlock, Microspline
Rims	Rodi Tryp25 25x622, 32H Black Anod.
Tires	Maxxis Rekon Race EXO TR 29x2.35 120 TPI
Pedals	NW 91K Steel cage
Accessories	Thru axle Bottle opener lever

Prorace 4.9

SAND - MAT

Ref. LPDRA

Prorace 3.9

WATER BLUE - MAT

Ref. LPCRA



Frame	Prorace 29" Supreme 5 alloy Disc, boost, pressfit, Thru axle 12x148mm, internal brake RR
Fork	RockShox Judy Gold RL Remote 29" 15x110 100mm 51mm offset
Rear derailleur	SRAM NX Eagle, 12s
Crankset	SRAM SX Eagle DUB 32T 170mm (S) , 175mm (M, L, XL)
Bottom bracket	SRAM DUB Press Fit 92
Sprocket	SRAM PG1210 Eagle 11-50T 12s
Chain	SRAM SX Eagle 12s
Brakes	Shimano MT401 2 pistons
Rotors	Shimano SMRT30 180mm/160mm Centerlock
Shiftlevers	SRAM NX Eagle 12s
Headset	FSA Orbit Zero stack
Handlebar	Lapierre alloy 6061 Top flat, Width: 720mm, Ø: 31.8mm
Grips	Lapierre by Herrmans
Stem	Lapierre 7050 alloy, 7°, Ø: 31.8mm, L: 60mm (XS,S), 70mm (M,L), 80mm (XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 400mm
Saddle	Lapierre XC Saddle
Front hub	Shimano TC500, boost 15x110, 32H Centerlock
Rear hub	Shimano TC500, boost 12x148, 32H Centerlock, HG
Rims	Rodi Tryp25 25x622, 32H Black Anod.
Tires	Maxxis Rekon Race EXO TR 29x2.35 120 TPI
Pedals	NW 91K Steel cage
Accessories	Thru axle Bottle opener lever

Frame	Prorace 29" Supreme 5 alloy Disc, boost, pressfit, Thru axle 12x148mm, internal brake RR
Fork	Suntour Raidon 32 RLR DS 15x110 100mm 29"
Rear derailleur	Shimano CUES U6000 10/11s Shadow+
Crankset	Shimano MT512 32T 170mm (S) , 175mm (M,L,XL)
Bottom bracket	Shimano Press Fit MT800 MTB 92
Sprocket	Shimano Deore 10-51T 12s
Chain	Shimano Deore 12s
Brakes	Shimano MT401 2 pistons
Rotors	Shimano SMRT30 180mm/160mm Centerlock
Shiftlevers	Shimano Deore 12s Rapidfire
Headset	FSA Orbit Zero stack
Handlebar	Lapierre alloy 6061 Top flat, Width: 720mm, Ø: 31.8mm
Grips	Lapierre by Herrmans
Stem	Lapierre 7050 alloy, 7°, Ø: 31.8mm, L: 60mm (XS,S), 70mm (M,L), 80mm (XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 400mm
Saddle	Lapierre XC Saddle
Front hub	Shimano TC500, boost 15x110, 32H Centerlock
Rear hub	Shimano TC500, boost 12x148, 32H Centerlock, Microspline
Rims	Rodi Tryp25 25x622, 32H Black Anod.
Tires	Maxxis Rekon Race 29x2.25 60 TPI
Pedals	NW 91K Steel cage
Accessories	Thru axle Bottle opener lever

Edge

RANGE



Edge

RANGE



MAINT

Edge 9.9

Deluxe Kaki - Mat
LHERA



MAINT

Edge 7.9

Pure White - Mat
LHDRA



MAINT

Edge 3.7

Tillandsia purple - Glossy
LHBRA



MAINT

Edge 3.7 W

Frost Grey - Mat
LHBRB



MAINT

Edge 5.9

Flave Yellow - Mat
LHCRC



MAINT

Edge 5.7

Onyx Black - Glossy
LHCRA



MAINT

Edge 2.9

Bombay Orange - Mat
LHARC



MAINT

Edge 2.7

Middle Green - Mat
LHARA



MAINT

Edge 5.7 W

Topaz Blue - Mat
LHCRB



MAINT

Edge 3.9

Grap Anthracite - Mat
LHBRC




MAINT

Edge 2.7 W

Washed Salmon - Mat
LHARB

Geometry

EDGE




SIZE	XS	S	M	S	M	L	XL
ST (MM)	360	400	440	400	440	480	520
TT (MM)	545	570	590	575	595	615	635
HA (°)	68	68	68	68	68	68	68
SA (°)	73.5	73.5	73.5	73.5	73.5	73.5	73.5
RC (MM)	430	430	430	450	450	450	450
HT (MM)	105	115	125	105	115	125	135
BB (MM)	-45	-45	-45	-60	-60	-60	-60
REACH	370	393	410	391	408	425	443
STACK	588	597	606	620	629	639	648
USER	145-155	150-170	168-178	150-170	168-178	176-186	> 184
REF.	LH_R_360	LH_R_400	LH_R_440	LHERA400 LHDRA400	LH_R_440	LH_R_480	LH_R_520

27.5''

29''

Geometry

EDGE W



SIZE	XS	S	M
ST (MM)	360	400	440
TT (MM)	545	570	590
HA (°)	68	68	68
SA (°)	73.5	73.5	73.5
RC (MM)	430	430	430
HT (MM)	105	115	125
BB (MM)	-45	-45	-45
REACH	370	393	410
STACK	588	597	606
USER	135-155	150-165	160-175
REF.	LH_R_360	LH_R_400	LH_R_440

Edge 9.9

DELUXE KAKI - MAT

Ref. LHERA



Non-binding illustrations

Frame	Edge 29" Supreme 5 alloy Disc, internal cable routing
Fork	RockShox Judy Silver TK Remote 29" QR COIL100mm travel
Rear derailleur	Shimano Deore 12s Shadow +
Crankset	Shimano MT512 30T 170mm (S) , 175mm (M,L,XL)
Bottom bracket	Shimano external cups
Sprocket	Shimano Deore 10-51T 12s
Chain	KMC X-12 12s
Brakes	Shimano MT200 2 pistons
Rotors	Shimano SMRT30 180mm/160mm Centerlock
Shiftlevers	Shimano Deore 12s Rapidfire
Headset	FSA NO.10 semi-integrated
Handlebar	XLC alloy Top flat, Width: 720mm, Ø: 31.8mm
Grips	Herrmans Lock-on DD30B 130mm
Stem	XLC alloy, 6°, Ø: 31.8mm, L: 60mm
Seatpost	XLC alloy, Ø: 31.6mm, L: 400mm
Saddle	XLC
Front hub	Shimano HBQC300, 32H Centerlock QR
Rear hub	Shimano HBQC500-MS, 32H Centerlock QR
Rims	Lapierre Disc, 32H, 29", 21-622
Tires	Front : Schwalbe Tough Tom, K-Guard, 57-622, 50EPI Rear : Schwalbe Rapid Rob, K-Guard, 57-622, 50EPI
Pedals	FPD NW-91K Steel cage

Edge 7.9

PURE WHITE - MAT

Ref. LHDRA



Non-binding illustrations

Frame	Edge 29" Supreme 5 alloy Disc, internal cable routing
Fork	RockShox Judy Silver TK Remote 29" QR COIL100mm travel
Rear derailleur	Shimano CUES U6000 10/11s Shadow+
Crankset	Shimano CUES U6000 32T 170mm (S) , 175mm (M,L,XL)
Bottom bracket	Shimano external cups
Sprocket	Shimano CUES LG400 11-50T 10s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Shimano MT200 2 pistons
Rotors	Shimano SMRT30 180mm/160mm Centerlock
Shiftlevers	Shimano CUES U6000 11s
Headset	FSA NO.10 semi-integrated
Handlebar	XLC alloy Top flat, Width: 720mm, Ø: 31.8mm
Grips	Herrmans Lock-on DD30B 130mm
Stem	XLC alloy, 6°, Ø: 31.8mm, L: 60mm
Seatpost	XLC alloy, Ø: 31.6mm, L: 400mm
Saddle	XLC
Front hub	Shimano HBQC300, 32H Centerlock QR
Rear hub	Shimano HBQC300-HM, 32H Centerlock QR
Rims	Lapierre Disc, 32H, 29", 21-622
Tires	Front : Schwalbe Tough Tom, K-Guard, 57-622, 50EPI Rear : Schwalbe Rapid Rob, K-Guard, 57-622, 50EPI
Pedals	FPD NW-91K Steel cage

Edge 5.9

FLAVE YELLOW - MAT

Ref. LHCRC



Frame	Edge 29" Supreme 5 alloy Disc, internal cable routing
Fork	RST BLAZE RL-DS RL 29" 100mm travel
Front derailleur	Shimano CUES U4000 2s
Rear derailleur	Shimano CUES U4020 9s Shadow
Crankset	Shimano CUES U4000 36-22T 170mm (M) , 175mm (L,XL)
Bottom bracket	Square 120mm
Sprocket	Shimano CUES LG300 11-36T 9s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Shimano MT200 2 pistons
Rotors	Shimano SMRT10S 180mm front/ 160mm rear Centerlock
Shiftlevers	Shimano CUES U4000 9s
Headset	FSA NO.10 semi-integrated
Handlebar	XLC alloy Top flat, Width: 720mm, Ø: 31.8mm
Grips	Herrmans Lock-on DD30B 130mm
Stem	XLC alloy, 6°, Ø: 31.8mm, L: 60mm
Seatpost	XLC alloy, Ø: 31.6mm, L: 400mm
Saddle	XLC
Front hub	Shimano HBQC300, 32H Centerlock QR
Rear hub	Shimano HBQC300-HM, 32H Centerlock QR
Rims	Lapierre Disc, 32H, 29", 21-622
Tires	Front : Schwalbe Tough Tom, K-Guard, 57-622, 50EPI Rear : Schwalbe Rapid Rob, K-Guard, 57-622, 50EPI
Pedals	Xerama SP-400

Edge 5.7

ONYX BLACK - GLOSSY

Ref. LHCRA



Frame	Edge 27.5" Supreme 5 alloy Disc, internal cable routing
Fork	RST BLAZE RL-DS RL 27.5" 100mm travel
Front derailleur	Shimano CUES U4000 2s
Rear derailleur	Shimano CUES U4020 9s Shadow
Crankset	Shimano CUES U4000 36-22T 170mm (XS,S) , 175mm (M)
Bottom bracket	Square 120mm
Sprocket	Shimano CUES LG300 11-36T 9s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Shimano MT200 2 pistons
Rotors	Shimano SMRT10S 180mm front/ 160mm rear Centerlock
Shiftlevers	Shimano CUES U4000 9s
Headset	FSA NO.10 semi-integrated
Handlebar	XLC alloy Width: 720mm, Rise: 15mm, Ø: 31.8mm
Grips	Herrmans Lock-on DD30B 130mm
Stem	XLC alloy, 6°, Ø: 31.8mm, L: 60mm
Seatpost	XLC alloy, Ø: 30.9mm, L: 400mm
Saddle	XLC
Front hub	Shimano HBQC300, 32H Centerlock QR
Rear hub	Shimano HBQC300-HM, 32H Centerlock QR
Rims	Lapierre Disc, 32H, 27.5", 21-584
Tires	Front : Schwalbe Tough Tom, K-Guard, 57-584, 50EPI Rear : Schwalbe Rapid Rob, K-Guard, 57-584, 50EPI
Pedals	Xerama SP-400

Edge 5.7 W

TOPAZ BLUE - MAT

Ref. LHCRB

Edge 3.9

GRAP ANTHRACITE - MAT

Ref. LHBRC



Frame	Edge Women 27.5" Supreme 5 alloy Disc, internal cable routing
Fork	RST BLAZE RL-DS RL 27.5" 100mm travel
Front derailleur	Shimano CUES U4000 2s
Rear derailleur	Shimano CUES U4020 9s Shadow
Crankset	Shimano CUES U4000 36-22T 170mm (XS,S) , 175mm (M)
Bottom bracket	Square 120mm
Sprocket	Shimano CUES LG300 11-36T 9s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Shimano MT200 2 pistons
Rotors	Shimano SMRT10S 180mm front/ 160mm rear Centerlock
Shiftlevers	Shimano CUES U4000 9s
Headset	FSA NO.10 semi-integrated
Handlebar	XLC alloy Width: 700mm, Rise: 15mm, Ø: 31.8mm
Grips	Herrmans Lock-on DD30B 130mm
Stem	XLC alloy, 6°, Ø: 31.8mm, L: 60mm
Seatpost	XLC alloy, Ø: 30.9mm, L: 400mm
Saddle	XLC Woman
Front hub	Shimano HBQC300, 32H Centerlock QR
Rear hub	Shimano HBQC300-HM, 32H Centerlock QR
Rims	Lapierre Disc, 32H, 27.5", 21-584
Tires	Front : Schwalbe Tough Tom, K-Guard, 57-584, 50EPI Rear : Schwalbe Rapid Rob, K-Guard, 57-584, 50EPI
Pedals	Xerama SP-400

Frame	Edge 29" Supreme 5 alloy Disc, internal cable routing
Fork	RST BLAZE -TNL(HLO)-DSS 29" 100mm travel
Front derailleur	Shimano Altus 3s
Rear derailleur	Shimano Acera 8s
Crankset	Shimano Tourney 42-34-24T 170mm (M) , 175mm (L,XL)
Bottom bracket	Square 124.5mm
Sprocket	Sunrace CSM400 12-32T 8s
Chain	S52 1/2"x3/32" 8s
Brakes	Shimano MT200 2 pistons
Rotors	Shimano SMRT10S 160mm front/rear Centerlock
Shiftlevers	Shimano Altus 8s
Headset	FSA NO.10 semi-integrated
Handlebar	XLC alloy Top flat, Width: 720mm, Ø: 31.8mm
Grips	Velo Double Density 130mm
Stem	XLC alloy, 6°, Ø: 31.8mm, L: 60mm
Seatpost	XLC alloy, Ø: 30.9mm, L: 400mm
Saddle	XLC
Front hub	Shimano HBQC300, 32H Centerlock QR
Rear hub	Shimano FH TY505, 32H Centerlock QR
Rims	Lapierre Disc, 32H, 29", 21-622
Tires	Mitas Ocelot 29x2.1 54-622
Pedals	Xerama SP-400

Edge 3.7

TILLANDSIA PURPLE - GLOSSY

Ref. LHBRA

Edge 3.7 W

FROST GREY - MAT

Ref. LHBRB



Frame	Edge 27.5" Supreme 5 alloy Disc, internal cable routing
Fork	RST BLAZE -TNL(HLO)-DS 27.5" 100mm travel
Front derailleur	Shimano Altus 3s
Rear derailleur	Shimano Acera 8s
Crankset	Shimano Tourney 42-34-24T 170mm (XS,S) , 175mm (M)
Bottom bracket	Square 124.5mm
Sprocket	Sunrace CSM400 12-32T 8s
Chain	S52 1/2"x3/32" 8s
Brakes	Shimano MT200 2 pistons
Rotors	Shimano SMRT10S 160mm front/rear Centerlock
Shiftlevers	Shimano Altus 8s
Headset	FSA NO.10 semi-integrated
Handlebar	XLC alloy Width: 720mm, Rise: 15mm, Ø: 31.8mm
Grips	Velo Double Density 130mm
Stem	XLC alloy, 6°, Ø: 31.8mm, L: 60mm
Seatpost	XLC alloy, Ø: 30.9mm, L: 400mm
Saddle	XLC
Front hub	Shimano HBQC300, 32H Centerlock QR
Rear hub	Shimano FHTY505, 32H Centerlock QR
Rims	Lapierre Disc, 32H, 27.5", 21-584
Tires	Mitas Ocelot 27.5x2.1 54-584
Pedals	Xerama SP-400

Frame	Edge Women 27.5" Supreme 5 alloy Disc, internal cable routing
Fork	RST BLAZE -TNL(HLO)-DS 27.5" 100mm travel
Front derailleur	Shimano Altus 3s
Rear derailleur	Shimano Acera 8s
Crankset	Shimano Tourney 42-34-24T 170mm (XS,S) , 175mm (M)
Bottom bracket	Square 124.5mm
Sprocket	Sunrace CSM400 12-32T 8s
Chain	S52 1/2"x3/32" 8s
Brakes	Shimano MT200 2 pistons
Rotors	Shimano SMRT10S 160mm front/rear Centerlock
Shiftlevers	Shimano Altus 8s
Headset	FSA NO.10 semi-integrated
Handlebar	XLC alloy Width: 720mm, Rise: 15mm, Ø: 31.8mm
Grips	Velo Double Density 130mm
Stem	XLC alloy, 6°, Ø: 31.8mm, L: 60mm
Seatpost	XLC alloy, Ø: 30.9mm, L: 400mm
Saddle	XLC Woman
Front hub	Shimano HBQC300, 32H Centerlock QR
Rear hub	Shimano FHTY505, 32H Centerlock QR
Rims	Lapierre Disc, 32H, 27.5", 21-584
Tires	Mitas Ocelot 27.5x2.1 54-584
Pedals	Xerama SP-400

Edge 2.9

BOMBAY ORANGE - MAT

Ref. LHARC



Non-binding illustrations

Frame	Edge 29" Supreme 5 alloy Disc, internal cable routing
Fork	RST GILA-T Coil 29" 100mm travel
Front derailleur	Shimano Tourney 3s
Rear derailleur	Shimano Tourney 7s
Crankset	Shimano Tourney 42-34-24T 170mm (M) , 175mm (L,XL)
Bottom bracket	Square 124.5mm
Sprocket	Shimano HG20 12-32T 7s
Chain	S52 7s
Brakes	Shimano MT200 2 pistons
Rotors	Shimano SMRT10S 160mm front/rear Centerlock
Shiftlevers	Shimano Altus 7s
Headset	FSA NO.10 semi-integrated
Handlebar	XLC alloy Top flat, Width: 720mm, Ø: 31.8mm
Grips	Velo Double Density 130mm
Stem	XLC alloy, 6°, Ø: 31.8mm, L: 60mm
Seatpost	XLC alloy, Ø: 30.9mm, L: 400mm
Saddle	XLC
Front hub	Shimano HBQC300, 32H Centerlock QR
Rear hub	Shimano FHTY505, 32H Centerlock QR
Rims	Lapierre Disc, 32H, 29", 21-622
Tires	Mitas Ocelot 29x2.1 54-622
Pedals	Xerama SP-400

Edge 2.7

MIDDLE GREEN - MAT

Ref. LHARA



Non-binding illustrations

Frame	Edge 27.5" Supreme 5 alloy Disc, internal cable routing
Fork	RST GILA-T Coil 27.5" 100mm travel
Front derailleur	Shimano Tourney 3s
Rear derailleur	Shimano Tourney 7s
Crankset	Shimano Tourney 42-34-24T 170mm (XS,S) , 175mm (M)
Bottom bracket	Square 124.5mm
Sprocket	Shimano HG20 12-32T 7s
Chain	S52 7s
Brakes	Shimano MT200 2 pistons
Rotors	Shimano SMRT10S 160mm front/rear Centerlock
Shiftlevers	Shimano Altus 7s
Headset	FSA NO.10 semi-integrated
Handlebar	XLC alloy Width: 720mm, Rise: 15mm, Ø: 31.8mm
Grips	Velo Double Density 130mm
Stem	XLC alloy, 6°, Ø: 31.8mm, L: 60mm
Seatpost	XLC alloy, Ø: 30.9mm, L: 400mm
Saddle	XLC
Front hub	Shimano HBQC300, 32H Centerlock QR
Rear hub	Shimano FHTY505, 32H Centerlock QR
Rims	Lapierre Disc, 32H, 27.5", 21-584
Tires	Mitas Ocelot 27.5x2.1 54-584
Pedals	Xerama SP-400

Edge 2.7 W

WASHED SALMON - MAT

Ref. LHARB



Frame	Edge Women 27.5" Supreme 5 alloy Disc, internal cable routing
Fork	RST GILA-T Coil 27.5" 100mm travel
Front derailleur	Shimano Tourney 3s
Rear derailleur	Shimano Tourney 7s
Crankset	Shimano Tourney 42-34-24T 170mm (XS,S) , 175mm (M)
Bottom bracket	Square 124.5mm
Sprocket	Shimano HG20 12-32T 7s
Chain	S52 7s
Brakes	Shimano MT200 2 pistons
Rotors	Shimano SMRT10S 160mm front/rear Centerlock
Shiftlevers	Shimano Altus 7s
Headset	FSA NO.10 semi-integrated
Handlebar	XLC alloy Width: 700mm, Rise: 15mm, Ø: 31.8mm
Grips	Velo Double Density 130mm
Stem	XLC alloy, 6°, Ø: 31.8mm, L: 60mm
Seatpost	XLC alloy, Ø: 30.9mm, L: 400mm
Saddle	XLC Woman
Front hub	Shimano HBQC300, 32H Centerlock QR
Rear hub	Shimano FHTY505, 32H Centerlock QR
Rims	Lapierre Disc, 32H, 27.5", 21-584
Tires	Mitas Ocelot 27.5x2.1 54-584
Pedals	Xerama SP-400



Prorace Kids

RANGE



Prorace 24 SL
Light Yellow | LPBPC



Prorace 20 SL
Sky Blue | LPAPC



Prorace 24 Girl
Purple | LPBPB



Prorace 20 Girl
Turquoise | LPAPB




Prorace 24
Grey | LPBPA



Prorace 20
Deep Blue | LPAPA

Geometry

PRORACE 24



SIZE UNI

ST (MM) 360

TT (MM) 486

HA (°) 70

SA (°) 73

RC (MM) 405

HT (MM) 100

BB (MM) -35

REACH 333


STACK 499

USER 130-155

REF. LP_P_360

Geometry

PRORACE 20



SIZE UNI

ST (MM) 300

TT (MM) 440

HA (°) 71

SA (°) 72

RC (MM) 366

HT (MM) 100

BB (MM) -20

REACH 305

STACK 416

USER 115-135

REF. LP_P_300

Prorace 24 SL

LIGHT YELLOW

Ref. LPBPC

Prorace 20 SL

SKY BLUE

Ref. LPAPC



Frame	Prorace 24" Supreme 4 alloy V-Brake
Fork	Alloy Rigid 24"
Front derailleur	Shimano Acera RD-M360 7/8s
Rear derailleur	Samox Alloy 32T 140mm
Crankset	BSA Cartridge type 122.5mm
Bottom bracket	Shimano CS-HG31 11-34T 8s
Sprocket	KMC Z8 8s
Chain	Tektro
Brakes	Tektro 837AL
Shiftlevers	Shimano SL-M315-8R 8s
Headset	FSA NO.10 semi-integrated
Handlebar	XLC alloy 6061, Width: 560, Rise : 25mm, Backsweep: 7°, Ø: 31.8mm
Grips	Velo VLG-1979 115mm
Stem	MTB alloy,TDS-C308-8, 10°, E: 40mm
Seatpost	XLC Alloy SP-DC1, Ø: 27.2mm, L: 300mm
Saddle	DDK D992
Front hub	KT A15F
Rear Hub	KT KT-AZER HG 24H
Rims	Alloy 507x18mm double wall 24H CNC
Tires	Kenda Small Block 8 24x1.50
Pedals	SP-931S steel cage



Frame	Prorace 20" Supreme 4 alloy V-Brake
Fork	Alloy Rigid 20"
Front derailleur	Shimano Acera RD-M360 7/8s
Rear derailleur	Samox Alloy 28T 114mm
Crankset	BSA Cartridge type 122.5mm
Bottom bracket	Shimano CS-HG31 11-34T 8s
Sprocket	KMC Z8 8s
Chain	Tektro
Brakes	Tektro 837AL
Shiftlevers	Shimano SL-M315-8R 8s
Headset	FSA NO.10 semi-integrated
Handlebar	XLC alloy 6061, Width: 540, Rise : 25mm, Backsweep: 7°, Ø: 31.8mm
Grips	Velo VLG-1979 115mm
Stem	MTB alloy,TDS-C308-8, 10°, E: 40mm
Seatpost	XLC Alloy SP-DC1, Ø: 27.2mm, L: 300mm
Saddle	DDK D992
Front hub	KT A15F
Rear Hub	KT KT-AZER HG 20H
Rims	Alloy 406x18mm double wall 20H CNC
Tires	Kenda Small Block 8 20x1.50
Pedals	VP-225

Prorace 24 Girl

PURPLE

Ref. LPBPB

Prorace 20 Girl

TURQUOISE

Ref. LPAPB



Frame	Prorace Girl 24" Supreme 4 alloy V-Brake
Fork	RST CAPA 24" 50mm travel
Front derailleur	Shimano Tourney FD-TY300
Rear derailleur	Shimano RD-TY300D, 7s
Crankset	Shimano FCTY301 42-34-24 150mm
Bottom bracket	Shimano BBUN100B22B 122.5mm
Sprocket	Shimano TZ5007428 14-28T 7s
Chain	YBN S50 1/2"x3/32" 7s
Brakes	Alhonga V-Brake HJ-721 ADX
Shiftlevers	Shimano STEF500 3x7s
Headset	Ahead type, steel
Handlebar	Lapierre MtB alloy 6061, Width: 620, Backsweep: 9°, Ø: 31.8mm
Grips	Velo VLG311-4A
Stem	MTB alloy AS-M05, 0°, E: 45mm
Seatpost	SP-342, Ø: 27.2mm, L: 300mm
Saddle	Lapierre VL-5061
Front hub	KT A15F
Rear Hub	KT A12R threaded
Rims	Alloy 24x1.75 Single wall 28H CNC
Tires	MITAS Ocelot V85 2.10 x 20"
Pedals	SP-931S steel cage

Frame	Prorace Girl 20" Supreme 4 alloy V-Brake
Fork	RST CAPA 20" 40mm travel
Front derailleur	Shimano RD-TY300D, 7s
Rear derailleur	Alloy A102P 32T 127mm
Crankset	BSA 124.5mm
Bottom bracket	Shimano TZ5007428 14-28T 7s
Sprocket	YBN S50 1/2"x3/32" 7s
Chain	Alhonga V-Brake HJ-721 ADX
Brakes	Shimano SL-M315-7R 7s
Shiftlevers	Ahead type, steel
Headset	Lapierre MtB alloy 6061, Width: 580, Backsweep: 9°, Ø: 31.8mm
Handlebar	Velo VLG311-4A
Grips	MTB alloy AS-M05, 0°, E: 45mm
Stem	Alloy SP-200, Ø: 27.2mm, L: 300mm
Seatpost	Lapierre VL-5061
Saddle	KT A15F
Front hub	KT A12R threaded
Rear Hub	Alloy 20x1.75 Single wall 28H CNC
Rims	MITAS Ocelot V85 2.10 x 20"
Tires	SP-878
Pedals	Chain jam protector CD-04D 31.8mm

Prorace 24

GREY

Ref. LPBPA

Prorace 20

DEEP BLUE

Ref. LPAPA



Frame	Prorace 24" Supreme 4 alloy V-Brake
Fork	RST CAPA 24" 50mm travel
Front derailleur	Shimano Tourney FD-TY300
Rear derailleur	Shimano RD-TY300D, 7s
Crankset	Shimano FCTY301 42-34-24 150mm
Bottom bracket	Shimano BBUN100B22B 122.5mm
Sprocket	Shimano TZ5007428 14-28T 7s
Chain	YBN S50 1/2"x3/32" 7s
Brakes	Alhonga V-Brake HJ-721 ADX
Shiftlevers	Shimano STEF500 3x7s
Headset	Ahead type, steel
Handlebar	Lapierre MtB alloy 6061, Width: 620, Backsweep: 9°, Ø: 31.8mm
Grips	Velo VLG311-4A
Stem	MTB alloy AS-M05, 0°, E: 45mm
Seatpost	SP-342, Ø: 27.2mm, L: 300mm
Saddle	Lapierre VL-5061
Front hub	KT A15F
Rear Hub	KT A12R threaded
Rims	Alloy 24x1.75 Single wall 28H CNC
Tires	MITAS Ocelot V85 2.10 x 20"
Pedals	SP-931S steel cage

Frame	Prorace 20" Supreme 4 alloy V-Brake
Fork	RST CAPA 20" 40mm travel
Front derailleur	Shimano RD-TY300D, 7s
Rear derailleur	Alloy A102P 32T 127mm
Crankset	BSA 124.5mm
Bottom bracket	Shimano TZ5007428 14-28T 7s
Sprocket	YBN S50 1/2"x3/32" 7s
Chain	Alhonga V-Brake HJ-721 ADX
Brakes	Shimano SL-M315-7R 7s
Shiftlevers	Ahead type, steel
Headset	Lapierre MtB alloy 6061, Width: 580, Backsweep: 9°, Ø: 31.8mm
Handlebar	Velo VLG311-4A
Grips	MTB alloy AS-M05, 0°, E: 45mm
Stem	Alloy SP-200, Ø: 27.2mm, L: 300mm
Seatpost	Lapierre VL-5061
Saddle	KT A15F
Front hub	KT A12R threaded
Rear Hub	Alloy 20x1.75 Single wall 28H CNC
Rims	MITAS Ocelot V85 2.10 x 20"
Tires	SP-876
Pedals	Chain jam protector CD-04D 31.8mm

eRoad

MY24 RANGE



eRoad

RANGE OVERVIEW

E-Crosshill

E-Sensium

FK

SE

10.

9.

8.

7.

6.

5.

4.

3.

2.

1.

NEW



NEW



NEW



NEW



MAINT

GRAVEL

ROAD

E-Sensium

RANGE



NEW

E-Sensium 5.4

Dark Blue - Glossy | LECRA
Bosch | 400Wh



NEW

E-Sensium 3.4

Dark Red - Glossy | LEBRA
Bosch | 400Wh




MAINT

E-Sensium 2.2

Dark Grey - Glossy | LEARA
EBikemotion | 250Wh

Geometry


E-SENSIUM 5.4 & 3.4



SIZE	S	M	L	XL
ST (MM)	490	520	550	580
TT (MM)	537	556	576	596
HA (°)	70,8	71,5	71,7	72
SA (°)	74	73,5	73	72,5
RC (MM)	435	435	435	435
HT (MM)	123	145	165	190
BB (MM)	75	72,5	72,5	70
FRK LENGTH (MM)	425	425	425	425
FRK OFFSET 30MM TRAVEL	44	44	44	44
FORK OFFSET RIGID FORK	45	45	45	45
STACK (MM)	578	599	619	641
REACH (MM)	371	379	387	394
STR	1,557	1,583	1,600	1,629
WB 30MM TRAVEL	1021,50	1030,05	1042,75	1055,02
WB RIGID FORK	1022,45	1031,00	1043,70	1055,97
USER	150-170	168-178	176-186	>184
REF.	LE_RA490	LE_RA520	LE_RA550	LE_RA580

Geometry

E-SENSIUM 2.2



SIZE	XS	S	M	L	XL
ST (MM)	440	470	510	550	590
TT (MM)	-	520	547	565	585
HA (°)	-	71,5	72,5	73	73
SA (°)	-	74,5	74	73,5	73
RC (MM)	-	425	425	425	425
HT (MM)	-	125	165	185	205
BB (MM)	-	-67,5	-67,5	-67,5	-67,5
STACK	-	367	377	383	391
REACH	-	551	593	614	633
USER	-	150-170	168-178	176-186	>184
REF.	LEARA440	LEARA470	LEARA510	LEARA550	LEARA590

E-Sensium 5.4

DARK BLUE - GLOSSY

Ref. LECRA



Frame	E-Sensium Supreme 5 Alloy with integrated routing
Fork	E-Sensium Carbon/ Alloy Steerer
Front derailleur	Shimano 105 FD-R7000 Brazed-On
Rear derailleur	Shimano 105 RD-R7000-GS, 12s
Crankset	ISIS Interface EC40 – F5-ISIS 170mm (S), 172,5mm (M,L), 175mm (XL) + 48-34T chainrings
System	Bosch Performance line SX “25kph” / Intube battery 400Wh/ Mini Remote
Sprocket	Shimano 105 11-34T 12s
Chain	Shimano 105 12s
Brakes	Shimano 105
Rotors	Shimano RT70 180mm/RTEM600 160mm
Shiftlevers	Shimano 105 ST-R7000 2x12s
Headset	Acros Aix-532 IS52/28,6 – IS52/40
Handlebar	Lapierre alloy, Width: 400mm (S), 420mm (M, L, XL), Drop: 130mm, Reach: 80mm
Grips	Lapierre Tape
Stem	Lapierre alloy, Ø: 31.8mm, L: 80mm (S), 90mm (M), 100mm (L), 110mm (XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 350mm
Saddle	Selle Italia Model X Superflow 145mm
Wheelset	DT Swiss HG 1800 SPLINE® 700C, Shimano Driver (ASF11) Forged, Centerlock
Tires	Schwalbe Pro One Evo, Super Race, 700x34C 127EPI
Pedals	VP-335 Clips & Strap
Accessories	Lapierre Thru axle and bottle opener lever + Tubeless valves

E-Sensium 3.4

DARK RED - GLOSSY

Ref. LEBRA



Frame	E-Sensium Supreme 5 Alloy with integrated routing
Fork	E-Sensium Carbon/ Alloy Steerer
Front derailleur	Shimano Tiagra FD-R4700 Brazed-On
Rear derailleur	Shimano Tiagra RD-R4700-GS, 10s
Crankset	ISIS Interface EC40 – F5-ISIS 170mm (S), 172,5mm (M,L), 175mm (XL) + 48-34T chainrings
System	Bosch Performance line SX “25kph” / Intube battery 400Wh/ Mini Remote
Sprocket	Shimano HG500 11-34T 10s
Chain	Shimano HG54 10s
Brakes	Shimano Tiagra
Rotors	Shimano RT70 180mm/RTEM600 160mm
Shiftlevers	Shimano Tiagra ST-R4700 2x10s
Headset	Acros Aix-532 IS52/28,6 – IS52/40
Handlebar	Lapierre alloy, Width: 400mm (S), 420mm (M, L, XL), Drop: 130mm, Reach: 80mm
Grips	Lapierre Tape
Stem	Lapierre alloy, Ø: 31.8mm, L: 80mm (S), 90mm (M), 100mm (L), 110mm (XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 350mm
Saddle	Selle Italia Model X Superflow 145mm
Wheelset	Lapierre Road 700C Alloy Disc, Shimano Driver, Centerlock
Tires	Schwalbe Pro One Evo, Super Race, 700x34C 127EPI
Pedals	VP-335 Clips & Strap
Accessories	Lapierre Thru axle and bottle opener lever + Tubeless valves

E-Sensium 2.2

DARK GREY - GLOSSY

Ref. LEARA



Frame	E-Sensium Supreme 5 Alloy with integrated routing
Fork	E-Sensium Carbon/ Alloy Steerer
Front derailleur	Shimano Sora FD-R3000 Band type
Rear derailleur	Shimano Sora RD-R3000-GS, 9s
Crankset	Shimano Sora FC-R3000, 50-34T 170mm (XS,S,M), 175mm (L,XL)
System	Ebikemotion system X35+ / 250 Wh battery pack
Sprocket	Shimano RS500 Press Fit
Chain	Shimano CS-HG200 11-34T 9s
Brakes	Tektro HD-R280
Rotors	Tektro TR160-22
Shiftlevers	Shimano Sora SL-R3000 9s
Headset	Acros Aix-532 IS52/28,6 - IS52/40
Handlebar	Lapierre alloy, Ø: 31.8mm, Width: 640mm
Grips	Lapierre by Herrmans
Stem	Lapierre alloy, Ø: 31.8mm, L: 80mm (XS,S), 90mm (M), 100mm (L), 110mm (XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 350mm
Saddle	Selle Italia Model X
Front hub	DA212, boost 12x100, 28H 6 bolts
Rear hub	X35+ Drive Unit
Rims	Ryde Rival 19-622 28H
Tires	Continental Ultra Sport 3 SL 28-622
Pedals	VP-335 Clips & Strap



LAPIERRE

E-Crosshill

RANGE



NEW

E-Crosshill 5.4

Dark Kaki - Glossy | LEDRA
Bosch | 250Wh




NEW

E-Crosshill 5.2

Metallic Grey - Glossy | LEIRA
EBikemotion | 250Wh

Geometry


E-CROSSHILL 5.4



SIZE	S	M	L	XL
ST (MM)	490	520	550	580
TT (MM)	537	556	576	596
HA (°)	70,8	71,5	71,7	72
SA (°)	74	73,5	73	72,5
RC (MM)	435	435	435	435
HT (MM)	123	145	165	190
BB (MM)	75	72,5	72,5	70
FRK LENGTH (MM)	425	425	425	425
FRK OFFSET 30MM TRAVEL	44	44	44	44
FORK OFFSET RIGID FORK	45	45	45	45
STACK (MM)	578	599	619	641
REACH (MM)	371	379	387	394
STR	1,557	1,583	1,600	1,629
WB 30MM TRAVEL	1021,50	1030,05	1042,75	1055,02
WB RIGID FORK	1022,45	1031,00	1043,70	1055,97
USER	150-170	168-178	176-186	>184
REF.	LEDRA490	LEDRA520	LEDRA550	LEDRA580

Geometry

E-CROSSHILL 5.2



SIZE	XS	S	M	L	XL
ST (MM)	420	460	500	550	600
TT (MM)	525	544	561	579	596
HA (°)	70	70,5	71	71	71,5
SA (°)	73	73	72,5	72,5	72
RC (MM)	435	435	435	435	435
HT (MM)	90	120	150	180	210
BB (MM)	75	75	75	75	75
STACK	517	547	577	605	636
REACH	366	376	378	388	389
WB	1004	1020	1028	1046	1053
USER	155-162	160-172	170-182	180-190	>188
REF.	LEIRA420	LEIRA460	LEIRA500	LEIRA550	LEIRA600

E-Crosshill 5.4

DARK KAKI - GLOSSY

Ref. LEDRA



Frame	eCrosshill Supreme 4 alloy with integrated routing
Fork	Lapierre Carbon Blades, Alloy Steerer, 12mm Thru Axle
Rear derailleur	Shimano GRX RX822 SGS, 12s Shadow +
Crankset	ISIS Interface EC40 – F5-ISIS 170mm (S), 172,5mm (M,L), 175mm (XL) + 40T chainring
System	Bosch Performance line SX "25kph" / Intube battery 400Wh/ Mini Remote
Sprocket	Shimano SLX CS-M7100 10-51T 12s
Chain	Shimano 105 CN-M7100 12s
Brakes	Shimano GRX
Rotors	Shimano RT70 180mm/RTEM600 160mm
Shiftlevers	Shimano GRX ST-RX820 12s
Headset	Acros Aix-532 IS52/28,6 – IS52/40
Handlebar	Lapierre alloy gravel bar, Width: 420mm (S), 440mm (M), 460mm (L,XL), Drop: 130mm, Reach: 70mm, Flare: 16°
Grips	Lapierre Tape
Stem	Lapierre alloy, Ø: 31.8mm, L: 80mm (S), 90mm (M), 100mm (L), 110mm (XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 350mm
Saddle	Fizik Terra Argo X7 150mm
Wheelset	DT Swiss HG 1800 SPLINE® 700C, Shimano Microspline, Centerlock
Tires	WTB Vulpine 700x40C Tan Wall
Pedals	VP-335 Clips & Strap
Accessories	Lapierre Thru axle and bottle opener lever + Tubeless valves

E-Crosshill 5.2

METALLIC GREY - GLOSSY

Ref. LEIRA



Frame	eCrosshill Supreme 4 alloy with integrated routing
Fork	Lapierre Carbon Blades, Alloy Steerer, 12mm Thru Axle
Front derailleur	Shimano GRX RX810 Brazed-On
Rear derailleur	Shimano GRX RX810, 11s Shadow +
Crankset	Shimano GRX RX600 46-30T 170mm (XS,S), 172,5mm (M), 175mm (L,XL)
System	Ebikemotion system X35+ / 250 Wh battery pack
Sprocket	Shimano BSA
Chain	Shimano CS-HG700 11-34T 11s
Brakes	KMC X11
Rotors	Shimano GRX
Shiftlevers	Shimano RT66 160mm/160mm
Headset	Shimano GRX ST-RX600 11s
Handlebar	Acros Aix-532 IS52/28,6 – IS52/40
Grips	Lapierre alloy gravel bar, Width: 420mm (XS,S), 440mm (M), 460mm (L,XL), Drop: 130mm, Reach: 70mm, Flare: 16°
Stem	Fizik Terra Microtex 3mm
Seatpost	Lapierre alloy, Ø: 31.8mm, L: 80mm (XS,S), 90mm (M), 100mm (L), 110mm (XL)
Saddle	Lapierre alloy, Ø: 27.2mm, L: 350mm
Front hub	Fizik Terra Argo X7 150mm
Rear hub	Lapierre Large Flange 32H 6B
Rims	X35+ Drive Unit
Tires	WTB ST 23 TCS 2.0 700c 32H
Pedals	VP-335 Clips & Strap
Accessories	Lapierre Thru axle and bottle opener lever + Tubeless valves

Road

MY24 RANGE



LAPIERRE

Road

RANGE OVERVIEW



Aerostorm DRS

RANGE



MAINT.

Aerostorm DRS

Night Blue
LFARA




MAINT.

Aerostorm DRS Frameset

Groupama-FDJ replica
LFKRA

Geometry

AEROSTORM DRS



SIZE	S	M	L	XL
ST (MM)	490	510	550	580
TT (MM)	505	529	552	575
HA (°)	72	72	72	72
SA (°)	75	75	75	75
RC (MM)	405	405	405	405
HT (MM)	72	102	133	165
BB (MM)	-68	-68	-68	-68
REACH	380	395	410	425
STACK	470	500	530	560
USER	150-170	168-178	176-186	>184
REF.	LF_RA490	LF_RA510	LF_RA550	LF_RA580



Aerostorm DRS

NIGHT BLUE

Ref. LFARA



Non-binding illustrations

Frame	Aerostorm DRS Disc thru axle UD Superlight carbon (Techno Carbon Team)
Fork	Aerostorm DRS Disc thru axle UD Superlight carbon (Techno Carbon Team)
Front derailleur	Shimano Dura-Ace Di2 R9250
Rear derailleur	Shimano Ultegra Di2 R8150, 12s
Crankset	Shimano Dura-Ace R9200, 54-40T 170mm (S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB7241B
Sprocket	Shimano Ultegra R8100 11-30T 12s
Chain	Shimano CN-M7100 12s
Rotors	Shimano MT900 160mm /140mm Centerlock
Shiftlevers	Shimano Dura-Ace Di2 TT ST-R9180 + Shift Switch SW-R9160 for extensions
Headset	FSA 1"1/8 1"1/4 Orbit C-33 44E + 15mm top cover
Handlebar	Lapierre integrated TT cockpit UD carbon with carbon extensions, Width: 400mm (axle/axle), 70mm (S), 85mm (M), 100mm (L/XL)
Grips	85mm (M), 100mm (L/XL)
Stem	Lapierre Vexgel tape
Seatpost	Lapierre Aero TT carbon
Saddle	Prologo Dimension Tri Tirox rails
Wheelset	DT Swiss ARC1400 Dicut 700x20c Front: 62mm height / Rear: 80mm height, Centerlock, Tubeless Ready
Tires	Continental GP5000S TR Tubeless ready 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

Aerostorm DRS Groupama-FDJ Frameset

GROUPAMA-FDJ REPLICA

Ref. LFKRA



Non-binding illustrations

Frame	Aerostorm DRS Disc thru axle UD Superlight carbon (Techno Carbon Team)
Fork	Aerostorm DRS Disc thru axle UD Superlight carbon (Techno Carbon Team)
Headset	FSA 1"1/8 1"1/4 Orbit C-33 44E + 15mm top cover
Handlebar	Lapierre integrated TT cockpit UD carbon with carbon extensions, Width: 400mm (axle/axle), 70mm (S), 85mm (M), 100mm (L/XL)
Grips	Lapierre Vexgel tape
Seatpost	Lapierre Aero TT carbon
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

Aircode DRS

RANGE



Aircode DRS

RANGE



NEW

Aircode DRS SE

Neige Mankiewicz - Mat
LALRA



MAINT.

Aircode DRS 9.0

Grey Blue - Glossy
LAERC



NEW

Aircode DRS 6.0 AXS

Dark Green Chrome - Glossy
LABRA



MAINT.

Aircode DRS 5.0

Redwood - Glossy
LAARA



MAINT.

Aircode DRS 8.0 - C1

Black Purple - Glossy
LADRB



MAINT.

Aircode DRS 8.0 - C2

Dark Sand - Mat
LADRC



ON

Aircode DRS 5.0 Di2

Davy Grey
LAAPB



MAINT.

Aircode DRS 5.0 Di2 - C2

Dark Purple - Glossy
LAARC



MAINT.

Aircode DRS 7.0 - C1

Dark Green - Glossy
LACRA



MAINT.

Aircode DRS 7.0 - C2

CC Brown - Glossy
LACRB



MAINT.

Aircode DRS Frameset

Dark Green Chrome - Glossy
LAKRA




MAINT.

Aircode DRS Groupama-FDJ Frameset

Groupama-FDJ replica
LAKRB

Geometry


AIRCODE DRS



SIZE	XS	S	M	L	XL
ST (MM)	440	460	490	520	550
TT (MM)	520	531	547	568	587
HA (°)	72	72	73	73	74
SA (°)	74	74	74	73,5	73,5
RC DSC	405	405	405	405	405
HT (MM)	105	120	140	160	180
BB (MM)	-67	-67	-67	-67	-67
FRK LENGTH	368	368	368	368	368
FRK OFFSET	50	50	50	50	50
STACK	501	516	538	557	580
REACH	376	383	393	403	415
WB	969	981	989	1005	1014
USER	155-162	160-172	170-182	180-190	>188
REF.	LA__R440	LA__R460	LA__R490	LA__R520	LA__R550

Nomenclature

AIRCODE DRS



Aircode DRS SE

NEIGE MANKIEWICZ - MAT

Ref. LALRA



Frame	Aircode DRS Disc Thru axle UD Superlight carbon
Fork	Aircode DRS Disc Thru axle UD Superlight carbon
Front derailleur	Shimano Dura-Ace Di2 R9250
Rear derailleur	Shimano Dura-Ace Di2 R9250,12s
Crankset	Shimano Dura-Ace R9200, 52-36T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB7241B
Sprocket	Shimano Dura-Ace R9200 11-30T 12s
Chain	Shimano Dura-Ace CN-M9100 12s
Rotors	Shimano MT900 160mm /140mm Centerlock
Shiftlevers	Shimano Dura-Ace Di2 ST-R9270
Headset	Acros integrated + Combo Acros Spacer
Handlebar	Lapierre Combo UD carbon, -10°, 400mm/90mm (XS,S), 400mm/100mm (M), 420mm/110mm (L), 420mm/120mm (XL)
Grips	Lapierre Vexgel tape
Seatpost	Lapierre Aero Carbon, offset: 0mm
Saddle	Prologo Dimension carbon rails
Wheelset	Lapierre Road Disc Carbon 700x21c 50mm height, Shimano driver, Tubeless Ready
Tires	Continental GP5000S TR Tubeless ready 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

Aircode DRS 9.0

GREY BLUE - GLOSSY

Ref. LAERC



Frame	Aircode DRS Disc Thru axle UD Superlight carbon
Fork	Aircode DRS Disc Thru axle UD Superlight carbon
Front derailleur	Shimano Dura-Ace Di2 R9250
Rear derailleur	Shimano Dura-Ace Di2 R9250,12s
Crankset	Shimano Dura-Ace R9200, 52-36T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB7241B
Sprocket	Shimano Dura-Ace R9200 11-30T 12s
Chain	Shimano Dura-Ace CN-M9100 12s
Rotors	Shimano MT900 160mm /140mm Centerlock
Shiftlevers	Shimano Dura-Ace Di2 ST-R9270
Headset	Acros integrated + Combo Acros Spacer
Handlebar	Lapierre Combo UD carbon, -10°, 400mm/90mm (XS,S), 400mm/100mm (M), 420mm/110mm (L), 420mm/120mm (XL)
Grips	Lapierre Vexgel tape
Seatpost	Lapierre Aero Carbon, offset: 0mm
Saddle	Prologo Dimension carbon rails
Wheelset	Lapierre Road Disc Carbon 700x21c 50mm height, Shimano driver, Tubeless Ready
Tires	Continental GP5000S TR Tubeless ready 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

Aircode DRS 8.0 - C1

BLACK PURPLE - GLOSSY

Ref. LADRB

Aircode DRS 8.0 - C2

DARK SAND - MAT

Ref. LADRC



Frame	Aircode DRS Disc Thru axle UD Superlight carbon
Fork	Aircode DRS Disc Thru axle UD Superlight carbon
Front derailleur	Shimano Ultegra Di2 R8150
Rear derailleur	Shimano Ultegra Di2 R8150, 12s
Crankset	Shimano Ultegra R8150, 52-36T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB72-41B
Sprocket	Shimano Ultegra R8100 11-30T 12s
Chain	Shimano 105 CN-M7100 12s
Rotors	Shimano MT900 160mm /140mm Centerlock
Shiftlevers	Shimano Ultegra ST-R8170
Headset	Acros integrated + Combo Acros Spacer
Handlebar	Lapierre Combo UD carbon, -10°, 400mm/90mm (XS,S), 400mm/100mm (M), 420mm/110mm (L), 420mm/120mm (XL)
Grips	Lapierre Vexgel tape
Seatpost	Lapierre Aero Carbon, offset: 0mm
Saddle	Prologo Dimension T4.0 rails
Wheelset	DT Swiss ARC1400 Dicut 700x20c 50mm height, Centerlock, Tubeless Ready
Tires	Continental GP5000S TR Tubeless ready 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

Frame	Aircode DRS Disc Thru axle UD Superlight carbon
Fork	Aircode DRS Disc Thru axle UD Superlight carbon
Front derailleur	Shimano Ultegra Di2 R8150
Rear derailleur	Shimano Ultegra Di2 R8150, 12s
Crankset	Shimano Ultegra R8150, 52-36T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB72-41B
Sprocket	Shimano Ultegra R8100 11-30T 12s
Chain	Shimano 105 CN-M7100 12s
Rotors	Shimano MT900 160mm /140mm Centerlock
Shiftlevers	Shimano Ultegra ST-R8170
Headset	Acros integrated + Combo Acros Spacer
Handlebar	Lapierre Combo UD carbon, -10°, 400mm/90mm (XS,S), 400mm/100mm (M), 420mm/110mm (L), 420mm/120mm (XL)
Grips	Lapierre Vexgel tape
Seatpost	Lapierre Aero Carbon, offset: 0mm
Saddle	Prologo Dimension T4.0 rails
Wheelset	DT Swiss ARC1400 Dicut 700x20c 50mm height, Centerlock, Tubeless Ready
Tires	Continental GP5000S TR Tubeless ready 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

Aircode DRS 7.0 - C1

DARK GREEN - GLOSSY

Ref. LACRA



Non-binding illustrations

Frame	Aircode DRS Disc Thru axle UD Superlight carbon
Fork	Aircode DRS Disc Thru axle UD Superlight carbon
Front derailleur	Shimano Ultegra Di2 R8150
Rear derailleur	Shimano Ultegra Di2 R8150, 12s
Crankset	Shimano Ultegra R8150, 52-36T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB72-41B
Sprocket	Shimano Ultegra R8100 11-30T 12s
Chain	Shimano 105 CN-M7100 12s
Rotors	Shimano MT800 160mm /140mm Centerlock
Shiftlevers	Shimano Ultegra ST-R8170
Headset	Acros integrated + Aircode Acros Spacer
Handlebar	Lapierre Aero UD carbon with Triathlon extensions, Width: 400mm (XS,S), 420mm (M,L,XL), Drop: 130mm, Reach: 80mm
Grips	Lapierre Vexgel tape
Stem	Lapierre, -5,7°, Ø: 31.8mm, L: 90mm (XS,S), 100mm (M), 110mm (L), 120mm (XL)
Seatpost	Lapierre Aero Carbon, offset: 0mm
Saddle	Prologo Dimension T4.0 rails
Wheelset	Lapierre Road Disc Carbon 700x21c 50mm height, Shimano driver, Tubeless Ready
Tires	Continental GP5000S TR Tubeless ready 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

Aircode DRS 7.0 - C2

BLACK PURPLE - GLOSSY

Ref. LACRB



Non-binding illustrations

Frame	Aircode DRS Disc Thru axle UD Superlight carbon
Fork	Aircode DRS Disc Thru axle UD Superlight carbon
Front derailleur	Shimano Ultegra Di2 R8150
Rear derailleur	Shimano Ultegra Di2 R8150, 12s
Crankset	Shimano Ultegra R8150, 52-36T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB72-41B
Sprocket	Shimano Ultegra R8100 11-30T 12s
Chain	Shimano 105 CN-M7100 12s
Rotors	Shimano MT800 160mm /140mm Centerlock
Shiftlevers	Shimano Ultegra ST-R8170
Headset	Acros integrated + Aircode Acros Spacer
Handlebar	Lapierre Aero UD carbon with Triathlon extensions, Width: 400mm (XS,S), 420mm (M,L,XL), Drop: 130mm, Reach: 80mm
Grips	Lapierre Vexgel tape
Stem	Lapierre, -5,7°, Ø: 31.8mm, L: 90mm (XS,S), 100mm (M), 110mm (L), 120mm (XL)
Seatpost	Lapierre Aero Carbon, offset: 0mm
Saddle	Prologo Dimension T4.0 rails
Wheelset	Lapierre Road Disc Carbon 700x21c 50mm height, Shimano driver, Tubeless Ready
Tires	Continental GP5000S TR Tubeless ready 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

Aircode DRS 6.0 AXS

DARK GREEN CHROME - GLOSSY

Ref. LABRA



Frame	Aircode DRS Disc Thru axle UD Superlight carbon
Fork	Aircode DRS Disc Thru axle UD Superlight carbon
Front derailleur	SRAM Rival ETAP AXS Braze-On
Rear derailleur	SRAM Rival ETAP AXS Max 36T, 12s
Crankset	SRAM Rival Dub 46-33T 170mm (XS,S), 172,5mm (M,L), 175mm (XL)
Bottom bracket	SRAM DUB Press Fit 86.5 Road
Sprocket	SRAM XG 1250 10-36T 12s
Chain	SRAM Rival 12s
Rotors	SRAM Paceline 160mm/140mm Centerlock
Shiftlevers	SRAM Rival ETAP AXS
Headset	Acros integrated + Aircode Acros Spacer
Handlebar	Lapierre Aero UD carbon, Width: 400mm (XS,S), 420mm (M,L,XL), Drop: 130mm, Reach: 80mm
Grips	Lapierre Vexgel tape
Stem	Lapierre, -5,7°, Ø: 31.8mm, L: 90mm (XS,S), 100mm (M), 110mm (L), 120mm (XL)
Seatpost	Lapierre Aero Carbon, offset: 0mm
Saddle	Prologo Dimension STN rails
Wheelset	Lapierre Road Disc Carbon 700x21c, 42mm height, XDR driver, Tubeless Ready
Tires	Schwalbe ONE Performance TLE 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

Aircode DRS 5.0

REDWOOD - GLOSSY

Ref. LAARA



Frame	Aircode DRS Disc Thru axle UD Superlight carbon
Fork	Aircode DRS Disc Thru axle UD Superlight carbon
Front derailleur	Shimano 105 R7100
Rear derailleur	Shimano 105 R7000, 12s
Crankset	Shimano 105 R7100, 50-34T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB71-41B
Sprocket	Shimano R7100 11-34T 12s
Chain	Shimano 105 CN-M7100 12s
Rotors	Shimano RT70 160mm /140mm Centerlock
Shiftlevers	Shimano 105 ST-R7120
Headset	Acros integrated + Aircode Acros Spacer
Handlebar	Lapierre UD Carbon, Width: 400mm (XS,S) 420mm (M,L,XL), Drop: 130mm, Reach: 80mm
Grips	Lapierre Vexgel tape
Stem	Lapierre, -5,7°, Ø: 31.8mm, L: 90mm (XS,S), 100mm (M), 110mm (L), 120mm (XL)
Seatpost	Lapierre Aero Carbon, offset: 0mm
Saddle	Prologo Dimension STN rails
Wheelset	Lapierre Road 700x19c Alloy Disc, Shimano Driver, Centerlock, Tubeless compatible
Tires	Schwalbe ONE Performance TLE 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

Aircode DRS 5.0 Di2

DAVY GREY

Ref. LAAPB

Aircode DRS 5.0 Di2 - C2

DARK PURPLE - GLOSSY

Ref. LAARC



Frame	Aircode DRS Disc Thru axle UD Superlight carbon
Fork	Aircode DRS Disc Thru axle UD Superlight carbon
Front derailleur	Shimano 105 Di2 R7150
Rear derailleur	Shimano 105 Di2 R7150, 12s
Crankset	Shimano 105 R7100, 50-34T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB7141B
Sprocket	Shimano R7100 11-34T 12s
Chain	Shimano 105 CN-M7100 12s
Rotors	Shimano RT70 160mm/140mm Centerlock
Shiftlevers	Shimano 105 ST-R7170
Headset	Acros integrated + Aircode Acros Spacer
Handlebar	Lapierre UD Carbon, Width: 400mm (XS,S) 420mm (M,L,XL), Drop: 130mm, Reach: 80mm
Grips	Lapierre Vexgel tape
Stem	Lapierre, -5,7°, Ø: 31.8mm, L: 90mm (XS,S), 100mm (M), 110mm (L), 120mm (XL)
Seatpost	Lapierre Aero Carbon, offset: 0mm
Saddle	Prologo Dimension STN rails
Wheelset	DT Swiss E1800 SPLINE® 700x22c, 23mm height, Shimano ASF11 driver, Centerlock
Tires	Schwalbe ONE Performance TLE 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

Frame	Aircode DRS Disc Thru axle UD Superlight carbon
Fork	Aircode DRS Disc Thru axle UD Superlight carbon
Front derailleur	Shimano 105 Di2 R7150
Rear derailleur	Shimano 105 Di2 R7150, 12s
Crankset	Shimano 105 R7100, 50-34T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB7141B
Sprocket	Shimano R7100 11-34T 12s
Chain	Shimano 105 CN-M7100 12s
Rotors	Shimano RT70 160mm/140mm Centerlock
Shiftlevers	Shimano 105 ST-R7170
Headset	Acros integrated + Aircode Acros Spacer
Handlebar	Lapierre UD Carbon, Width: 400mm (XS,S) 420mm (M,L,XL), Drop: 130mm, Reach: 80mm
Grips	Lapierre Vexgel tape
Stem	Lapierre, -5,7°, Ø: 31.8mm, L: 90mm (XS,S), 100mm (M), 110mm (L), 120mm (XL)
Seatpost	Lapierre Aero Carbon, offset: 0mm
Saddle	Prologo Dimension STN rails
Wheelset	DT Swiss E1800 SPLINE® 700x22c, 23mm height, Shimano ASF11 driver, Centerlock
Tires	Schwalbe ONE Performance TLE 25-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

Aircode DRS Frameset

DARK GREEN CHROME - GLOSSY

Ref. LAKRA



Non-binding illustrations

Frame	Aircode DRS Disc Thru axle UD Superlight carbon (Techno Carbon Team)
Fork	Aircode DRS Disc Thru axle UD Superlight carbon (Techno Carbon Team)
Headset	Acros integrated + Aircode Acros Spacer
Handlebar	Lapierre Aero UD carbon with Triathlon extensions, Width: 400mm (XS,S), 420mm (M,L,XL), Drop: 130mm, Reach: 80mm
Grips	Lapierre Vexgel tape
Stem	Lapierre, -5,7°, Ø: 31.8mm, L: 90mm (XS,S), 100mm (M), 110mm (L), 120mm (XL)
Seatpost	Lapierre Aero Carbon, offset: 0mm & 20mm
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

Aircode DRS Groupama-FDJ Frameset

GROUPAMA-FDJ REPLICA

Ref. LAKRB



Non-binding illustrations

Frame	Aircode DRS Disc Thru axle UD Superlight carbon (Techno Carbon Team)
Fork	Aircode DRS Disc Thru axle UD Superlight carbon (Techno Carbon Team)
Headset	Acros integrated + Aircode Acros Spacer
Handlebar	Lapierre Aero UD carbon with Triathlon extensions, Width: 400mm (XS,S), 420mm (M,L,XL), Drop: 130mm, Reach: 80mm
Grips	Lapierre Vexgel tape
Stem	Lapierre, -5,7°, Ø: 31.8mm, L: 90mm (XS,S), 100mm (M), 110mm (L), 120mm (XL)
Seatpost	Lapierre Aero Carbon, offset: 0mm & 20mm
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

Xelius

RANGE



Xelius

RANGE



MAINT.

Xelius SL 10.0

Symbiosis Black - Glossy
LXFRA



MAINT.

Xelius SL 9.0

Metallic Red - Mat
LXERA



MAINT.

Xelius SL 7.0 - C1

Blue Cyan - Glossy
LXCRA



MAINT.

Xelius SL 7.0 - C2

Dark Rust - Glossy
LXCRB



MAINT.

Xelius SL 8.0 - C1

CC Blue - Glossy
LXDRA



NEW

Xelius SL 8.0 - C2

CC Rust - Glossy
LXDRB



ON

Xelius SL 5.0 Di2

Blackberry
LXAPB



MAINT.

Xelius SL 5.0 Di2 - C2

Dark Graphite - Glossy
LXARC



MAINT.

Xelius SL 8.0 AXS

Light Grey - Glossy
LXDRC



MAINT.

Xelius SL 5.0

Dark Grey - Glossy
LXARA



MAINT.

Xelius SL Frameset

Symbiosis Black - Glossy
LXKRA




MAINT.

Xelius SL FDJ Frameset

Groupama-FDJ replica
LXKRB

Geometry


XELIUS SL



SIZE	XS	S	M	L	XL
ST (MM)	440	460	490	520	550
TT (MM)	520	531	547	568	587
HA (°)	72	72	73	73	74
SA (°)	74	74	74	73,5	73,5
RC DSC	405	405	405	405	405
HT (MM)	105	120	140	160	180
BB (MM)	-67	-67	-67	-67	-67
FRK LENGTH	368	368	368	368	368
FRK OFFSET	50	50	50	50	50
STACK	501	516	538	557	580
REACH	376	383	393	403	415
WB	969	981	989	1005	1014
USER	155-162	160-172	170-182	180-190	>188
REF.	LX__440	LX__460	LX__490	LX__520	LX__550

Nomenclature

XELIUS SL





Xelius SL 10.0

SYMBIOSIS BLACK - GLOSSY

Ref. LXFRA



Frame	Xelius SL Disc Thru axle UD Superlight carbon (Techno Carbon Team)
Fork	Xelius SL Disc Thru axle UD Superlight carbon (Techno Carbon Team)
Front derailleur	Shimano Dura-Ace Di2 R9250
Rear derailleur	Shimano Dura-Ace Di2 R9250 12s
Crankset	Shimano Dura-Ace R9200, 52-36T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB72-41B
Sprocket	Shimano Dura-Ace R9200 11-34T 12s
Chain	Shimano Dura-Ace CN-M9100 12s
Rotors	Shimano MT900 160mm /140mm Centerlock
Shiftlevers	Shimano Dura-Ace Di2 BR9270 + Di2 integrated Switch
Headset	Acros integrated + Combo Acros Spacer
Handlebar	Lapierre Combo UD carbon, -10°, 400mm/90mm (XS,S), 400mm/100mm (M), 420mm/110mm (L), 420mm/120mm (XL)
Grips	Lapierre Vexgel tape
Seatpost	Lapierre carbon light, Ø: 27.2mm, L: 350mm
Saddle	Prologo Dimension carbon rails
Wheelset	Shimano Dura-Ace WHR9270 700x21, 36mm height, Tubeless Ready
Tires	Continental GP5000S TR Tubeless ready 28-622
Pedals	VP-335 Clips&Strap
Accessories	Cable charger + Thru axle multitool lever + Bracket for Garmin & Wahoo

Xelius SL 9.0

METALLIC RED - MAT

Ref. LXERA

Xelius SL 8.0 AXS

LIGHT GREY - GLOSSY

Ref. LXDRC



Frame	Xelius SL Disc Thru axle UD Superlight carbon
Fork	Xelius SL Disc Thru axle UD Superlight carbon
Front derailleur	Shimano Dura-Ace Di2 R9250
Rear derailleur	Shimano Dura-Ace Di2 R9250 12s
Crankset	Shimano Dura-Ace R9200, 52-36T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB72-41B
Sprocket	Shimano Dura-Ace R9200 11-34T 12s
Chain	Shimano Dura-Ace CN-M9100 12s
Rotors	Shimano MT900 160mm /140mm Centerlock
Shiftlevers	Shimano Dura-Ace Di2 BR9270 + Di2 integrated Switch
Headset	Acros integrated + Combo Acros Spacer
Handlebar	Lapierre Combo UD carbon, -10°, 400mm/90mm (XS,S), 400mm/100mm (M), 420mm/110mm (L), 420mm/120mm (XL)
Grips	Lapierre Vexgel tape
Seatpost	Lapierre carbon light, Ø: 27.2mm, L: 350mm
Saddle	Fizik Argo Vento R5 140mm
Wheelset	Lapierre Road Disc Carbon 700x21c, 42mm height, Shimano driver, Tubeless Ready
Tires	Continental GP5000S TR Tubeless ready 28-622
Pedals	VP-335 Clips&Strap
Accessories	Cable charger + Thru axle multitool lever + Bracket for Garmin & Wahoo

Frame	Xelius SL Disc Thru axle UD Superlight carbon
Fork	Xelius SL Disc Thru axle UD Superlight carbon
Front derailleur	SRAM Force ETAP AXS Braze-On
Rear derailleur	SRAM Force ETAP AXS Max, 12s
Crankset	SRAM Force D2 Dub 48-35T 170mm (XS,S), 172.5mm (M,L), 175mm (XL) with POWERMETER
Bottom bracket	SRAM DUB Press Fit 86.5 Road
Sprocket	SRAM XG 1270 10-33T 12s
Chain	SRAM Force 12s
Rotors	SRAM Paceline 160mm/140mm Centerlock
Shiftlevers	SRAM Force ETAP AXS
Headset	Acros integrated + Xelius Acros Spacer
Handlebar	Lapierre Combo UD carbon, -10°, 400mm/90mm (XS,S), 400mm/100mm (M), 420mm/110mm (L), 420mm/120mm (XL)
Grips	Lapierre Vexgel tape
Seatpost	Lapierre carbon light, Ø: 27.2mm, L: 350mm
Saddle	Fizik Argo Vento R5 140mm
Wheelset	Lapierre Road Disc Carbon 700x21c, 38mm height, XDR driver, Tubeless Ready
Tires	Continental GP5000S TR Tubeless ready 28-622
Pedals	VP-335 Clips&Strap
Accessories	Cable charger + Thru axle multitool lever + Bracket for Garmin & Wahoo

Xelius SL 8.0 - C1

CC BLUE - GLOSSY

Ref. LXDRA



Non-binding illustrations

Frame	Xelius SL Disc Thru axle UD Superlight carbon
Fork	Xelius SL Disc Thru axle UD Superlight carbon
Front derailleur	Shimano Ultegra Di2 R8150
Rear derailleur	Shimano Ultegra Di2 R8150, 12s
Crankset	Shimano Ultegra R8150, 52-36T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB72-41B
Sprocket	Shimano Ultegra R8100 11-34T 12s
Chain	Shimano 105 CN-M7100 12s
Rotors	Shimano MT900 160mm /140mm Centerlock
Shiftlevers	Shimano Ultegra ST-R8170
Headset	Acros integrated + Xelius Acros Spacer
Handlebar	Lapierre Combo UD carbon, -10°, 400mm/90mm (XS,S), 400mm/100mm (M), 420mm/110mm (L), 420mm/120mm (XL)
Grips	Lapierre Vexgel tape
Seatpost	Lapierre carbon light, Ø: 27.2mm, L: 350mm
Saddle	Fizik Argo Vento R5 140mm
Wheelset	Lapierre Road Disc Carbon 700x21c, 38mm height, Shimano driver, Tubeless Ready
Tires	Continental GP5000S TR Tubeless ready 28-622
Pedals	VP-335 Clips&Strap
Accessories	Cable charger + Thru axle multitool lever + Bracket for Garmin & Wahoo

Xelius SL 8.0 - C2

CC RUST - GLOSSY

Ref. LXDRB



Non-binding illustrations

Frame	Xelius SL Disc Thru axle UD Superlight carbon
Fork	Xelius SL Disc Thru axle UD Superlight carbon
Front derailleur	Shimano Ultegra Di2 R8150
Rear derailleur	Shimano Ultegra Di2 R8150, 12s
Crankset	Shimano Ultegra R8150, 52-36T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB72-41B
Sprocket	Shimano Ultegra R8100 11-34T 12s
Chain	Shimano 105 CN-M7100 12s
Rotors	Shimano MT900 160mm /140mm Centerlock
Shiftlevers	Shimano Ultegra ST-R8170
Headset	Acros integrated + Xelius Acros Spacer
Handlebar	Lapierre Combo UD carbon, -10°, 400mm/90mm (XS,S), 400mm/100mm (M), 420mm/110mm (L), 420mm/120mm (XL)
Grips	Lapierre Vexgel tape
Seatpost	Lapierre carbon light, Ø: 27.2mm, L: 350mm
Saddle	Fizik Argo Vento R5 140mm
Wheelset	Lapierre Road Disc Carbon 700x21c, 38mm height, Shimano driver, Tubeless Ready
Tires	Continental GP5000S TR Tubeless ready 28-622
Pedals	VP-335 Clips&Strap
Accessories	Cable charger + Thru axle multitool lever + Bracket for Garmin & Wahoo

Xelius SL 7.0 - C1

BLUE CYAN - GLOSSY

Ref. LXCRA



Non-binding illustrations

Frame	Xelius SL Disc Thru axle UD Superlight carbon
Fork	Xelius SL Disc Thru axle UD Superlight carbon
Front derailleur	Shimano Ultegra Di2 R8150
Rear derailleur	Shimano Ultegra Di2 R8150, 12s
Crankset	Shimano Ultegra R8150, 52-36T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB72-41B
Sprocket	Shimano Ultegra R8100 11-34T 12s
Chain	Shimano 105 CN-M7100 12s
Rotors	Shimano RT-MT800 160mm /140mm Centerlock
Shiftlevers	Shimano Ultegra ST-R8170
Headset	Acros integrated + Xelius Acros Spacer
Handlebar	Lapierre UD Carbon, Width: 400mm (XS,S) 420mm (M,L,XL)
Grips	Lapierre Vexgel tape
Stem	Lapierre, -5,7°, Ø: 31.8mm, L: 90mm (XS,S), 100mm (M), 110mm (L), 120mm (XL)
Seatpost	Lapierre carbon light, Ø: 27.2mm, L: 350mm
Saddle	Fizik Argo Vento R5 140mm
Wheelset	DT Swiss E1800 SPLINE® 700x22c, 23mm height, Shimano ASF11 driver, Centerlock
Tires	Schwalbe ONE Performance TLE 28-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

Xelius SL 7.0 - C2

DARK RUST - GLOSSY

Ref. LXCRCB



Non-binding illustrations

Frame	Xelius SL Disc Thru axle UD Superlight carbon
Fork	Xelius SL Disc Thru axle UD Superlight carbon
Front derailleur	Shimano Ultegra Di2 R8150
Rear derailleur	Shimano Ultegra Di2 R8150, 12s
Crankset	Shimano Ultegra R8150, 52-36T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB72-41B
Sprocket	Shimano Ultegra R8100 11-34T 12s
Chain	Shimano 105 CN-M7100 12s
Rotors	Shimano RT-MT800 160mm /140mm Centerlock
Shiftlevers	Shimano Ultegra ST-R8170
Headset	Acros integrated + Xelius Acros Spacer
Handlebar	Lapierre UD Carbon, Width: 400mm (XS,S) 420mm (M,L,XL)
Grips	Lapierre Vexgel tape
Stem	Lapierre, -5,7°, Ø: 31.8mm, L: 90mm (XS,S), 100mm (M), 110mm (L), 120mm (XL)
Seatpost	Lapierre carbon light, Ø: 27.2mm, L: 350mm
Saddle	Fizik Argo Vento R5 140mm
Wheelset	DT Swiss E1800 SPLINE® 700x22c, 23mm height, Shimano ASF11 driver, Centerlock
Tires	Schwalbe ONE Performance TLE 28-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

Xelius SL 5.0 Di2

BLACKBERRY

Ref. LXAPB



Non-binding illustrations

Frame	Xelius SL Disc Thru axle UD Superlight carbon
Fork	Xelius SL Disc Thru axle UD Superlight carbon
Front derailleur	Shimano 105 Di2 R7150
Rear derailleur	Shimano 105 Di2 R7150, 12s
Crankset	Shimano 105 R7100, 50-34T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB7141B
Sprocket	Shimano R7100 11-34T 12s
Chain	Shimano 105 CN-M7100 12s
Rotors	Shimano RT70 160mm/140mm Centerlock
Shiftlevers	Shimano 105 ST-R7170
Headset	Acros integrated + Xelius Acros Spacer
Handlebar	Lapierre alloy, Width: 400mm (XS,S) 420mm (M,L,XL) , Drop: 130mm, Reach: 80mm
Grips	Lapierre Vexgel tape
Stem	Lapierre, -5,7°, Ø: 31.8mm, L: 90mm (XS,S), 100mm (M), 110mm (L), 120mm (XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 350mm
Saddle	Prologo Dimension STN rails
Wheelset	DT Swiss E1800 SPLINE® 700x22c, 23mm height, Shimano ASF11 driver, Centerlock
Tires	Schwalbe ONE Performance TLE 28-622
Pedals	VP-335 Clips&Strap
Accessories	Cable charger + Thru axle multitool lever + Bracket for Garmin & Wahoo

Xelius SL 5.0 Di2

DARK GRAPHITE - GLOSSY

Ref. LXARC



Non-binding illustrations

Frame	Xelius SL Disc Thru axle UD Superlight carbon
Fork	Xelius SL Disc Thru axle UD Superlight carbon
Front derailleur	Shimano 105 R7100
Rear derailleur	Shimano 105 Di2 R7150, 12s
Crankset	Shimano 105 R7100, 50-34T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB7141B
Sprocket	Shimano R7100 11-34T 12s
Chain	Shimano 105 CN-M7100 12s
Rotors	Shimano RT70 160mm/140mm Centerlock
Shiftlevers	Shimano 105 ST-R7170
Headset	Acros integrated + Xelius Acros Spacer
Handlebar	Lapierre alloy, Width: 400mm (XS,S) 420mm (M,L,XL) , Drop: 130mm, Reach: 80mm
Grips	Lapierre Vexgel tape
Stem	Lapierre, -5,7°, Ø: 31.8mm, L: 90mm (XS,S), 100mm (M), 110mm (L), 120mm (XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 350mm
Saddle	Prologo Dimension STN rails
Wheelset	DT Swiss E1800 SPLINE® 700x22c, 23mm height, Shimano ASF11 driver, Centerlock
Tires	Schwalbe ONE Performance TLE 28-622
Pedals	VP-335 Clips&Strap
Accessories	Cable charger + Thru axle multitool lever + Bracket for Garmin & Wahoo

Xelius SL 5.0

DARK GREY - GLOSSY

Ref. LXARA



Frame	Xelius SL Disc Thru axle UD Superlight carbon
Fork	Xelius SL Disc Thru axle UD Superlight carbon
Front derailleur	Shimano 105 R7100
Rear derailleur	Shimano 105 R7000, 12s
Crankset	Shimano 105 R7100, 50-34T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB71-41B
Sprocket	Shimano R7100 11-34T 12s
Chain	Shimano 105 CN-M7100 12s
Rotors	Shimano RT70 160mm /140mm Centerlock
Shiftlevers	Shimano 105 ST-R7120
Headset	Acros integrated + Xelius Acros Spacer
Handlebar	Lapierre alloy, Width: 400mm (XS,S) 420mm (M,L,XL) , Drop: 130mm, Reach: 80mm
Grips	Lapierre Vexgel tape
Stem	Lapierre, -5,7°, Ø: 31.8mm, L: 90mm (XS,S), 100mm (M), 110mm (L), 120mm (XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 350mm
Saddle	Selle Italia Model X Superflow 145mm
Wheelset	Lapierre Road 700x19c Alloy Disc, Shimano Driver, Centerlock, Tubeless compatible
Tires	Continental Ultra Sport III SL 28-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo



Xelius SL Frameset

SYMBIOSIS BLACK - GLOSSY

Ref. L XKRA



Non-binding illustrations

Xelius SL Groupama-FDJ Frameset

GROUPAMA-FDJ REPLICA

Ref. L XKRB



Non-binding illustrations

Frame	Xelius SL Disc Thru axle UD Superlight carbon (Techno Carbon Team)
Fork	Xelius SL Disc Thru axle UD Superlight carbon (Techno Carbon Team)
Headset	Acros integrated + Xelius Acros Spacer
Handlebar	Lapierre UD Carbon, Width: 400mm (XS,S) 420mm (M,L,XL), Drop: 130mm, Reach: 80mm
Grips	Lapierre Vexgel tape
Stem	Lapierre alloy, -5,7°, Ø: 31.8mm, L: 90mm (XS,S), 100mm (M), 110mm (L), 120mm (XL)
Seatpost	Lapierre carbon light, Ø: 27.2mm, L: 350mm
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

Frame	Xelius SL Disc Thru axle UD Superlight carbon (Techno Carbon Team)
Fork	Xelius SL Disc Thru axle UD Superlight carbon (Techno Carbon Team)
Headset	Acros integrated + Xelius Acros Spacer
Handlebar	Lapierre UD Carbon, Width: 400mm (XS,S) 420mm (M,L,XL), Drop: 130mm, Reach: 80mm
Grips	Lapierre Vexgel tape
Stem	Lapierre alloy, -5,7°, Ø: 31.8mm, L: 90mm (XS,S), 100mm (M), 110mm (L), 120mm (XL)
Seatpost	Lapierre carbon light, Ø: 27.2mm, L: 350mm
Accessories	Thru axle multitool lever + Bracket for Garmin & Wahoo

Pulsium SAT

RANGE



ON

Pulsium SAT 8.0
Cooper Rose | LPSPA



MAINT.

Pulsium SAT 7.0
Davy Grey | LPRRA



MAINT.

Pulsium SAT 6.0 AXS
Black Yellow | LPQRB



ON

Pulsium SAT 5.0 Di2
Oxley | LPPPB




MAINT.

Pulsium SAT 5.0
Fire Engine Red | LPPRA

Geometry


PULSIUM SAT



SIZE	XS	S	M	L	XL
ST (MM)	460	490	520	550	580
TT (MM)	520	535	550	570	590
HA (°)	71	71,5	72	72	72,5
SA (°)	74,5	74	73,5	73	72,5
RC DSC	415	415	415	415	415
HT (MM)	135	155	175	195	220
BB (MM)	72	72	69	69	67
FRK LENGTH	373	373	373	373	373
FRK OFFSET	50	50	50	50	50
STACK	536	557	575	594	618
REACH	371	375	380	388	395
USER	155-162	160-172	170-182	180-190	>188
REF.	LP__460	LP__490	LP__520	LP__550	LP__580

Nomenclature

PULSIUM SAT



Pulsium SAT 8.0

COOPER ROSE

Ref. LPSPA



Non-binding illustrations

Frame	Pulsium SAT Disc thru axle UD Superlight carbon
Fork	Pulsium Disc thru axle UD Superlight carbon
Front derailleur	Shimano Ultegra R8150F
Rear derailleur	Shimano Ultegra R8150-GS, 12s
Crankset	Shimano Ultegra R8100, 50-34T 170mm (XS/S) / 172.5mm (M/L) / 175mm (XL)
Bottom bracket	Shimano Press Fit BB7141B
Sprocket	Shimano Ultegra R8100 11-34T 12s
Chain	Shimano M7100 12s
Rotors	Shimano MT900 160mm /140mm Center Lock
Shiftlevers	Shimano Ultegra Di2 BR8170 2x12s flat mount with Fin
Headset	Acros AIX-532 IS52/28,6 - IS52/40
Handlebar	Lapierre UD carbon, Width: 400mm (XS/S), 420mm (M/L/XL)
Grips	Lapierre Vexgel tape
Stem	Lapierre alloy, internal routing, Ø: 31.8mm, 80mm (XS/S) 90mm (M) 100mm (L) 110mm (XL)
Seatpost	Lapierre carbon light, Ø: 27.2mm, L: 350mm
Saddle	Fizik Aliante R3 Kium
Wheelset	New Lapierre Road Disc 38 622x21 carbon Center Lock Tubeless Ready
Tires	Continental GP5000S TR Tubeless ready 700x28
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + GoPro mount for GPS

Pulsium SAT 7.0

DAVY GREY

Ref. LPRRA



Non-binding illustrations

Frame	Pulsium SAT Disc Thru axle UD carbon
Fork	Pulsium SAT Disc Thru axle 100% carbon
Front derailleur	Shimano Ultegra Di2 R8150
Rear derailleur	Shimano Ultegra Di2 R8150, 12s
Crankset	Shimano Ultegra R8150, 50-34T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB71-41B
Sprocket	Shimano Ultegra R8100 11-34T 11s
Chain	Shimano 105 CN-M7100 12s
Rotors	Shimano RT-MT800 160mm /160mm Centerlock
Shiftlevers	Shimano Ultegra ST-R8170
Headset	Acros AIX-532 IS52/28,6 - IS52/40
Handlebar	Lapierre alloy, Width: 400mm (XS,S), 420mm (M, L, XL), Drop: 130mm, Reach: 80mm
Grips	Lapierre tape
Stem	Lapierre alloy, internal routing, Ø: 31.8mm, 80mm (XS,S), 90mm (M), 100mm (L), 110mm (XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 350mm
Saddle	Fizik Aliante R5 150mm
Wheelset	DT Swiss ER1600 SPLINE® 700x22c, 23mm height, Shimano ASL11 driver, Centerlock
Tires	Schwalbe One Perf TLE, 28-622 67EPI
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + GoPro mount for GPS

Pulsium SAT 6.0 AXS

BLACK YELLOW

Ref. LPQRB



Non-binding illustrations

Frame	Pulsium SAT Disc Thru axle UD carbon
Fork	Pulsium SAT Disc Thru axle 100% carbon
Front derailleur	SRAM Rival ETAP AXS Braze-On
Rear derailleur	SRAM Rival ETAP AXS Max, 12s
Crankset	SRAM Rival Dub 46-33T 170mm (XS,S), 172,5mm (M,L), 175mm (XL)
Bottom bracket	SRAM DUB Press Fit 86.5 Road
Sprocket	SRAM XG 1250 10-36T 12s
Chain	SRAM Rival 12s
Rotors	SRAM Paceline 160mm/140mm Centerlock
Shiftlevers	SRAM Rival ETAP AXS
Headset	Acros AIX-532 IS52/28,6 - IS52/40
Handlebar	Lapierre alloy, Width: 400mm (XS,S), 420mm (M, L, XL), Drop: 130mm, Reach: 80mm
Grips	Lapierre tape
Stem	Lapierre alloy, internal routing, Ø: 31.8mm, 80mm (XS,S), 90mm (M), 100mm (L), 110mm (XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 350mm
Saddle	Fizik Aliante R5 150mm
Wheelset	DT Swiss ER1600 SPLINE® 700x22c, 23mm height, AXDR driver, Centerlock
Tires	Schwalbe One Perf TLE, 28-622 67EPI
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + GoPro mount for GPS

Pulsium SAT 5.0 Di2

OXLEY

Ref. LPPPB



Non-binding illustrations

Frame	Pulsium SAT Disc thru axle UD Superlight carbon
Fork	Pulsium Disc thru axle UD Superlight carbon
Front derailleur	Shimano 105 R7150F
Rear derailleur	Shimano 105 R7150A, 12s
Crankset	Shimano 105 R7100, 50-34T 170mm (XS/S) / 172.5mm (M/L) / 175mm (XL)
Bottom bracket	Shimano Press Fit BB7141B
Sprocket	Shimano R7100 11-34T 12s
Chain	Shimano M7100 12s
Rotors	Shimano RT70 160mm /140mm Center Lock
Shiftlevers	Shimano 105 Di2 BR7170 2x12s flat mount with Fin
Headset	Acros AIX-532 IS52/28,6 - IS52/40
Handlebar	Lapierre alloy, Width: 400mm (XS/S), 420mm (M/L/XL)
Grips	Lapierre tape
Stem	Lapierre alloy, internal routing, Ø: 31.8mm, 80mm (XS/S) 90mm (M) 100mm (L) 110mm (XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 350mm
Saddle	Selle Italia Model X Superflow 145mm
Wheelset	DT Swiss E1800 Spline23 622x22 Center Lock Tubeless Ready
Tires	Schwalbe ONE Performance TLE 700x28
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + GoPro mount for GPS

Pulsium SAT 5.0

FIRE ENGINE RED

Ref. LPPRA



Frame	Pulsium SAT Disc Thru axle UD carbon
Fork	Pulsium SAT Disc Thru axle 100% carbon
Front derailleur	Shimano 105 R7100
Rear derailleur	Shimano 105 R7000, 12s Shadow
Crankset	Shimano 105 R7100, 50-34T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB71-41B
Sprocket	Shimano 105 R7100 11-34T 12s
Chain	Shimano 105 CN-M7100 12s
Rotors	Shimano RT70 160mm /140mm Centerlock
Shiftlevers	Shimano 105 ST-R7120
Headset	Acros AIX-532 IS52/28,6 - IS52/40
Handlebar	Lapierre alloy, Width: 400mm (XS,S), 420mm (M, L, XL), Drop: 130mm, Reach: 80mm
Grips	Lapierre tape
Stem	Lapierre alloy, internal routing, Ø: 31.8mm, 80mm (XS,S), 90mm (M), 100mm (L), 110mm (XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 350mm
Saddle	Selle Italia Model X Superflow
Wheelset	Lapierre Road 700x19c Alloy Disc, Shimano Driver, Centerlock, Tubeless compatible
Tires	Continental Ultra Sport III SL 28-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + GoPro mount for GPS



Pulsium

RANGE



MAINT.

Pulsium 5.0

Orange | LPNRA



ON

Pulsium 5.0 Di2

Carbon Grey | LPNPB




ON

Pulsium 3.0

Dark Slate Grey | LPMPB

Geometry


PULSIUM



SIZE	XS	S	M	L	XL
ST (MM)	460	490	520	550	580
TT (MM)	520	535	550	570	590
HA (°)	71	71,5	72	72	72,5
SA (°)	74,5	74	73,5	73	72,5
RC DSC	415	415	415	415	415
HT (MM)	135	155	175	195	220
BB (MM)	72	72	69	69	67
FRK LENGTH	373	373	373	373	373
FRK OFFSET	50	50	50	50	50
STACK	536	557	575	594	618
REACH	371	375	380	388	395
USER	155-162	160-172	170-182	180-190	>188
REF.	LP__460	LP__490	LP__520	LP__550	LP__580

Nomenclature

PULSIUM



Pulsium 5.0

ORANGE

Ref. LPNRA



Frame	Pulsium Disc Thru axle UD carbon
Fork	Pulsium Disc Thru axle 100% carbon
Front derailleur	Shimano 105 R7100
Rear derailleur	Shimano 105 R7000, 12s Shadow
Crankset	Shimano 105 R7100, 50-34T 170mm (XS,S), 172.5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB71-41B
Sprocket	Shimano 105 R7100 11-34T 11s
Chain	Shimano 105 CN-M7100 12s
Rotors	Shimano RT70 160mm /140mm Centerlock
Shiftlevers	Shimano 105 ST-R7120
Headset	Acros AIX-532 IS52/28,6 - IS52/40
Handlebar	Lapierre alloy, Width: 400mm (XS,S), 420mm (M, L, XL), Drop: 130mm, Reach: 80mm
Grips	Lapierre tape
Stem	Lapierre alloy, internal routing, Ø: 31.8mm, 80mm (XS,S), 90mm (M), 100mm (L), 110mm (XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 350mm
Saddle	Selle Italia Model X Superflow
Wheelset	Shimano RS171 700c 28H Centerlock
Tires	Continental Ultra Sport III SL 28-622
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + GoPro mount for GPS

Pulsium 5.0 Di2

CARBON GREY

Ref. LPNPB



Frame	Pulsium Disc thru axle UD carbon
Fork	Pulsium Disc thru axle 100% carbon
Front derailleur	Shimano 105 R7150FL
Rear derailleur	Shimano 105 R7150, 12s
Crankset	Shimano 105 R7100, 50-34T 170mm (XS/S) / 172.5mm (M/L) / 175mm (XL)
Bottom bracket	Shimano Press Fit BB7141B
Sprocket	Shimano R7100 11-34T 12s
Chain	Shimano M7100 12s
Rotors	Shimano RT70 160mm /140mm Center Lock
Shiftlevers	Shimano 105 Di2 BR7170 2x12s flat mount with Fin
Headset	Acros AIX-532 IS52/28,6 - IS52/40
Handlebar	Lapierre alloy, Width: 400mm (XS/S), 420mm (M/L/XL)
Grips	Lapierre tape
Stem	Lapierre alloy, internal routing, Ø: 31.8mm, 80mm (XS/S) 90mm (M) 100mm (L) 110mm (XL)
Seatpost	Lapierre alloy 3D forged, Ø: 27.2mm, L: 350mm
Saddle	Selle Italia Model X Superflow 145mm
Wheelset	Lapierre Road disc Alloy 622x19 with Mavic Open Disc rims Center Lock (Tubeless compatible)
Tires	Continental Ultra Sport 3 SL 700x28
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + GoPro mount for GPS

Pulsium 3.0

DARK SLATE GREY

Ref. LPMPB



Frame	Pulsium Disc thru axle UD carbon
Fork	Pulsium Disc thru axle 100% carbon
Front derailleur	Shimano Tiagra R4700F
Rear derailleur	Shimano Tiagra R4700-GS, 10s
Crankset	Shimano Tiagra R4700, 50-34T 170mm (XS/S) / 172.5mm (M/L) / 175mm (XL)
Bottom bracket	Shimano Press Fit BB71-41B
Sprocket	Shimano HG500 11-34T 10s
Chain	Shimano HG54 10s
Rotors	Shimano RT70 160mm /140mm Center Lock
Shiftlevers	Shimano Tiagra BR4770 2x10s flat mount
Headset	Acros AIX-532 IS52/28,6 - IS52/40
Handlebar	Lapierre alloy, Width: 400mm (XS/S), 420mm (M/L/XL)
Grips	Lapierre tape
Stem	Lapierre alloy, Ø: 31.8mm, 80mm (S) 90mm (M) 100mm (L) 110mm (XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 350mm, 0mm offset
Saddle	Selle Italia Model X Superflow
Front hub	Shimano RS470 32H
Rear hub	Shimano RS470 32H
Rims	Ryde DP19 622x19 32H
Tires	Continental Ultra Sport 3 SL 700x28
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + GoPro mount for GPS



LAPIERRE

Pulsium AllRoad

RANGE



MAINT.

Pulsium SAT AllRoad 6.0

Deep Aqua | LPURA




MAINT.

Pulsium AllRoad 5.0

Brown Rust | LPTRA

Geometry


PULSIUM ALLROAD



SIZE	XS	S	M	L	XL
ST (MM)	460	490	520	550	580
TT (MM)	520	535	550	570	590
HA (°)	71	71,5	72	72	72,5
SA (°)	74,5	74	73,5	73	72,5
RC DSC	415	415	415	415	415
HT (MM)	135	155	175	195	220
BB (MM)	72	72	69	69	67
FRK LENGTH	373	373	373	373	373
FRK OFFSET	50	50	50	50	50
STACK	536	557	575	594	618
REACH	371	375	380	388	395
USER	155-162	160-172	170-182	180-190	>188
REF.	LP__460	LP__490	LP__520	LP__550	LP__580

Nomenclature

PULSIUM ALLROAD



Pulsium SAT AllRoad 6.0

DEEP AQUA

Ref. LPURA



Frame	Pulsium SAT Allroad Disc Thru axle UD carbon
Fork	Pulsium SAT Allroad Disc Thru axle 100% carbon
Front derailleur	Shimano GRX RX820 Brazed-On
Rear derailleur	Shimano GRX RX820, 12s Shadow +
Crankset	Shimano GRX RX820 48-31T 170mm (XS,S), 172,5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB71-41B
Sprocket	Shimano CS-HG710 11-36T 12s
Chain	Shimano 105 CN-M7100 12s
Rotors	Shimano RT-MT800 160mm /160mm Centerlock
Shiftlevers	Shimano GRX ST-RX820
Headset	Acros AIX-532 IS52/28,6 - IS52/41
Handlebar	Lapierre alloy gravel bar, Width: 420mm (XS,S), 440mm (M,L), 460mm (XL), Drop: 130mm, Reach: 70mm, Flare: 16°
Grips	Lapierre tape
Stem	Lapierre alloy, internal routing, Ø: 31.8mm, 80mm (XS,S), 90mm (M), 100mm (L), 110mm (XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 350mm
Saddle	San Marco Shortfit
Wheelset	DT Swiss E1800 SPLINE® 700x22c, 23mm height, Shimano ASF11 driver, Centerlock
Tires	WTB Expanse 32-622 TL Tanwall
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + GoPro mount for GPS

Pulsium AllRoad 5.0

BROWN RUST

Ref. LPTRA



Frame	Pulsium Allroad Disc Thru axle UD carbon
Fork	Pulsium Allroad Disc Thru axle 100% carbon
Front derailleur	Shimano GRX RX820 Brazed-On
Rear derailleur	Shimano GRX RX820, 12s Shadow +
Crankset	Shimano GRX RX600 46-30T 170mm (XS,S), 172,5mm (M,L), 175mm (XL)
Bottom bracket	Shimano Press Fit BB71-41B
Sprocket	Shimano CS-HG710 11-36T 12s
Chain	Shimano 105 CN-M7100 12s
Rotors	Shimano RT64 160mm /160mm Centerlock
Shiftlevers	Shimano GRX ST-RX610
Headset	Acros AIX-532 IS52/28,6 - IS52/40
Handlebar	Lapierre alloy gravel bar, Width: 420mm (XS,S), 440mm (M,L), 460mm (XL), Drop: 130mm, Reach: 70mm, Flare: 16°
Grips	Lapierre tape
Stem	Lapierre alloy, internal routing, Ø: 31.8mm, 80mm (XS,S), 90mm (M), 100mm (L), 110mm (XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 350mm
Saddle	Selle Italia Model X Superflow
Front hub	Shimano HB-RS470 32H 12mm Thru Axle Centerlock
Rear hub	Shimano FH-RS470 32H 12mm Thru Axle Centerlock
Rims	WTB STi23 TCS 2.0 700c 32H
Tires	WTB Expanse 32-622 Tan Wall
Pedals	VP-335 Clips&Strap
Accessories	Thru axle multitool lever + GoPro mount for GPS

Sensium

RANGE



ON

Sensium 3.0

Davy Grey | LSHPA



ON

Sensium 3.0 Disc

Davy Grey | LSHPB



ON

Sensium 3.0 W Disc

Pinkish Grey | LSHPC



ON

Sensium 2.0

Espresso | LSGPA



ON

Sensium 2.0 W

Rock Blue | LSGPB



ON

Sensium 1.0

Blue | LSFPA



ON

Sensium 1.0 W

Dark Grey | LSFPA




ON

Sensium Junior

Racing Blue - Glossy
LSERA

Geometry

SENSIUM




SIZE	XS	S	M	L	XL	XXL	S	M	L
ST (MM)	460	490	520	550	580	610	440	480	520
TT (MM)	520	532	547	565	585	600	515	530	545
HA (°)	71,5	72	72,5	73	73	73,5	71	71,5	72
SA (°)	74,5	74,5	74	73,5	73	73	74,5	74	73,5
RC (MM)	415	415	415	415	415	415	415	415	415
HT (MM)	125	145	165	185	205	220	135	155	180
BB (MM)	-67,5	-67,5	-67,5	-67,5	-67,5	-67,5	-75	-75	-75
REACH	375	381	385	392	400	411	366	370	372
STACK	521	542	530	547	567	585	498	557	583
USER	155-162	160-172	170-182	180-190	188-195	>195	<155	155-165	163-175
REF.	LS_P_460	LS_P_490	LS_P_520	LS_P_550	LS_P_580	LS_P_610	LS_P_440	LS_P_480	LS_P_520

MEN

WOMEN

Geometry

SENSIUM JUNIOR



SIZE UNI

ST (MM) 410

TT (MM) 500

HA (°) 70

SA (°) 75

RC DSC 390

HT (MM) 105

BB (MM) -45

FRK LENGTH 380

FRK OFFSET 40

STACK 487

REACH 369

WB 960

USER UNI

REF. LSERA410

Sensium 3.0 Disc

DAVY GREY

Ref. LSHPB



Non-binding illustrations

Frame	Sensium Disc Supreme 5 alloy smooth weldings
Fork	Sensium Disc carbon / alloy steerer
Front derailleur	Shimano Tiagra FD-R4700BM
Rear derailleur	Shimano Tiagra RD-R4700-GS, 10s
Crankset	Shimano Tiagra FC-R4700, 50-34T 170mm (XS/S) / 172.5mm (M/L) / 175mm (XL/XXL)
Bottom bracket	Shimano BSA
Sprocket	Shimano HG500 11-34T 10s
Chain	Shimano HG54 10s
Rotors	Shimano SMRT70 160mm /140mm Center Lock
Shiftlevers	Shimano Tiagra BR4720 2x10s flat mount without Fin
Headset	FSA NO.9M/TH 1-1/8", 36°/36° ACB
Handlebar	Lapierre alloy, Width: 400mm (XS/S), 420mm (M/L/XL), 440mm (XXL)
Grips	Lapierre tape
Stem	Lapierre alloy, -7°, Ø: 31.8mm, L: 80mm (XS/S), 90mm (M), 100mm (L), 110mm (XL), 120mm (XXL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 350mm
Saddle	Selle Italia Model X Superflow 145mm
Front hub	Shimano MT200 32H Center Lock
Rear hub	Shimano FHRM35 32H Center Lock
Rims	Ryde DP19 622x19 32H
Tires	Continental Ultra Sport 3 SL 700x32
Pedals	VP-335 Clips&Strap

Sensium 3.0 W Disc

PINKISH GREY

Ref. LSHPC



Non-binding illustrations

Frame	Sensium Women Disc Supreme 5 alloy smooth weldings
Fork	Sensium Disc carbon / alloy steerer
Front derailleur	Shimano Tiagra FD-R4700BM
Rear derailleur	Shimano Tiagra RD-R4700-GS, 10s
Crankset	Shimano Tiagra FC-R4700, 48-34T 170mm (S/M) / 172.5mm (L)
Bottom bracket	Shimano BSA
Sprocket	Shimano HG500 11-34T 10s
Chain	Shimano HG54 10s
Rotors	Shimano SMRT70 160mm front /140mm rear Center Lock
Shiftlevers	Shimano Tiagra BR4725 2x10s flat mount without Fin with small hands levers
Headset	FSA NO.9M/TH 1-1/8", 36°/36° ACB
Handlebar	Lapierre Women alloy, Width: 380mm (S), 400mm (M/L)
Grips	Lapierre tape
Stem	Lapierre alloy, -7°, Ø: 31.8mm, L: 80mm (S), 90mm (M/L)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 350mm
Saddle	Selle Italia Model X Superflow 145mm
Front hub	Shimano MT200 32H Center Lock
Rear hub	Shimano FHRM35 32H Center Lock
Rims	Ryde DP19 622x19 32H
Tires	Continental Ultra Sport 3 SL 700x32
Pedals	VP-335 Clips&Strap

Sensium 3.0

DAVY GREY

Ref. LSHPA



Non-binding illustrations

Frame	Sensium Supreme 5 alloy smooth weldings
Fork	Sensium carbon / alloy steerer
Front derailleur	Shimano Tiagra FD-R4700BM
Rear derailleur	Shimano Tiagra RD-R4700-GS, 10s
Crankset	Shimano Tiagra FC-R4700, 50-34T 170mm (XS/S) / 172.5mm (M/L) / 175mm (XL/XXL)
Bottom bracket	Shimano BSA
Sprocket	Shimano HG500 11-34T 10s
Chain	Shimano HG54 10s
Rotors	Shimano BR-R451
Shiftlevers	Shimano Tiagra ST-R4700 2x10s
Headset	FSA NO.9M/TH 1-1/8", 36°/36° ACB
Handlebar	Lapierre alloy, Width: 400mm (XS/S), 420mm (M/L/XL), 440mm (XXL)
Grips	Lapierre tape
Stem	Lapierre alloy, -7°, Ø: 31.8mm, L: 80mm (XS/S), 90mm (M), 100mm (L), 110mm (XL), 120mm (XXL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 350mm
Saddle	Selle Italia Model X Superflow 145mm
Front hub	Shimano RS300 32H
Rear hub	Shimano FHRS300 32H
Rims	Ryde ZAC2000 622x19c double wall 32H
Tires	Continental Ultra Sport 3 SL 700x28
Pedals	VP-335 Clips&Strap

Sensium 2.0 W

ROCK BLUE

Ref. LSGPB



Non-binding illustrations

Frame	Sensium Women Supreme 5 alloy smooth weldings
Fork	Sensium carbon / alloy steerer
Front derailleur	Shimano Sora FD-R3000BM
Rear derailleur	Shimano Sora RD-R3000-GS, 9s
Crankset	Shimano Sora FC-R3000, 50-34T 170mm
Bottom bracket	Shimano BSA
Sprocket	Shimano HG200 11-34T 9s
Chain	KMC X9 9s
Rotors	Promax RC-482
Shiftlevers	Shimano Sora ST-R3000 2x9s + Additional Brake levers
Headset	FSA NO.9M/TH 1-1/8", 36°/36° ACB
Handlebar	Lapierre Women alloy, Width: 380mm (S), 400mm (M/L)
Grips	Lapierre tape
Stem	Lapierre alloy, -7°, Ø: 31.8mm, L: 80mm (S), 90mm (M/L)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 350mm
Saddle	Selle Italia Model X Superflow 145mm
Front hub	Shimano RS300 32H
Rear hub	Shimano FHRS300 32H
Rims	Ryde ZAC2000 622x19c double wall 32H
Tires	Continental Ultra Sport 3 SL 700x28
Pedals	VP-335 Clips&Strap

Sensium 2.0

ESPRESSO

Ref. LSGPA



Non-binding illustrations

Frame	Sensium Supreme 5 alloy smooth weldings
Fork	Sensium carbon / alloy steerer
Front derailleur	Shimano Sora FD-R3000BM
Rear derailleur	Shimano Sora RD-R3000-GS, 9s
Crankset	Shimano Sora FC-R3000, 50-34T 170mm (XS/S/M) / 175mm (L/XL/XXL)
Bottom bracket	Shimano BSA
Sprocket	Shimano HG200 11-34T 9s
Chain	KMC X9 9s
Rotors	Promax RC-482
Shiftlevers	Shimano Sora ST-R3000 2x9s
Headset	FSA NO.9M/TH 1-1/8", 36°/36° ACB
Handlebar	Lapierre alloy, Width: 400mm (XS/S), 420mm (M/L/XL), 440mm (XXL)
Grips	Lapierre tape
Stem	Lapierre alloy, -7°, Ø: 31.8mm, L: 80mm (XS/S), 90mm (M), 100mm (L), 110mm (XL), 120mm (XXL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 350mm
Saddle	Selle Italia Model X Superflow 145mm
Front hub	Shimano RS300 32H
Rear hub	Shimano FHRS300 32H
Rims	Ryde ZAC2000 622x19c double wall 32H
Tires	Continental Ultra Sport 3 SL 700x28
Pedals	VP-335 Clips&Strap

Sensium 1.0 W

DARK GREY

Ref. LSFPB



Non-binding illustrations

Frame	Sensium Women Supreme 5 alloy smooth weldings
Fork	Sensium carbon / alloy steerer
Front derailleur	Shimano Claris FD-R2000BM
Rear derailleur	Shimano Claris RD-R2000-GS, 8s
Crankset	Shimano Claris FC-R2000, 50-34T 170mm
Bottom bracket	Shimano BSA
Sprocket	Shimano HG50 11-34T 8s
Chain	KMC Z8 8s
Rotors	Promax RC-482
Shiftlevers	Shimano Claris ST-R2000 2x8s + Additional Brake levers
Headset	FSA NO.9M/TH 1-1/8", 36°/36° ACB
Handlebar	Lapierre Women alloy, Width: 380mm (S), 400mm (M/L)
Grips	Lapierre tape
Stem	Lapierre alloy, -7°, Ø: 31.8mm, L: 80mm (S), 90mm (M/L)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 350mm
Saddle	Selle Italia Model X Superflow 145mm
Front hub	Shimano RS300 32H
Rear hub	Shimano FHRS300 32H
Rims	Ryde ZAC2000 622x19c double wall 32H
Tires	Continental Ultra Sport 3 SL 700x28
Pedals	VP-335 Clips&Strap

Sensium 1.0

BLUE

Ref. LSFPA



Frame	Sensium Supreme 5 alloy smooth weldings
Fork	Sensium carbon / alloy steerer
Front derailleur	Shimano Claris FD-R2000BM
Rear derailleur	Shimano Claris RD-R2000-GS, 8s
Crankset	Shimano Claris FC-R2000, 50-34T 170mm (XS/S/M) / 175mm (L/XL/XXL)
Bottom bracket	Shimano BSA
Sprocket	Shimano HG50 11-34T 8s
Chain	KMC Z8 8s
Rotors	Promax RC-482
Shiftlevers	Shimano Claris ST-R2000 2x8s
Headset	FSA NO.9M/TH 1-1/8", 36°/36° ACB
Handlebar	Lapierre alloy, Width: 400mm (XS/S), 420mm (M/L/XL), 440mm (XXL)
Grips	Lapierre tape
Stem	Lapierre alloy, -7°, Ø: 31.8mm, L: 80mm (XS/S), 90mm (M), 100mm (L), 110mm (XL), 120mm (XXL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 350mm
Saddle	Selle Italia Model X Superflow 145mm
Front hub	Shimano RS300 32H
Rear hub	Shimano FH-RS300 32H
Rims	Ryde ZAC2000 622x19c double wall 32H
Tires	Continental Ultra Sport 3 SL 700x28
Pedals	VP-335 Clips&Strap

Sensium Junior

RACING BLUE - GLOSSY

Ref. LSERA



Frame	Sensium Junior 27,5" semi-integrated
Fork	Sensium Alloy
Front derailleur	Shimano Claris FD-R2000 Band type
Rear derailleur	Shimano Claris RD-R2000-GS, 8s
Crankset	FSA Tempo JIS, 46-30T 155mm
Bottom bracket	Shimano BSA
Sprocket	Sunrace CSM66 12-34T 8s
Chain	KMC Z8
Rotors	Alhonga HJ-924AD
Shiftlevers	Shimano Claris SL-R2000 8s
Headset	FSA NO.10,ED 1-1/8" SEMI INTEGRATED
Handlebar	Lapierre alloy, Ø: 31.8mm, Width: 360mm, Drop: 105mm, Reach: 65mm, Flare: 20°
Grips	Lapierre Tape
Stem	Lapierre alloy, Ø: 31.8mm, L: 60mm
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 300mm
Saddle	Selle Italia Model X 145mm
Front hub	Shimano HB-RS300 32H QR
Rear hub	Shimano FH-RS300 32H QR
Rims	Lapierre Alloy, 32H, 27,5", 19-584
Tires	Schwalbe G-One Allround Perf, 35-584mm 67EPI
Pedals	VP-335 Clips & Strap

Crosshill

RANGE



NEW

Crosshill 6.0

Rust - Glossy
LCDRA



MAINT.

Crosshill 5.0

Light Grey - Glossy
LCCRA



MAINT.

Crosshill 3.0

Deep Green - Glossy
LCBRA




MAINT.

Crosshill 2.0

Hard Blue - Glossy
LCARA


Geometry

CROSSHILL



Nomenclature

CROSSHILL



SIZE	XS	S	M	L	XL
ST (MM)	420	460	500	550	600
TT (MM)	525	544	561	579	596
HA (°)	73	73	72.5	72.5	72
SA (°)	70	70.5	71	71	71.5
RC (MM)	435	435	435	435	435
HT (MM)	90	120	150	180	210
BB (MM)	-75	-75	-75	-75	-75
REACH	366	376	378	388	389
STACK	517	547	577	605	636
USER	155-162	160-172	170-182	180-190	188-195
REF.	LC_R_420	LC_R_460	LC_R_500	LC_R_550	LC_R_600

Crosshill 6.0

RUST - GLOSSY

Ref. LCDRA



Non-binding illustrations

Frame	Crosshill gravel Supreme 5 Alloy Internal Routing
Fork	Lapierre Carbon Blades, Alloy Steerer, 12mm Thru Axle
Rear derailleur	SRAM Rival XLPR AXS, 12s
Crankset	SRAM Rival D1 Dub Wide 40T 170mm (XS,S), 172,5mm (M), 175mm (L,XL)
Bottom bracket	SRAM DUB BSA 68 Road Wide
Sprocket	SRAM XG 1251 XPLR 10-44T 12s
Chain	SRAM Rival D1 12s
Rotors	SRAM Paceline 160mm/160mm Centerlock
Shiftlevers	SRAM Rival ETAP AXS D1
Headset	FSA Orbit NO.57B Semi-integrated
Handlebar	Lapierre alloy gravel bar, Width: 420mm (XS,S), 440mm (M), 460mm (L,XL), Drop: 130mm, Reach: 70mm, Flare: 16°
Grips	Fizik Terra Microtex 3mm
Stem	Lapierre alloy, Ø: 31.8mm, L: 80mm (XS,S), 90mm (M), 100mm (L), 110mm (XL)
Seatpost	Lapierre dropper, Ø: 27.2mm, travel 70mm(XS,S), 90mm (M,L), 110mm (XL)
Saddle	Fizik Terra Argo X7 150mm
Front hub	DA212, 12x100mm, 32H Centerlock
Rear hub	DA212, 12x142mm, XDR driver 32H Centerlock
Rims	WTB STi23 TCS 2.0 700c 32H
Tires	WTB Resolute 700x42C Tan Wall
Pedals	NW-91K
Accessories	SRAM EP-EAC-PowerPack-A1 AXS Charger, Lapierre Thru axle and bottle opener lever + Tubeless valves

Crosshill 5.0

LIGHT GREY - GLOSSY

Ref. LCCRA



Non-binding illustrations

Frame	Crosshill gravel Supreme 5 Alloy Internal Routing
Fork	Lapierre Carbon Blades, Alloy Steerer, 12mm Thru Axle
Front derailleur	Shimano GRX RX820 Brazed-On
Rear derailleur	Shimano GRX RX820, 12s Shadow +
Crankset	Shimano GRX RX600 46-30T 170mm (XS,S), 172,5mm (M), 175mm (L,XL)
Bottom bracket	Shimano BSA
Sprocket	Shimano CS-HG710 11-36T 12s
Chain	Shimano CN-M7100 12s
Rotors	Shimano RT70 160mm/160mm
Shiftlevers	Shimano GRX ST-RX610
Headset	FSA Orbit NO.57B Semi-integrated
Handlebar	Lapierre alloy gravel bar, Width: 420mm (XS,S), 440mm (M), 460mm (L,XL), Drop: 130mm, Reach: 70mm, Flare: 16°
Grips	Fizik Terra Microtex 3mm
Stem	Lapierre alloy, Ø: 31.8mm, L: 80mm (XS,S), 90mm (M), 100mm (L), 110mm (XL)
Seatpost	Lapierre dropper, Ø: 27.2mm, travel 70mm(XS,S), 90mm (M,L), 110mm (XL)
Saddle	Fizik Terra Argo X7 150mm
Front hub	DA212, 12x100mm, 32H Centerlock
Rear hub	DA212, 12x142mm, 32H Centerlock
Rims	WTB STi23 TCS 2.0 700c 32H
Tires	WTB Resolute 700x42C Tan Wall
Pedals	NW-91K
Accessories	Lapierre Thru axle and bottle opener lever + Tubeless valves

Crosshill 3.0

DEEP GREEN - GLOSSY

Ref. LCBRA



Non-binding illustrations

Frame	Crosshill gravel Supreme 5 Alloy Internal Routing
Fork	Lapierre Carbon Blades, Alloy Steerer, 12mm Thru Axle
Front derailleur	Shimano GRX RX400 Brazed-On
Rear derailleur	Shimano GRX RX400, 11s Shadow +
Crankset	FSA Omega Adventure MegaExo 46-30T 170mm (XS,S), 172.5mm (M), 175mm (L,XL)
Bottom bracket	FSA BB-4000 Road 68mm
Sprocket	Sunrace CSMS0 11-34T 10s
Chain	KMC X10
Rotors	Shimano RT30 160mm/160mm
Shiftlevers	Shimano GRX ST-RX400
Headset	FSA Orbit NO.57B Semi-integrated
Handlebar	Lapierre alloy gravel bar, Width: 420mm (XS,S), 440mm (M), 460mm (L,XL), Drop: 130mm, Reach: 70mm, Flare: 16°
Grips	Fizik Terra Microtex 3mm
Stem	Lapierre alloy, Ø: 31.8mm, L: 80mm (XS,S), 90mm (M), 100mm (L), 110mm (XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 350mm, offset: 12mm
Saddle	Fizik Terra Argo X7 150mm
Front hub	DA212, 12x100mm, 32H Centerlock
Rear hub	DA212, 12x142mm, 32H Centerlock
Rims	WTB STi23 TCS 2.0 700c 32H
Tires	WTB Raddler 700x40C Tan Wall
Pedals	NW-91K
Accessories	Fenders: Curana Alloy Rear Carrier: Lapierre Low Profile (14 KG Max), Lapierre Thru axle and bottle opener lever + Tubeless valves

Crosshill 2.0

HARD BLUE - GLOSSY

Ref. LCARA



Non-binding illustrations

Frame	Crosshill gravel Supreme 5 Alloy Internal Routing
Fork	Lapierre Carbon Blades, Alloy Steerer, 12mm Thru Axle
Front derailleur	Shimano Sora FD-R3000 Band type
Rear derailleur	Shimano Sora RD-R3000-GS, 9s
Crankset	FSA Tempo Adventure JIS, 46-30T 170mm (XS,S), 172.5mm (M), 175mm (L,XL)
Bottom bracket	Feimin FP-908
Sprocket	Sunrace CSM90 11-34T 9s
Chain	KMC X9
Rotors	Shimano RT30 160mm/160mm
Shiftlevers	Shimano Sora ST-R3000
Headset	FSA Orbit NO.57B Semi-integrated
Handlebar	Lapierre alloy gravel bar, Width: 420mm (XS,S), 440mm (M), 460mm (L,XL), Drop: 130mm, Reach: 70mm, Flare: 16°
Grips	Fizik Terra Microtex 3mm
Stem	Lapierre alloy, Ø: 31.8mm, L: 80mm (XS,S), 90mm (M), 100mm (L), 110mm (XL)
Seatpost	Lapierre alloy, Ø: 27.2mm, L: 350mm, offset: 12mm
Saddle	Fizik Terra Argo X7 150mm
Front hub	DA212, 12x100mm, 32H Centerlock
Rear hub	DA212, 12x142mm, 32H Centerlock
Rims	WTB STi23 TCS 2.0 700c 32H
Tires	WTB Raddler 700x40C Tan Wall
Pedals	NW-91K
Accessories	Lapierre Thru axle and bottle opener lever + Tubeless valves

Lifestyle

MY24 RANGE



Lifestyle

RANGE OVERVIEW

E-Explorer

E-Urban

E-Shaper

Shaper

Trekking

FK

SE

10.

9.




8.



7.



6.




5.



4.



3.



2.



1.



ELECTRIC BIKES

BIKES

E-Explorer

RANGE



E-Explorer

RANGE



ON

E-Explorer FS 9.7

Night Blue | LLGNA
Bosch | 750Wh



ON

E-Explorer FS 8.6

Military Green | LLEPA
Bosch | 625Wh



ON

E-Explorer 6.5 High

Camel | LLCPA
Bosch | 500Wh



ON

E-Explorer 6.5 Low

Camel | LLCPB
Bosch | 500Wh



ON

E-Explorer 8.7 High

Grey | LLENA
Bosch | 750Wh



ON

E-Explorer 8.7 Low

Grey | LLEPB
Bosch | 750Wh



ON

E-Explorer 5.5 High

Metal Blue | LLBPA
Bosch | 500Wh



ON

E-Explorer 5.5 Low

Metal Blue | LLBPB
Bosch | 500Wh



ON

E-Explorer 7.6 High

White | LLDPA
Bosch | 625Wh



ON

E-Explorer 7.6 Low

White | LLDPB
Bosch | 625Wh



ON

E-Explorer 4.5 High

Electric Green - Mat | LLHRA
Bosch | 500Wh




ON

E-Explorer 4.5 Low

Electric Green - Mat | LLHRB
Bosch | 500Wh

Geometry


E-EXPLORER FS 9.7
E-EXPLORER FS 8.6



SIZE	S	M	L	XL
ST (MM)	390	430	470	510
TT (MM)	588	610	634	664
HA (°)	65,5	66	66	66
SA (°)	76	76	76	76
RC (MM)	460	460	460	460
HT (MM)	112	120	140	160
BB (MM)	-30	-30	-30	-30
FRK TRAVEL	140	140	140	140
FRK LENGTH	550	550	550	550
FRK OFFSET	51	51	51	51
STACK	611	621	640	658
REACH	436	455	475	500
WB	1216	1233	1261	1294
USER	155-170	168-178	176-186	>184
REF.	LL__A390	LL__A430	LL__A470	LL__A510

Geometry


E-EXPLORER 8.7 HIGH
E-EXPLORER 7.6 HIGH



SIZE	S	M	L	XL
ST (MM)	380	430	470	510
TT (MM)	586	612	635	661
HA (°)	66	66	66	66
SA (°)	74	74	74	74
RC (MM)	445	455	455	455
HT (MM)	110	120	140	160
BB (MM)	-50	-60	-55	-55
FRK TRAVEL	120	120	120	120
FRK LENGTH	530	530	530	530
FRK OFFSET	51	51	51	51
STACK	614	633	646	665
REACH	410	430	450	470
WB	1159	1192	1220	1249
USER	155-170	168-178	176-186	>184
REF.	LL__380	LL__430	LL__470	LL__510

Geometry


E-EXPLORER 8.7 LOW
E-EXPLORER 7.6 LOW



SIZE	S	M	L
ST (MM)	380	450	500
TT (MM)	74	73	73
HA (°)	140	155	175
SA (°)	69,5	70,5	70,5
RC (MM)	600	623	659
HT (MM)	475	475	475
BB (MM)	-65	-60	-60
FRK TRAVEL	503	503	503
FRK LENGTH	46	46	46
FRK OFFSET	1152	1154	1191
STACK	651	665	684
REACH	413	420	450
USER	150-165	163-173	170-180
REF.	LL___380	LL___450	LL___500

Nomenclature


E-EXPLORER 6.5 LOW
E-EXPLORER 5.5 LOW
E-EXPLORER 4.5 LOW



SIZE	XS	S	M
STL	400	460	500
SA	73,5	73,5	73,5
HT	135	160	185
HA	70,5	70,5	70,5
TT	600	610	620
RC	480	480	480
WB	1141	1151	1161
USER	150-165	163-173	170-180
REF.	LL___400	LL___460	LL___500

Geometry

E-EXPLORER 6.5 HIGH
E-EXPLORER 5.5 HIGH
E-EXPLORER 4.5 HIGH



SIZE	XS	S	M	L
STL	440	480	520	560
CSL	490	490	490	490
TTL	584	587	608	633
HTL	145	155	170	180
HTA (°)	67	67	67	67
STA (°)	73	73	73	73
BB	55	55	55	55
WB	1172	1176	1198	1224
ST	613	622	636	645
RE	397	397	414	436
USER	<150	150-170	168-178	176-186
REF.	LL__440	LL__480	LL__520	LL__560



E-Explorer FS 9.7

NIGHT BLUE

Ref. LLGNA



Non-binding illustrations.

Frame	New Overvolt FS 140mm Travel Integrated Bosch Supreme 5 alloy UDH Dropout + Kickstand & Fenders Ready
Fork	RockShox Psylo Silver RC Air boost 15x110mm 27.5" 140mm travel
Shock	Lapierre metric 210x47,5mm
Rear derailleur	Shimano CUES 6000 10/11s Shadow+
Crankset	Lapierre Overvolt ISIS 165mm (S,M), 170mm (L,XL) + FSA Megatooth Chainring 38T
System	Bosch Performance line CX "25kph" / Intube battery 750Wh / LED Remote
Sprocket	Shimano CUES LG400 11-50T 11s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Shimano M4100 4 (front) / 2 (rear) pistons
Rotors	Shimano SMRT30 203mm (Front) / RTEM300 with Magnet 203mm Center Lock (Rear)
Shiftlevers	Shimano CUES U6000 11s
Headset	FSA NO.55R/57E, Black Anodized, 1-1/8"-1.5"
Handlebar	Lapierre alloy 6061DB, Width: 720mm (S,M), 740mm (L,XL), Rise: 15mm, Ø: 31.8mm
Grips	Lapierre grips, S/M: small diameter, L/XL: large diameter
Stem	Lapierre CNC, 0°, Ø: 31.8mm, L: 45mm (S,M), 50mm (L,XL)
Seatpost	Lapierre dropper, Ø: 31.6mm, travel 100mm (S), 130mm (M), 150mm (L,XL) + Shimano lever
Saddle	Selle Royal Vivo Ergo Sport Man
Front hub	Lapierre DA210, 2 Sealed Bearing, boost 15x110, 32H, Center Lock
Rear hub	Lapierre DA210, 4 sealed bearings, boost 12x148, 32H, Center Lock
Rims	Lapierre DB-X30 32H, 584x30C Disc Rim 32H with stainless Eyelets
Tires	Schwalbe Johnny Watts, Performance, DD, Raceguard, 65-584, 67EPI
Pedals	VP VPE-527
Accessories	Bosch Charger 4A + Front light : Trelock Bike-I Airflow 70 Lux + Rear Light : Integrated Trelock rear light + Fenders : Stronglight Aluminium with integrated rear light from Trelock + Carrier : Lapierre Aluminium MIK Ready 25Kg + Lapierre Thru axle and bottle opener lever

E-Explorer FS 8.6

MILITARY GREEN

Ref. LLEPA



Non-binding illustrations.

Frame	New Overvolt FS 140mm Travel Integrated Bosch Supreme 5 alloy UDH Dropout + Kickstand & Fenders Ready
Fork	SR Suntour XCR 34 Air Boost 15x110 15AH2 27,5" 140mm travel
Shock	Lapierre metric 210x47,5mm
Rear derailleur	Shimano CUES 6000 10/11s Shadow+
Crankset	Lapierre Overvolt ISIS 165mm (S,M), 170mm (L,XL) + FSA Megatooth Chainring 38T
System	Bosch Performance line CX "25kph" / Intube battery 625Wh/LED Remote
Sprocket	Shimano CUES LG300 11-48T 10s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Shimano M4100 2 Pistons
Rotors	Front : Shimano RT30 203mm / Rear : Shimano EM300 203mm W/ integrated magnet
Shiftlevers	Shimano CUES U6000 10s
Headset	FSA NO.55R/57E, Black Anodized, 1-1/8"-1.5"
Handlebar	Lapierre alloy 6061DB, Width: 720mm (S,M), 740mm (L,XL), Rise: 15mm, Ø: 31.8mm
Grips	Lapierre grips, S/M: small diameter, L/XL: large diameter
Stem	Lapierre CNC, 0°, Ø: 31.8mm, L: 45mm (S/M), 50mm (L/XL)
Seatpost	Lapierre dropper, Ø: 31.6mm, travel 100mm (S), 130mm (M), 150mm (L,XL) + Shimano lever
Saddle	Selle Royal Vivo Ergo Sport Man
Front hub	Lapierre DA210, 2 Sealed Bearing, boost 15x110, 32H, Center Lock
Rear hub	Lapierre DA210, 4 sealed bearings, boost 12x148, 32H, Center Lock
Rims	Lapierre DB-X30 32H, 584x30C Disc Rim 32H with stainless Eyelets
Tires	Schwalbe Johnny Watts, Performance, DD, Raceguard, 65-584, 67EPI
Pedals	VP VPE-527
Accessories	Bosch Charger 4A + Front light : Trelock I-VEO 50, 50 Lux + Rear Light : Integrated Trelock rear light + Fenders : Stronglight Aluminium with integrated rear light from Trelock + Carrier : Lapierre Aluminium MIK Ready 25Kg + Lapierre Thru axle and bottle opener lever

LAPIERRE

E-Explorer 8.7 High

GREY

Ref. LLENA

E-Explorer 8.7 Low

GREY

Ref. LLEPB



Frame	Overvolt HT Integrated Bosch Supreme 5 alloy UDH Dropout + Kickstand & Fenders Ready
Fork	SR Suntour XCR 34 Air Boost 15x110 15AH2 27,5" 120mm travel
Rear derailleur	Shimano CUES 6000 10/11s Shadow+
Crankset	Lapierre Overvolt ISIS 160mm (S,M) / 165mm (L) + FSA Megatooth Chainring 38T
System	Bosch Performance line CX "25kph" / Intube battery 750Wh / LED Remote
Sprocket	Shimano CUES LG300 11-48T 10s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Shimano MT401 4 (front) / 2 (rear) pistons
Rotors	Shimano SMRT30 203mm (Front) / RTEM300 with Magnet 180mm Center Lock (Rear)
Shiftlevers	Shimano CUES U6000 10s
Headset	FSA NO.55R/57E, Black Anodized, 1-1/8"-1.5"
Handlebar	Lapierre alloy 6061DB, Width: 680mm, Rise: 15mm, Backsweep : 25°, Ø: 31.8mm
Grips	XLC Ergonomic grips
Stem	Lapierre, 17°, Ø: 31.8mm, Length : 90mm
Seatpost	Satori Harmony SA Suspension Post, Ø: 31.6mm, Suspension : 40mm, Longueur : 300mm (S) 350mm (M/L/XL)
Saddle	Selle Royal Vivo Ergo Sport Man
Front hub	Shimano MT400, boost thru axle 32H Center Lock
Rear hub	Shimano MT400, boost thru axle 32H Center Lock
Rims	Lapierre eAM+ 32H, 584x30C, Tubeless Ready
Tires	Schwalbe Johnny Watts, Performance, DD, Raceguard, 65-584, 67EPI
Pedals	VP VPE-527
Accessories	Bosch Charger 4A + Front light : Trelock I-VEO 50, 50 Lux + Rear Light : Integrated Trelock rear light + Fenders : Stronglight Aluminium with integrated rear light from Trelock + Carrier : Lapierre Aluminium MIK Ready 25Kg + Lapierre Thru axle and bottle opener lever

Frame	Overvolt HT Integrated Bosch Supreme 5 alloy UDH Dropout + Kickstand & Fenders Ready
Fork	SR Suntour XCR 34 Air Boost 15x110 15AH2 27,5" 120mm travel
Rear derailleur	Shimano CUES 6000 10/11s Shadow+
Crankset	Lapierre Overvolt ISIS 160mm (S,M) / 165mm (L) + FSA Megatooth Chainring 38T
System	Bosch Performance line CX "25kph" / Intube battery 750Wh / LED Remote
Sprocket	Shimano CUES LG300 11-48T 10s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Shimano MT401 4 (front) / 2 (rear) pistons
Rotors	Shimano SMRT30 203mm (Front) / RTEM300 with Magnet 180mm Center Lock (Rear)
Shiftlevers	Shimano CUES U6000 10s
Headset	FSA NO.55R/57E, Black Anodized, 1-1/8"-1.5"
Handlebar	Lapierre alloy 6061DB, Width: 680mm, Rise: 15mm, Backsweep : 25°, Ø: 31.8mm
Grips	XLC Ergonomic grips
Stem	Lapierre, 17°, Ø: 31.8mm, Length : 90mm
Seatpost	Satori Harmony SA Suspension Post, Ø: 31.6mm, Suspension : 40mm, Longueur : 300mm (S) 350mm (M/L/XL)
Saddle	Selle Royal Vivo Ergo Sport Man
Front hub	Shimano MT400, 15x110, 32H Centerlock
Rear hub	Shimano MT400, 12x148, 32H, Centerlock
Rims	Lapierre DB-X30 32H, 584x30C Disc Rim 32H with stainless Eyelets
Tires	Schwalbe Johnny Watts, Performance, DD, Raceguard, 60-584, 67EPI
Pedals	VP VPE-527
Accessories	Bosch Charger 4A + Front light : Trelock I-VEO 50, 50 Lux + Rear Light : Integrated Trelock rear light + Fenders : Stronglight Aluminium with integrated rear light from Trelock + Carrier : Lapierre Aluminium MIK Ready 25Kg + Lapierre Thru axle and bottle opener lever

LAPIERRE

E-Explorer 7.6 High

WHITE

Ref. LLDPA



Frame	Overvolt Explorer Integrated Bosch Smart System Alloy
Fork	SR Suntour XCR 34 Coil Boost 15x110 15AH2 27,5" 120mm travel
Rear derailleur	Shimano CUES 6000 10/11s Shadow+
Crankset	Lapierre Overvolt ISIS 165mm (S), 170mm (M/XL) + FSA Megatooth Chainring 38T
System	Bosch Performance line CX "25kph" / Intube battery 625Wh/LED Remote
Sprocket	Shimano CUES LG300 11-48T 10s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Shimano MT401 2 Pistons
Rotors	Front : Shimano RT30 203mm / Rear : Shimano EM300 180mm W/ integrated magnet
Shiftlevers	Shimano CUES U6000 10s
Headset	FSA NO.55R/57E, Anodized black 1-1/8"-1.5"
Handlebar	Alloy 6061DB, Width: 680mm, Rise: 15mm, Backsweep : 25°, Ø: 31.8mm
Grips	XLC Ergonomic grips
Stem	Lapierre, 17°, Ø: 31.8mm, Length : 90mm
Seatpost	Lapierre Alloy Ø: 31.6mm, Longueur : 350mm, Offset : 0mm
Saddle	Selle Royal Vivo Ergo Sport Man
Front hub	Shimano MT400, 15x110, 32H Centerlock
Rear hub	Shimano MT400, 12x148, 32H, Centerlock
Rims	Lapierre DB-X30 32H, 584x30C Disc Rim 32H with stainless Eyelets
Tires	Schwalbe Johnny Watts, Performance, DD, Raceguard, 65-584, 67EPI
Pedals	VP VPE-527
Accessories	Bosch Charger 4A + Front light : Trelock I-VEO 50, 50 Lux + Rear Light : Integrated Trelock rear light + Fenders : Stronglight Aluminium with integrated rear light from Trelock + Carrier : Lapierre Aluminium MIK Ready 25Kg + Lapierre Thru axle and bottle opener lever

E-Explorer 7.6 Low

WHITE

Ref. LLDPB



Frame	Overvolt Explorer Integrated Bosch Smart System Alloy
Fork	SR Suntour XCR 34 Coil Boost 15x110 15AH2 27,5" 120mm travel
Rear derailleur	Shimano CUES 6000 10/11s Shadow+
Crankset	Lapierre Overvolt ISIS 165mm (S), 170mm (M/L) + FSA Megatooth Chainring 38T
System	Bosch Performance line CX "25kph" / Intube battery 625Wh/LED Remote
Sprocket	Shimano CUES LG300 11-48T 10s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Shimano MT401 2 Pistons
Rotors	Front : Shimano RT30 203mm / Rear : Shimano EM300 180mm W/ integrated magnet
Shiftlevers	Shimano CUES U6000 10s
Headset	FSA NO.55R/57E, Anodized black 1-1/8"-1.5"
Handlebar	Alloy 6061DB, Width: 680mm, Rise: 15mm, Backsweep : 25°, Ø: 31.8mm
Grips	XLC Ergonomic grips
Stem	Lapierre, 17°, Ø: 31.8mm, Length : 90mm
Seatpost	Lapierre Alloy Ø: 31.6mm, Longueur : 350mm, Offset : 0mm
Saddle	Selle Royal Vivo Ergo Sport Man
Front hub	Shimano MT400, 15x110, 32H Centerlock
Rear hub	Shimano MT400, 12x148, 32H, Centerlock
Rims	Lapierre DB-X30 32H, 584x30C Disc Rim 32H with stainless Eyelets
Tires	Schwalbe Johnny Watts, Performance, DD, Raceguard, 60-584, 67EPI
Pedals	VP VPE-527
Accessories	Bosch Charger 4A + Front light : Trelock I-VEO 50, 50 Lux + Rear Light : Integrated Trelock rear light + Fenders : Stronglight Aluminium with integrated rear light from Trelock + Carrier : Lapierre Aluminium MIK Ready 25Kg + Lapierre Thru axle and bottle opener lever

E-Explorer 6.5 High

CAMEL

Ref. LLCPA



Non-binding illustrations

Frame	Overvolt Explorer Integrated Bosch Smart System Alloy
Fork	SR Suntour XCM 32 DS 15x100 15AH2 27,5" 80mm travel
Rear derailleur	Shimano CUES 6000 10/11s Shadow+
Crankset	Lapierre Overvolt ISIS 170mm
System	Bosch Performance line "25kph" / Intube battery 500Wh/LED Remote
Sprocket	Shimano CUES LG300 11-48T 10s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Shimano MT200 2 Pistons
Rotors	Shimano 180mm Center Lock
Shiftlevers	Shimano CUES U6000 10s
Headset	Feimin Black Finish, 1.1/8"
Handlebar	Lapierre Alloy 6061DB, Width: 680mm, Rise: 15mm, Backsweep : 25°, Ø: 31.8mm
Grips	XLC Ergonomic grips
Stem	Lapierre, 17°, Ø: 31.8mm, Length : 90mm
Seatpost	XLC Suspension, Ø: 31.6mm, Suspension : 40mm, Longueur : 305mm (S), 350mm(M,L)
Saddle	Selle Royal Vivo Ergo Sport Man
Front hub	Lapierre DA210, 2 Sealed Bearing , non-boost 15x100, 32H, Center Lock
Rear hub	Lapierre DA210, 4 sealed bearings, boost 12x148, 32H, Center Lock
Rims	Schürmann Yak25 32H, 584x25C Disc Rim 32H with Silver Eyelets
Tires	WTB Bee Line 2.2x27.5", 30TPI DNA
Pedals	VP VPE-527
Accessories	Bosch Charger 4A + Front light : Spanninga Axendo 30 Lux + Rear Light : AXA JUNO + Fenders : Curana Apollo Aluminium Matt Black + Carrier : Lapierre Aluminium MIK Ready 25Kg + Lapierre Thru axle and bottle opener lever

E-Explorer 6.5 Low

CAMEL

Ref. LLCPB



Non-binding illustrations

Frame	Overvolt Explorer Integrated Bosch Smart System Alloy
Fork	SR Suntour XCM 32 DS 15x100 15AH2 27,5" 80mm travel
Rear derailleur	Shimano CUES 6000 10/11s Shadow+
Crankset	Lapierre Overvolt ISIS 170mm
System	Bosch Performance line "25kph" / Intube battery 500Wh/LED Remote
Sprocket	Shimano CUES LG300 11-48T 10s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Shimano MT200 2 Pistons
Rotors	Shimano 180mm Center Lock
Shiftlevers	Shimano CUES U6000 10s
Headset	Feimin Black Finish, 1.1/8"
Handlebar	Lapierre Alloy 6061DB, Width: 680mm, Rise: 15mm, Backsweep : 25°, Ø: 31.8mm
Grips	XLC Ergonomic grips
Stem	Lapierre, 17°, Ø: 31.8mm, Length : 90mm
Seatpost	XLC Suspension, Ø: 31.6mm, Suspension : 40mm, Longueur : 305mm (S), 350mm(M,L)
Saddle	Selle Royal Vivo Ergo Sport Man
Front hub	Lapierre DA210, 2 Sealed Bearing , non-boost QR9x100, 32H, Center Lock
Rear hub	Lapierre DA210, 4 sealed bearings, non-boost QR9x135, 32H, Center Lock
Rims	Schürmann Yak25 32H, 584x25C Disc Rim 32H with Silver Eyelets
Tires	WTB Intersector 2.4x27.5", 30TPI DNA
Pedals	VP VPE-527
Accessories	Bosch Charger 4A + Front light : Spanninga Axendo 30 Lux + Rear Light : AXA JUNO + Fenders : Curana Apollo Aluminium Matt Black + Carrier : Lapierre Aluminium MIK Ready 25Kg + Lapierre Thru axle and bottle opener lever

LAPIERRE

E-Explorer 5.5 High

METAL BLUE

Ref. LLBPA



Non-binding illustrations

Frame	Overvolt Explorer Integrated Bosch Smart System Alloy
Fork	SR Suntour XCM 32 DS 15x100 15AH2 27,5" 80mm travel
Rear derailleur	Shimano CUES 3020 9s Shadow
Crankset	Lapierre Overvolt ISIS 170mm
System	Bosch Performance line "25kph" / Intube battery 500Wh/LED Remote
Sprocket	Shimano CUES LG300 11-36T 9s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Shimano MT200 2 Pistons
Rotors	Shimano 180mm Center Lock
Shiftlevers	Shimano CUES U4000 9s
Headset	Feimin Black Finish, 1.1/8"
Handlebar	Lapierre Alloy 6061DB, Width: 680mm, Rise: 15mm, Backsweep : 25°, Ø: 31.8mm
Grips	XLC Ergonomic grips
Stem	Lapierre, 17°, Ø: 31.8mm, Length : 90mm
Seatpost	Lapierre Alloy 6061 Ø: 31.6mm, Longueur : 350mm, Offset : 0mm
Saddle	Selle Royal Vivo Ergo Sport Man
Front hub	Lapierre DA210, 2 Sealed Bearing , non-boost 15x100, 32H, Center Lock
Rear hub	Lapierre DA210, 4 sealed bearings, boost 12x148, 32H, Center Lock
Rims	Schürmann Yak25 32H, 584x25C Disc Rim 32H with Silver Eyelets
Tires	WTB Bee Line 2.2x27.5", 30TPI DNA
Pedals	VP VPE-527
Accessories	Bosch Charger 4A + Front light : Spanninga Axendo 30 Lux + Rear Light : AXA JUNO + Fenders : Curana Apollo Aluminium Matt Black + Carrier : Lapierre Aluminium MIK Ready 25Kg + Lapierre Thru axle and bottle opener lever

E-Explorer 5.5 Low

METAL BLUE

Ref. LLBPB



Non-binding illustrations

Frame	Overvolt Explorer Low Step Integrated Bosch Smart System Alloy
Fork	SR Suntour NEX-E25 Tapered QR9x100 27,5" 63mm travel
Rear derailleur	Shimano CUES 3020 9s Shadow
Crankset	Lapierre Overvolt ISIS 170mm
System	Bosch Performance line "25kph" / Intube battery 500Wh/LED Remote
Sprocket	Shimano CUES LG300 11-36T 9s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Shimano MT200 2 Pistons
Rotors	Shimano 180mm Center Lock
Shiftlevers	Shimano CUES U4000 9s
Headset	Canecreek ZS44 Viscoset, Black Anodized, 1.1/8"-1.5"
Handlebar	Lapierre Alloy 6061DB, Width: 680mm, Rise: 15mm, Backsweep : 25°, Ø: 31.8mm
Grips	XLC Ergonomic grips
Stem	XLC adjustable, 0-50°, Ø: 31.8mm, Length : 80mm
Seatpost	Lapierre Alloy 6061 Ø: 31.6mm, Longueur : 250mm (S), 350mm (M), Offset : 0mm
Saddle	Selle Royal Vivo Ergo Sport Woman
Front hub	Lapierre DA210, 2 Sealed Bearing , non-boost QR9x100, 32H, Center Lock
Rear hub	Lapierre DA210, 4 sealed bearings, non-boost QR9x135, 32H, Center Lock
Rims	Schürmann Yak25 32H, 584x25C Disc Rim 32H with Silver Eyelets
Tires	WTB Intersector 2.4x27.5", 30TPI DNA
Pedals	VP VPE-527
Accessories	Bosch Charger 4A + Front light : Spanninga Axendo 30 Lux + Rear Light : Carrier Integrated Rear light + Fenders : SKS Matt Black + Carrier : Lapierre Aluminium MIK Ready 25Kg + Lapierre Thru axle and bottle opener lever

LAPIERRE

E-Explorer 4.5 High

ELECTRIC GREEN - MAT

Ref. LLHRA



Non-binding illustrations

E-Explorer 4.5 Low

ELECTRIC GREEN - MAT

Ref. LLHRB



Non-binding illustrations

Frame	Overvolt Explorer Integrated Bosch Smart System Alloy
Fork	SR Suntour XCM 32 DS 15x100 27.5" 80mm travel
Rear derailleur	Shimano CUES 3020 9s Shadow
Crankset	Samox 170mm 38T
System	Bosch Active Line Plus "25kph" / Intube battery 500Wh/LED Remote
Sprocket	Shimano CUES LG300 11-36T 9s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Shimano MT200
Rotors	Shimano 180mm/180mm, Centerlock
Shiftlevers	Shimano CUES U4000 9s
Headset	Feimin 1-1/8"
Handlebar	Alloy 6061 DB, Width: 680mm, Rise: 15mm, Ø: 31.8mm, Backsweep : 25°
Grips	Velo Lock-on
Stem	Alloy, 17°, Ø: 31.8mm, L: 90mm
Seatpost	Alloy, Ø: 31.6mm, L: 350mm
Saddle	Selle Royal Vivo Ergo Sport 145mm
Front hub	DA210, boost 15x110, 32H Centerlock
Rear hub	DA210, 4 sealed bearings, boost 12x148, 32H Centerlock
Rims	Schürmann Yak25 584x25 Disc Rim 32H with Silver Eyelets
Tires	WTB Bee Line 2.2x27.5", 30TPI DNA
Pedals	XLC by VP
Accessories	Bosch Charger 4A + Front light : Spanninga Axendo 30 Lux + Rear Light : AXA JUNO + Fenders : Curana Apollo Aluminium Matt Black + Carrier : Lapierre Aluminium MIK Ready 25Kg + Lapierre Thru axle and bottle opener lever

Frame	Overvolt Explorer Low Step Integrated Bosch Smart System Alloy
Fork	SR Suntour NEX-E25 DS QR 700c 63mm travel
Rear derailleur	Shimano CUES 3020 9s Shadow
Crankset	Samox 170mm 38T
System	Bosch Active Line Plus "25kph" / Intube battery 500Wh/LED Remote
Sprocket	Shimano CUES LG300 11-36T 9s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Shimano MT200
Rotors	Shimano 180mm/180mm, Centerlock
Shiftlevers	Shimano CUES U4000 9s
Headset	Canecreek HEADSET ZS44 ViscoSet BL
Handlebar	Alloy 6061 DB, Width: 680mm, Rise: 15mm, Ø: 31.8mm, Backsweep : 25°
Grips	Velo Lock-on
Stem	Alloy, 17°, Ø: 31.8mm, L: 80mm
Seatpost	Alloy, Ø: 31.6mm, L: 250mm (S), 350mm (M)
Saddle	Selle Royal Vivo Ergo Sport Woman 145mm
Front hub	DA210, 9x100, 32H Centerlock QR
Rear hub	DA210, 4 sealed bearings, 10x135, 32H Centerlock QR
Rims	Schürmann Yak25 584x25 Disc Rim 32H with Silver Eyelets
Tires	WTB Intersector 2.4x27.5"
Pedals	XLC by VP
Accessories	Bosch Charger 4A + Front light : Spanninga Axendo 30 Lux + Rear Light : Carrier Integrated Rear light + Fenders : SKS Matt Black + Carrier : Lapierre Aluminium MIK Ready 25Kg + Lapierre Thru axle and bottle opener lever

E-Urban

RANGE



ON

E-Urban 6.5

White | LLMPA
Bosch | 500Wh



MAINT

E-Urban 4.5

Dark Grey - Mat | LLLRA
Bosch | 500Wh




MAINT

E-Urban 3.5

Mustard - Mat | LLKRA
Bosch | 500Wh

Geometry

E-URBAN



SIZE	S	M	L
ST (MM)	460	510	560
TT (MM)	71	71	71
HA (°)	70	70	70
SA (°)	180	210	210
RC (MM)	558/626	574/626	597/640
HT (MM)	480	480	480
BB (MM)	1150	1160	1170
REACH	414	416	426
STACK	643	667	667
USER	163-177	175-187	185-195
REF.	LL__460	LL__510	LL__560

E-Urban 6.5

WHITE

Ref. LLMPA



Frame	e-Urban Bosch Integrated
Fork	SR Suntour NEX-E25 DS Tapered QR 9x100 700c 50mm travel
Rear derailleur	Shimano CUES 3020 9s Shadow
Crankset	LAPIERRE OVERVOLT 170mm + 38T Narrow Wide
System	Bosch Performance line "25kph" / Intube battery 500Wh / LED Remote
Sprocket	Shimano CUES LG300 11-36T 9s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Shimano MT200 2 Pistons
Rotors	Shimano RT10 180mm / 160mm Center Lock
Shiftlevers	Shimano CUES U4000 9s
Headset	VP-J213PE, Black Finish, 1.1/8"-1.5"
Handlebar	Lapierre alloy , Width: 640mm, Rise: 25mm, Backsweep : 35°, Ø: 31.8mm
Grips	XLC Ergonomic grips
Stem	Lapierre adjustable, 0-70°, Ø: 31.8mm, Length : 85mm
Seatpost	Lapierre Aluminium 6061 Ø: 31.6mm, Longueur : 350mm, Offset : 15mm
Saddle	Selle Royal Wave
Front hub	Shimano TX505B, 9mm QR, 32H Centor Lock
Rear hub	Shimano TX5058B, 9mm QR, 32H Centor Lock
Rims	Ryde ECO21 32H, 622x21C, Black Eyelets
Tires	SCHWALBE BIG APPLE 50-622
Pedals	VP VPE-461
Accessories	Bosch Charger 4A + Front light : Herrmans MR-GO, 80/100 Lumen + Rear Light : AXA JUNO 50mm + Fenders : Eurofender Black Glossy + Carrier : Lapierre Aluminium MIK Ready 25Kg

E-Urban 4.5

DARK GREY - MAT

Ref. LLLRA

E-Urban 3.5

MUSTARD - MAT

Ref. LLKRA



Non-binding illustrations.



Non-binding illustrations.

Frame	e-Urban Bosch Integrated
Fork	SR Suntour NEX-E25 DS Tapered QR 9x100 700c 50mm travel
Rear derailleur	Shimano CUES 3020 9s Shadow
Crankset	Samox 170mm + 38T steel chainring
System	Bosch Active line Plus "25kph" / Intube battery 500Wh / LED Remote
Sprocket	Shimano CUES LG300 11-36T 9s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Shimano MT200 2 Pistons
Rotors	Shimano RT10 180mm/160mm Center Lock
Shiftlevers	Shimano CUES U4000 9s
Headset	VP-J213PE, Black Finish, 1.1/8"-1.5"
Handlebar	Lapierre alloy Width: 640mm, Rise: 25mm, Backsweep : 35°, Ø: 31.8mm
Grips	XLC Ergonomic grips
Stem	Lapierre adjustable, 0-70°, Ø: 31.8mm, Length : 85mm
Seatpost	Lapierre Aluminium 6061 Ø: 31.6mm, Longueur : 350mm, Offset : 15mm
Saddle	Selle Royal Wave
Front hub	Shimano TX505B, 9mm QR, 32H Center Lock
Rear hub	Shimano TX5058B, 9mm QR, 32H Center Lock
Rims	Ryde ECO21 32H, 622x21C, Black Eyelets
Tires	SCHWALBE BIG APPLE 50-622
Pedals	VP VPE-461
Accessories	Bosch Charger 4A + Front light : Herrmans MR-GO, 80/100 Lumen + Rear Light : AXA JUNO 50mm + Fenders : Eurofender Black Glossy + Carrier : Lapierre Aluminium MIK Ready 25Kg

Frame	e-Urban Bosch Integrated
Fork	SR Suntour NEX-E25 DS Tapered QR 9x100 700c 50mm travel
Rear derailleur	Shimano CUES 3020 9s Shadow
Crankset	Samox 170mm + 38T steel chainring
System	Bosch Active line "25kph" / Intube battery 500Wh / LED Remote
Sprocket	Shimano CUES LG300 11-36T 9s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Shimano MT200 2 Pistons
Rotors	Shimano RT10 180mm/160mm Center Lock
Shiftlevers	Shimano CUES U4000 9s
Headset	VP-J213PE, Black Finish, 1.1/8"-1.5"
Handlebar	Lapierre alloy Width: 640mm, Rise: 25mm, Backsweep : 35°, Ø: 31.8mm
Grips	XLC Ergonomic grips
Stem	Lapierre adjustable, 0-70°, Ø: 31.8mm, Length : 85mm
Seatpost	Lapierre Aluminium 6061 Ø: 31.6mm, Longueur : 350mm, Offset : 15mm
Saddle	Selle Royal Wave
Front hub	Shimano TX505B, 9mm QR, 32H Center Lock
Rear hub	Shimano TX5058B, 9mm QR, 32H Center Lock
Rims	Ryde ECO21 32H, 622x21C, Black Eyelets
Tires	SCHWALBE BIG APPLE 50-622
Pedals	VP VPE-461
Accessories	Bosch Charger 4A + Front light : Herrmans MR-GO, 80/100 Lumen + Rear Light : AXA JUNO 50mm + Fenders : Eurofender Black Glossy + Carrier : Lapierre Aluminium MIK Ready 25Kg

E-Shaper

RANGE




MAINT

E-Shaper 3.2

Metallic Blue - Glossy | LEURA
Ebikemotion | 250Wh

Geometry

E-SHAPER



SIZE	XS	S	M	L
ST (MM)	420	460	500	550
TT (MM)	525	544	561	579
HA (°)	70	70,5	71	71
SA (°)	73	73	72,5	72,5
RC (MM)	435	435	435	435
HT (MM)	90	120	150	180
BB (MM)	75	75	75	75
FRK LENGTH	397	397	397	397
FRK OFFSET	45	45	45	45
STACK	517	547	578	606
REACH	367	377	379	388
WB	1004	1020	1028	1047
USER	155-170	170-180	178-188	>186
REF.	LEURA420	LEURA460	LEURA500	LEURA550

E-Shaper 3.2

METALLIC BLUE - GLOSSY

Ref. LEURA



Frame	E-Shaper Supreme 5 Alloy with integrated routing
Fork	E-Sensium Carbon/ Alloy Steerer
Rear derailleur	Shimano CUES U6000 10/11s Shadow+
System	Ebikemotion system X35 / 250 Wh battery pack
Bottom bracket	Shimano RS500 Press Fit
Sprocket	Shimano CUES LG300 11-48T 10s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Tektro HD-R280
Rotors	Tektro TR160-22
Shiftlevers	Shimano CUES SL-U6000-10R 10s
Headset	Acros Aix-532 IS52/28,6 – IS52/40
Handlebar	Lapierre alloy, Ø: 31.8mm, Width: 640mm
Grips	Lapierre grips
Stem	Lapierre alloy, Ø: 31.8mm, L: 80mm (XS,S), 90mm (M), 100mm (L)
Seatpost	Lapierre alloy Antishock, Ø: 27.2mm, L: 360mm
Saddle	Selle Royal Vivo Ergo Sport 145mm
Front hub	DA212, boost 12x100, 28H 6 bolts
Rear hub	X35+ Drive Unit
Rims	WTB ST 23 TCS 2.0 700c 32H
Tires	WTB Byway 700x44c Tan Wall
Pedals	VP-335 Clips & Strap

Shaper

RANGE



ON

Shaper 3.0

Black | LUCPA



ON

Shaper 2.0

Light Grey | LUBPA



ON

Shaper 2.0 W

White | LUBPB



ON

Shaper 1.0

Red | LUAPA




ON

Shaper 1.0 W

Turquoise | LUAPB

Geometry


SHAPER



SIZE	S	M	L	XL
ST (MM)	400	450	500	550
TT (MM)	555	575	583	603
HA (°)	70	71	71.5	72
SA (°)	73.5	73.5	73.5	73.5
RC (MM)	440	440	440	440
HT (MM)	133	159	176	203
BB (MM)	275	275	275	275
REACH	388	400	402	414
STACK	564	595	610	638
USER	150-165	163-177	175-187	185-195
REF.	LU_P_400	LU_P_450	LU_P_500	LU_P_550

Geometry

SHAPER W



SIZE	S	M	L
ST (MM)	380	420	460
TT (MM)	538	555	576
HA (°)	70	71	71.5
SA (°)	73,5	73,5	73,5
RC (MM)	440	440	440
HT (MM)	144	166	179
BB (MM)	275	275	275
REACH	373	383	400
STACK	556	581	593
USER	150-165	162-170	168-180
REF.	LU_P_380	LU_P_420	LU_P_460

Shaper 3.0

BLACK

Ref. LUCPA

Shaper 2.0

LIGHT GREY

Ref. LUBPA



Frame	Shaper 700c Supreme 4 alloy Disc
Fork	Shaper 700c alloy PM Disc Brake
Front derailleur	Shimano CUES U4010 2s Band
Rear derailleur	Shimano CUES U4020 9s Shadow
Crankset	Shimano CUES U4010 46-30T 2s 170mm (M) , 175mm (L,XL)
Bottom bracket	Shimano BB-UR400
Sprocket	Shimano CUES LG300 11-36T 9s
Chain	Shimano CUES LG500 9/10/11s
Brakes	Shimano MT200 2 Pistons
Rotors	Shimano RT10 160mm / 160mm Center Lock
Shiftlevers	Shimano CUES U4000 9s
Headset	FSA NO.10 semi-integrated
Handlebar	XLC alloy 6061, Width: 640mm, Rise: 15mm, Backswipe: 9°, Ø: 31.8mm
Grips	Ergonomic 125mm
Stem	XLC alloy, 17°, Ø: 31.8mm, L: 90mm
Seatpost	XLC alloy, Ø: 27.2mm, L: 350mm
Saddle	Selle Italia Model X Superflow 145mm
Front hub	Shimano QC300, Center Lock
Rear hub	Shimano QC300-HM, Center Lock
Rims	Lapierre DW 32H 21-622
Tires	Schwalbe Spicer plus PunctureGuard 40-622 50EPI
Pedals	Xerama SP-822N

Frame	Shaper 700c Supreme 4 alloy Disc
Fork	Shaper 700c alloy PM Disc Brake
Front derailleur	Shimano Tourney FD-TY710
Rear derailleur	Shimano Acera M360, 8s
Crankset	Shimano TY501 46-30T 170mm (S) / 175mm (M/L/XL)
Bottom bracket	BSA 126mm
Sprocket	Sunrace CSM400 12-34T 8s
Chain	YBN S52 1/2"x3/32" 7/8s
Brakes	Shimano MT200 hydraulic brakes Disc
Shiftlevers	Shimano ASMRT10S2 160mm Centerlock
Headset	Shimano Altus STEF505 8s
Handlebar	FSA NO.10 semi-integrated
Grips	XLC alloy 6061, Width: 640mm, Rise: 15mm, Ø: 31.8mm
Stem	Herrmans DDK37
Seatpost	XLC alloy, 17°, Ø: 31.8mm, L: 90mm
Saddle	XLC alloy, Ø: 27.2mm, L: 350mm
Front hub	Selle Italia Model X Superflow 145mm
Rear hub	Shimano TX505, Center Lock
Rims	Shimano TX505, Center Lock
Tires	Lapierre DW 32H 21-622
Pedals	Schwalbe Spicer plus PunctureGuard 40-622 50EPI
Accessories	Xerama SP-822N

Shaper 2.0 W

WHITE

Ref. LUBPB



Non-binding illustrations

Frame	Shaper 700c Supreme 4 alloy Disc
Fork	Shaper 700c alloy PM Disc Brake
Front derailleur	Shimano Tourney FD-TY710
Rear derailleur	Shimano Acera M360, 8s
Crankset	Shimano TY501 46-30T 170mm (S/M) / 175mm (L)
Bottom bracket	BSA 126mm
Sprocket	Sunrace CSM400 12-34T 8s
Chain	YBN S52 1/2"x3/32" 7/8s
Brakes	Shimano MT200 hydraulic brakes Disc
Rotors	Shimano ASMRT10S2 160mm Centerlock
Shiftlevers	Shimano Altus STEF505 8s
Headset	FSA NO.10 semi-integrated
Handlebar	XLC alloy 6061, Width: 620mm, Rise: 15mm, Ø: 31.8mm
Grips	Herrmans DDK37
Stem	XLC alloy, 17°, Ø: 31.8mm, L: 90mm
Seatpost	XLC alloy, Ø: 27.2mm, L: 350mm
Saddle	Selle Italia Model X Superflow 145mm
Front hub	Shimano TX505, Center Lock
Rear hub	Shimano TX505, Center Lock
Rims	Lapierre DW 32H 21-622
Tires	Schwalbe Spicer plus PunctureGuard 40-622 50EPI
Pedals	Xerama SP-822N

Shaper 1.0 W

TURQUOISE

Ref. LUAPB



Non-binding illustrations

Frame	Shaper 700c Supreme 4 alloy Disc
Fork	Shaper 700c alloy PM Disc Brake
Front derailleur	Shimano Tourney FD-TY710
Rear derailleur	Shimano Altus M310, 7s
Crankset	Shimano TY301 48-38-28T 170mm (S/M) / 175mm (L)
Bottom bracket	BSA 126mm
Sprocket	Shimano HG200 12-32T 7s
Chain	YBN S52 1/2"x3/32" 7/8s
Brakes	MD-280 Mechanical Disc
Rotors	Shimano ASMRT10S2 160mm Centerlock
Shiftlevers	Shimano Altus STEF500 7s
Headset	FSA NO.10 semi-integrated
Handlebar	XLC alloy 6061, Width: 620mm, Rise: 15mm, Ø: 31.8mm
Grips	Herrmans DDK37
Stem	XLC alloy, 17°, Ø: 31.8mm, L: 90mm
Seatpost	XLC alloy, Ø: 27.2mm, L: 350mm
Saddle	Selle Italia Model X Superflow 145mm
Front hub	Shimano TX505, Center Lock
Rear hub	Shimano TY505, Center Lock
Rims	Lapierre DW 32H 21-622
Tires	Schwalbe Spicer plus PunctureGuard 40-622 50EPI
Pedals	Xerama SP-822N

Shaper 1.0


RED

Ref. LUAPA



Non-binding illustrations

Frame	Shaper 700c Supreme 4 alloy Disc
Fork	Shaper 700c alloy PM Disc Brake
Front derailleur	Shimano Tourney FD-TY710
Rear derailleur	Shimano Altus M310, 7s
Crankset	Shimano TY301 48-38-28T 170mm (S) / 175mm (M/L/XL)
Bottom bracket	BSA 126mm
Sprocket	Shimano HG200 12-32T 7s
Chain	YBN S52 1/2"x3/32" 7/8s
Brakes	MD-280 Mechanical Disc
Rotors	Shimano ASMRT10S2 160mm Centerlock
Shiftlevers	Shimano Altus STEF500 7s
Headset	FSA NO.10 semi-integrated
Handlebar	XLC alloy 6061, Width: 640mm, Rise: 15mm, Ø: 31.8mm
Grips	Herrmans DDK37
Stem	XLC alloy, 17°, Ø: 31.8mm, L: 90mm
Seatpost	XLC alloy, Ø: 27.2mm, L: 350mm
Saddle	Selle Italia Model X Superflow 145mm
Front hub	Shimano TX505, Center Lock
Rear hub	Shimano TY505, Center Lock
Rims	Lapierre DW 32H 21-622
Tires	Schwalbe Spicer plus PunctureGuard 40-622 50EPI
Pedals	Xerama SP-822N



LAPIERRE

Trekking

RANGE



ON

Trekking 3.0 High

Dark Green | LTCPA



ON

Trekking 3.0 Low

Dark Purple | LTCPB



ON

Trekking 2.0 High

Grey | LTBPA



ON

Trekking 2.0 Low

Pastel Green | LTBPB



ON

Trekking 1.0 High

Dark Grey | LTAPA




ON

Trekking 1.0 Low

Deep Blue | LTAPB

Geometry


TREKKING HIGH



SIZE	S	M	L	XL	XXL
ST (CM)	41	46	51	56	60
TT (MM)	550	570	590	610	630
HA (°)	70.5	71	71	71	71
SA (°)	74	73	73	73	73
RC (MM)	440	440	440	440	440
HT (MM)	110	120	140	160	180
BB (MM)	50	50	50	50	50
USER	< 150	150-170	168-178	176-186	>184
REF.	LT_P_410	LT_P_460	LT_P_510	LT_P_560	LT_P_600

Geometry

TREKKING LOW



SIZE	S	M	L
ST (CM)	41	48	53
TT (MM)	556.5	582	600
HA (°)	70	70	70.5
SA (°)	74	73	73
RC (MM)	440	440	440
HT (MM)	110	120	140
BB (MM)	50	50	50
USER	150-165	162-170	168-180
REF.	LT_P_410	LT_P_480	LT_P_530

Trekking 3.0 High

DARK GREEN

Ref. LTCPA



Non-binding illustrations

Frame	Trekking Disc 700c Supreme 4 alloy
Fork	RST VOLANT 9 TNL(HLO) 700c 63mm travel Disc
Front derailleur	Shimano Tourney FD-TY501
Rear derailleur	Shimano Acera RDM360, 8s
Crankset	Shimano TY501 48-38-28T 170mm (S/M/L) / 175mm (XL/XXL)
Bottom bracket	BSA Square 126mm
Sprocket	Shimano HG200 12-32T 8s
Chain	YBN S52 1/2"x3/32" 8s
Brakes	Shimano MT-200 hydraulic brakes
Rotors	Shimano SMRT26S 160mm
Shiftlevers	Shimano STEF505 3x8s, hydraulic brakes
Headset	FSA NO.10 semi-integrated
Handlebar	Kalloy black, Width: 600mm, Rise: 45mm, Ø: 25.4mm, Backsweep: 45°
Grips	Herrmans DD37 123mm
Stem	TAS822 Adjustable, Ø: 28.6mm, E: 100mm, BB: 25.4mm with stainless bolt
Seatpost	SP-C208 alloy, Ø: 27.2mm, L: 350mm
Saddle	Selle Royal Explora
Front hub	Panasonic NRH003 dynamo, 32H QR
Rear hub	Shimano TX506, 32H
Rims	Lapierre Double wall 32H 21-622
Tires	Schwalbe Spicer plus PunctureGuard 40-622 50EPI
Pedals	Xerama SP-822
Accessories	Axa Ecoline 15 lux / Axa Blueline carrier mount, kickstand, Tempo 46mm mudguard set, Sprung rear carrier (child seat compatible)

Trekking 3.0 Low

DARK PURPLE

Ref. LTCPB



Non-binding illustrations

Frame	Trekking Women Disc 700c Supreme 4 alloy
Fork	RST VOLANT 9 TNL(HLO) 700c 63mm travel Disc
Front derailleur	Shimano Tourney FD-TY501
Rear derailleur	Shimano Acera RDM360, 8s
Crankset	Shimano TY501 48-38-28T 170mm (S/M/L) / 175mm (XL/XXL)
Bottom bracket	BSA Square 126mm
Sprocket	Shimano HG200 12-32T 8s
Chain	YBN S52 1/2"x3/32" 8s
Brakes	Shimano MT-200 hydraulic brakes
Rotors	Shimano SMRT26S 160mm
Shiftlevers	Shimano STEF505 3x8s, hydraulic brakes
Headset	FSA NO.10 semi-integrated
Handlebar	Kalloy black, Width: 600mm, Rise: 45mm, Ø: 25.4mm, Backsweep: 45°
Grips	Herrmans DD37 123mm
Stem	TAS822 Adjustable, Ø: 28.6mm, E: 100mm, BB: 25.4mm with stainless bolt
Seatpost	SP-C208 alloy, Ø: 27.2mm, L: 350mm
Saddle	Selle Royal Explora
Front hub	Panasonic NRH003 dynamo, 32H QR
Rear hub	Shimano TX506, 32H
Rims	Lapierre Double wall 32H 21-622
Tires	Schwalbe Spicer plus PunctureGuard 40-622 50EPI
Pedals	Xerama SP-822
Accessories	Axa Ecoline 15 lux / Axa Blueline carrier mount, kickstand, Tempo 46mm mudguard set, Sprung rear carrier (child seat compatible)

Trekking 2.0 High

GREY

Ref. LTBPA



Non-binding illustrations

Frame	Trekking 700c Supreme 4 alloy
Fork	RST NEON-T 700c V-Brake 60mm Travel
Front derailleur	Shimano Tourney FD-TY300
Rear derailleur	Shimano Tourney RD-TY300D, 7s
Crankset	Shimano TY301 48-38-28T 170mm (S/M/L) / 175mm (XL/XXL)
Bottom bracket	BSA Square 126mm
Sprocket	Shimano HG200 12-32T 7s
Chain	YBN S50 1/2"x3/32" 7s
Brakes	Alhonga V-Brake
Shiftlevers	Shimano STEF41 3x7s
Headset	FSA NO.10 semi-integrated
Handlebar	Kalloy black, Width: 600mm, Rise: 45mm, Ø: 25.4mm, Backsweep: 45°
Grips	Herrmans DD37 123mm
Stem	AS-DC1 alloy, 15°, Ø: 25.4mm, L: 75mm
Seatpost	SP-C208 alloy, Ø: 27.2mm, L: 350mm
Saddle	Selle Royal Explora
Front hub	Panasonic NRH002 dynamo, 32H
Rear hub	Shimano TY500, 32H
Rims	Lapierre Double wall 32H 21-622
Tires	Schwalbe Spicer plus PunctureGuard 40-622 50EPI
Pedals	Xerama SP-877
Accessories	Axa Ecoline 15 lux / Axa Blueline carrier mount, kickstand, Tempo 46mm mudguard set, Sprung rear carrier (child seat compatible)

Trekking 2.0 Low

PASTEL GREEN

Ref. LTBPB



Non-binding illustrations

Frame	Trekking Women 700c Supreme 4 alloy
Fork	RST NEON-T 700c V-Brake 60mm Travel
Front derailleur	Shimano Tourney FD-TY300
Rear derailleur	Shimano Tourney RD-TY300D, 7s
Crankset	Shimano TY301 48-38-28T 170mm (S/M/L) / 175mm (XL/XXL)
Bottom bracket	BSA Square 126mm
Sprocket	Shimano HG200 12-32T 7s
Chain	YBN S50 1/2"x3/32" 7s
Brakes	Alhonga V-Brake
Shiftlevers	Shimano STEF41 3x7s
Headset	FSA NO.10 semi-integrated
Handlebar	Kalloy black, Width: 600mm, Rise: 45mm, Ø: 25.4mm, Backsweep: 45°
Grips	Herrmans DD37 123mm
Stem	AS-DC1 alloy, 15°, Ø: 25.4mm, L: 75mm
Seatpost	SP-C208 alloy, Ø: 27.2mm, L: 350mm
Saddle	Selle Royal Explora
Front hub	Panasonic NRH002 dynamo, 32H
Rear hub	Shimano TY500, 32H
Rims	Lapierre Double wall 32H 21-622
Tires	Schwalbe Spicer plus PunctureGuard 40-622 50EPI
Pedals	Xerama SP-877
Accessories	Axa Ecoline 15 lux / Axa Blueline carrier mount, kickstand, Tempo 46mm mudguard set, Sprung rear carrier (child seat compatible)

Trekking 1.0 High

DARK GREY

Ref. LTAPA



Non-binding illustrations

Frame	Trekking 700c Supreme 4 alloy
Fork	RST NEON-T 700c V-Brake 60mm Travel
Front derailleur	Shimano Tourney FD-TY300
Rear derailleur	Shimano Tourney RD-TY300D, 7s
Crankset	Shimano TY301 48-38-28T 170mm (S/M/L) / 175mm (XL/XXL)
Bottom bracket	BSA Square 126mm
Sprocket	Shimano TZ500 14-28T 7s
Chain	YBN S50 1/2"x3/32" 7s
Brakes	Alhonga V-Brake
Shiftlevers	Shimano STEF41 3x7s
Headset	FSA NO.10 semi-integrated
Handlebar	Kalloy black, Width: 600mm, Rise: 45mm, Ø: 25.4mm, Backsweep: 45°
Grips	Herrmans DD37 123mm
Stem	AS-DC1 alloy, 15°, Ø: 25.4mm, L: 75mm
Seatpost	SP-C208 alloy, Ø: 27.2mm, L: 350mm
Saddle	Selle Royal Explora
Front hub	KT-AF15F alloy, 32H
Rear hub	KT-AF12R alloy, 32H
Rims	Lapierre Double wall 32H 21-622
Tires	Schwalbe Spicer plus PunctureGuard 40-622 50EPI
Pedals	Xerama SP-877
Accessories	Spaniga Illico 2 / Presto mudguard mount, kickstand, Tempo 46mm mudguard set

Trekking 1.0 Low

DEEP BLUE

Ref. LTAPB



Non-binding illustrations

Frame	Trekking Women 700c Supreme 4 alloy
Fork	RST NEON-T 700c V-Brake 60mm Travel
Front derailleur	Shimano Tourney FD-TY300
Rear derailleur	Shimano Tourney RD-TY300D, 7s
Crankset	Shimano TY301 48-38-28T 170mm
Bottom bracket	BSA Square 126mm
Sprocket	Shimano TZ500 14-28T 7s
Chain	YBN S50 1/2"x3/32" 7s
Brakes	Alhonga V-Brake
Shiftlevers	Shimano STEF41 3x7s
Headset	FSA NO.10 semi-integrated
Handlebar	Kalloy black, Width: 600mm, Rise: 45mm, Ø: 25.4mm, Backsweep: 45°
Grips	Herrmans DD37 123mm
Stem	AS-DC1 alloy, 15°, Ø: 25.4mm, L: 75mm
Seatpost	SP-C208 alloy, Ø: 27.2mm, L: 350mm
Saddle	Selle Royal Explora
Front hub	KT-AF15F alloy, 32H
Rear hub	KT-AF12R alloy, 32H
Rims	Lapierre Double wall 32H 21-622
Tires	Schwalbe Spicer plus PunctureGuard 40-622 50EPI
Pedals	Xerama SP-877
Accessories	Spaniga Illico 2 / Presto mudguard mount, kickstand, Tempo 46mm mudguard set